Polymer Physics Edition

Index Supplement, 1983 Volume 21

JOURNAL OF POLYMER SCIENCE

Contents

Author Index to Volume 21 2563
Subject Index to Volume 21 2589

an Interscience® Publication
published by JOHN WILEY & SONS
JPLPAY 21(S) 2563–2600 (1983)
ISSN 0098–1273

The *Journal of Polymer Science* is published as follows: *Polymer Chemistry Edition*, monthly; *Polymer Physics Edition*, monthly; *Polymer Letters Edition*, monthly; *Polymer Symposia*, irregularly.

Published monthly (one volume per year) by John Wiley & Sons, Inc. Copyright © 1983 by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158. All rights reserved. Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the United States Copyright Law without the permission of the copyright owner is unlawful: Second-class postage paid at New York, New York and at additional mailing offices.

The code and the copyright notice appearing at the bottom of the first page of an article in this journal indicate the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The per-copy fee for each article appears after the dollar sign and is to be paid through the Copyright Clearance Center, Inc., 21 Congress St., Salem, MA 01970. (The fee for articles published prior to 1978 is $1.00 per article.) This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the publisher.

Subscription price (1984): $828.00 per volume. Postage and handling outside U.S.A.: $94.00 by surface; $524.00 by air. Please allow 4 weeks for change of address. Back volumes, microfilm, and microfiche are available for previous years. Request price list from publisher.

The contents of this journal are indexed by the following: *Applied Mechanics Reviews*, *Chemical Abstracts*, *Current Contents/Physical, Chemical and Earth Sciences*, *Science Citation Index*, *Engineering Index*, *RAPRA Abstracts*, and *Chemical Titles*.

Postmaster: Send address changes to Subscription Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.

Inquiries concerning *advertising* should be forwarded to either the U.S. Advertising Representative, Daniel S. Lipner, Weston Media Associates, 37 Gray's Farm Road, Weston, CT 06883, or to the European Advertising Representative, Richard Webb, REW Space Sales, Apartment 1, 2 Gladstone Road, Kingston-upon Thames, Surrey KT1 3HD, U.K.

Claims for undelivered copies will only be accepted after the following issue has been received. Please enclose mailing label. Missing copies will be supplied when losses have been sustained in transit and where reserve stock will permit.

Author Index to Volume 21

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 21, 1983. The edition in which an item appears is indicated by a C, P, or L, respectively, following the page number.

Abdel-Hay, F. I.
—; Beddows, C. G.; Gil, M. H.; Guthrie, J. T.: The Use of Acrylic Acid-co-Nylon Substrates for Immobilizing Enzymes, 2463C
Abdel Moteleb, M. M. See Elshafee, E., 2067C
Abd-El-Nour, K. N.
—; Hanna, F. F.: Dielectric Properties of Some Insulating Liquids, 723L
Abe, Y.
—; Misono, T.: Preparation of Polysiloxanes from Silicic Acid. III. Preparation and Properties of Polysilicic Acid Butyl Esters, 41C
Abel, J. S. See Mazurek, H., 537P
Abhiraman, A. S.
Crystallization in Oriented Polymers: A Framework for Analyzing Orientation Distributions, 583P
Abu-Abdoun, I. I.
—; Thije, L.; Neckers, D. C.: Photoinitiated Polymerization of Vinyl Monomers by Benzophenone *t*-Butyl Peresters, 3129C
Abu-Shbak, M. M. See Clark, D. T., 2907C
Achar, B. N.
—; Fohlen, G. M.; Parker, J. A.: A New Solid-Phase Polymerization—Metal Phthalocyanine Sheet Polymers, 589C
—; Fohlen, G. M.; Parker, J. A.: Heat-Resistant Metal Phthalocyanine Imide Copolymers, 1025C
—; Fohlen, G. M.; Parker, J. A.: Metal(II) 4,4′-,4″,4‴-Phthalocyanine Tetramines as Curing Agents for Heat Resistant Epoxy Formulations, 1505C
—; Fohlen, G. M.; Parker, J. A.: Novel High-Temperature-Resistant Metal Phthalocyanine Imide Copolymers, 3063C
—; Fohlen, G. M.; Parker, J. A.: Synthesis and Characterization of Polymerizable Bisphthalonitrile Monomers, 111C
Acierno, D.
—; La Mantia, F. P.; Polizzotti, G.; Ciferri, A.; Krigbaum, W. R.; Kotek, R.: Thermotropic Homopolyesters. IV. Study of Fiber Formation, 2027P
Adachi, T. See Chujo, R., 487L
Addeo, A.
—; Carfagna, C.; Nicodemo, L.; Nicolais, L.: Electrical Behavior of Layered Perovskites–Polystyrene Composites, 317L
Ageishi, K.
—; Endo, T.; Okawara, M.: Preparation of Viologen Polymers from Alkylene Dipyridinium Salts by Cyanide Ion, 293C
—; Endo, T.; Okawara, M.: Reduction of Aldehydes and Ketones by Sodium Dithionite Using Viologens as Electron Transfer Catalyst, 175C
Aglietto, M.
—; Carlini, C.; Veracini, C. A.: Optical Activity of Alternating Copolymers of Chiral α-Olefins with Alkyl Acrylates, 1203C
Aharoni, S. M. See Navard, P., 271L
Ahirrao, S. M. See Bhat, N. V., 1273C
Ahn, K.-D.
—; Overberger, C. G.: Synthesis and Solution Properties of Poly(*trans*-5-Ethylproline). A Slow Mutarotating Substituted Polyproline, 1699C
Ai, B. See Destruel, P., 851P
Aiga, H. See Takizawa, Y., 3145C
Aiken, B. E. See Partch, R., 961C
Akimoto, H. See Kamachi, M., 693L
Akiyama, N. See Higashi, F., 913C, 3233C
Aklonis, J. J. See Chang, J.-M., 999L
Albeck, M. See Jen, K. Y., 441L
Aleman, J. V. See Lesbats, J. P., 635C
Al-Ghazawi, M.
—; Sheldon, R. P.: Heterogeneous Nucleation Studies on Polypropylene, 347L
Ali, S. See Claesson, S., 1873P
Altomare, A.
—; Carlini, C.; Ciardelli, F.; Pearce, E. M.: Optically Active Copolymers from *p*-Vinyltrifluoroacetophenone, 1693C
Alvey, M. D. See Brandolini, A. J., 2511P
Amin, M.
—; Hassan, H. H.; Nasr, G. M.: Effect of Sulfur on the Electrical Conductivity of FEF-Loaded SBR During Swelling, 3353C
Anasagasti, M. S.
—; Leon, L. M.: The Heat of Acenaphthylene Polymerization, 979L
Anderson, K. W.
—; Mathias, L. J.; McGrath, J. E.: Comments on "Synthesis of Hydroxyl-Terminated Polycarbonates of Controlled Number-Average Molecular Weight", 445L
Ando, Y.
—; Kawabata, N.; Nishida, K.: The Effect of Dye Sorption on Electromechanical Properties in Sodium Poly(L-Glutamate), 1661P
Andrady, A. L.
—; Sefcik, M. D.: Glass Transition in Poly(propylene Glycol) Networks, 2453P
Andrews, E. H. See Bhateja, S. K., 523P
Ang, C. H.
—; Garnett, J. L.; Levot, R.; Long, M. A.: Accelerated Radiation-Induced Grafting of Styrene to Polyolefins in the Presence of Acid and Polyfunctional Monomers, 257L
Anzai, J.-I.
—; Sakata, Y.; Suzuki, Y.; Ueno, A.; Osa, T.: Cation Binding Properties of Crown Ether-Modified Polyethylenimines, 855C
Aoki, K. See Matsumoto, A., 837L, 3493C
Arakawa, K.
—; Seguchi, T.; Hayakawa, N.; Machi, S.: Radiation-Induced Oxidation of Polymers. Effect of Antioxidant and Antirad Agent on Oxygen Consumption and Gas Evolution, 1173C
Arakawa, T. See Ozaki, M., 989L
Araki, T.
—; Hayase, S.; Nakamura, A.: Isomerization Polymerization of β-Propiolactones Carrying Side-Chain Ester Groups, 1671C
Araki, Y. See Matsumoto, A., 771L
Aras, L.
—; VanderSchueren, J.; Niezette, J.; VanderSchueren, R.: Thermally Stimulated Depolarization of *n*-Butyl Methacrylate Ionomers, 799L
Arora, K. S.
—; Overberger, C. G.: Synthesis of 9-Carboxymethylcarbazole-Substituted Polydehydroalanine and Poly(dehydroalanine Methyl Ester), 189L
Asano, Y. See Ashitaka, H., 1111C

Asatiani, L. P.
—; El-Agamey, A. A.; Diab, M. A.: Synthesis and Thermal Analysis of Some Oligomeric Silicon Derivatives of Ferrocene, 2529C
Ashitaka, H.
—; Inaishi, K.; Ueno, H.: Syndiotactic 1,2-Polybutadiene with Co–CS_2 Catalyst System. III. ^1H- and ^{13}C-NMR Study of Highly Syndiotactic 1,2-Polybutadiene, 1973C
—; Ishikawa, H.; Ueno, H.; Nagasaka, A.: Syndiotactic 1,2-Polybutadiene with Co-CS_2 Catalyst System. I. Preparation, Properties, and Application of Highly Crystalline Syndiotactic 1,2-Polybutadiene, 1853C
—; Jinda, K.; Ueno, H.: Syndiotactic 1,2-Polybutadiene with Co–CS_2 Catalyst System. II. Catalysts for Stereospecific Polymerization of Butadiene to Syndiotactic 1,2-Polybutadiene, 1951C
—; Jinda, K.; Ueno, H.: Syndiotactic 1,2-Polybutadiene with Co–CS_2 Catalyst System. IV. Mechanism of Syndiotactic Polymerization of Butadiene with Cobalt Compounds–Organoaluminum–CS_2, 1989C
—; Kusuki, Y.; Asano, Y.; Yamamoto, S.; Ueno, H.; Nagasaka, A.: Melt Spinning of Syndiotactic 1,2-Polybutadiene for Preparation of Carbon Fibers, 1111C
Aspler, J. S.
—; Gray, D. G.: An Inverse Gas-Chromatographic Study of the Interaction of Water with some Cellulose Derivatives, 1675P
Asrar, J.
—; Toriumi, H.; Watanabe, J.; Krigbaum, W. R.; Ciferri, A.; Preston, J.: Thermotropic Homopolyesters. I. The Preparation and Properties of Polymers Based on 4,4′-Dihydroxybiphenyl, 1119P
Atkins, E. D. T. See Odell, J. A., 289L
Aubin, M. See Garton, A., 45L
—; Bédard, Y.; Morrissette, M.-F.; Prud'Homme, R. E.: Miscible Blends Prepared from Two Crystalline Polymers, 233P
Avakian, P. See Panar, M., 1955P
—; Hsu, W. Y.; Meakin, P.; Snyder, H. L.: Optical Absorption Spectrum of PMMA via Laser Calorimetry, 647P
Avitabile, G.
—; Tuzi, A.: Modeling the Structure of Chain-Molecular Liquids: A Computer Simulation of the *n*-Alkanes C_8–C_{30}, 2379P
Axelson, D. E.
—; Mandelkern, L.; Popli, R.; Mathieu, P.: Carbon-13 NMR of Polyethylenes: Correlation of the Crystalline Component T_1 with Structure, 2319P
Azuma, K. See Endo, T., 373L

Bailey, W. J. See Endo, T., 373L; Saigo, K., 1435C
Baise, A. I.
Study of the Curing of an Acetylene-Terminated Polyphenylene Resin with Thermal Expansion Measurements, 67C
Bajaj, P.
—; Gupta, D. C.: Copolymerization of Styrene with [(2-Methacryloyloxy)propoxy]trialkyl(aryl) Silanes, 1347C
—; Padmanaban, M.: Copolymerization of Acrylonitrile with 3-Chloro, 2-Hydroxy-Propyl Acrylate and Methacrylate, 2261C
Balaraman, K. S.
—; Kulkarni, B. D.: Suspension Polymerization of Methyl Methacrylate Generalized Kinetic Model, 87L
—; Sarwade, B. D.; Nadkarni, V. M.: Effect of Moisture on the Kinetics of the Free Radical Bulk Copolymerization of Styrene and Acrylonitrile, 739L
Ballauff, M.
—; Kramer, H.; Wolf, B. A.: Rheological Studies of Moderately Concentrated Polystyrene Solutions. I. A New Method for the Extrapolation of the Zero-Shear Viscosity, 1205P
—; Kramer, H.; Wolf, B. A.: Rheological Studies of Moderately Concentrated Polystyrene Solutions in the Vicinity of the θ Temperature. II. Shear-Rate Dependence for Different Thermodynamic Conditions, 1217P
Ballet, F.
—; Candau, F.: Investigation of the Structure of Polymeric Microemulsions by Proton Magnetic Resonance, 155C
Ballistreri, A.
—; Montaudo, G.; Puglisi, C.; Scamporrino, E.; Vitalini, D.; Calgari, S.: Mechanism of Flame Retardant Action of Red Phosphorus in Polyacrylonitrile, 679C
Baltisberger, R. J. See Rao, S. P., 551L
Balykova, T. N. See Siling, S. A., 2675C
Ban, H. See Sasaki, S., 413P
Banerjee, M. See Paul, T. K., 57L
Banerjee, S. K. See Ray, P. K., 263L
Bansil, R. See Gupta, M. K., 969L
Bantjes, A. See Sederel, L. C., 1L
Barar, D. G.
—; Staller, K. P.; Peppas, N. A.: Friedel–Crafts Crosslinking Methods for Polystyrene Modification. IV. Macromolecular Structure of Crosslinked Particles, 1013C
Barham, P. J. See Sadler, D. M., 309P
Barkalov, I. M.
—; Kiryukhin, D. P.; Munikhes, V. M.: Radiation Curing of Methacryloyloxyalkyl Carbonates, 1401C
Bartels, C. R.
—; Graessley, W. W.; Crist, B.: Measurement of Self-Diffusion Coefficient in Polymer Melts by a Small-Angle Neutron Scattering Method, 495L
Basheer, R.
—; Dole, M.: Radiation Chemistry of Linear Low-Density Polyethylene. I. Gel Formation and Unsaturation Effects, 949P
—; Dole, M.: Radiation Chemistry of Linear Low-Density Polyethylene. II. Kinetics of Alkyl and Allyl Free-Radical Decay Reactions, 957P
—; Dole, M.: Radiation Chemistry of Polybutadiene and Butadiene–Styrene Block Copolymers. II. Kinetics and Mechanisms of Free-Radical Decay Reactions, 111P
Bassett, W., Jr. See Xi, F., 891C
Batchelder, D. N. See Galiotis, C., 2483P
Bator, M. A. K. See Gardlund, Z. G., 1251C
Batz, H. G. See Zurkova, E., 2949C
Baughman, R. H. See Bredas, J. L., 475L
Bayer, E. See Geckeler, K., 3541C
Beach, D. L. See Kissin, Y. V., 1065C
Beckewitz, F.
—; Heusinger, H.: Photocycloaddition of *cis*-Cyclooctene to Low-Molecular-Weight Polystyrene and Some Aromatic Model Compounds, 2763C
Bédard, Y. See Aubin, M., 233P
Beddows, C. G. See Abdel-Hay, F. I., 2463C
Beika, N. See Ouchi, T., 2897C
Belfiore, L. A.
—; Cooper, S. L.: Bisphenol-A Polycarbonate–Diluent Interactions, 2135P
Bell, V. L.
—; Pezdirtz, G. F.: Effects of Ionizing Radiation on Linear Aromatic Polyesters, 3083C
Bellantoni, E. See Blumstein, A., 2159P
Benmouna, M.
—; Benoit, H.: Scattering from Copolymer Solutions at Finite Concentration, 1227P
Benoit, H. See Benmouna, M., 1227P
Berek, D. See Bleha, T., 1903P
Beres, J. J. See Burkhart, C. W., 2349P
Bergeret, W. See Raynal, S., 2601C, 3341C
Berkovich, L. A.
—; Tsyurupa, M. P.; Davankov, V. A.: The Synthesis of Crosslinked Copolymers of Maleilated Chitosan and Acrylamide, 1281C
Berlin, Yu. A. See Zhorin, V. A., 929P
Berry, G. C. See Cotts, P. M., 1255P; Lee, C. C., 1573P

Beshay, A. D. See Mansour, O. Y., 715C
Beshenko, S. I. See Zhorin, V. A., 929P
Beugeling, T. See Sederel, L. C., 1L
Bhadani, S. N.
—; Mishra, M. K.: Homopolymerization of Methyl Methacrylate Initiated with Nitrogen Dioxide (Note), 3601C
Bhat, N. V.
—; Ahirrao, S. M.: Investigation of the Structure of Silk Film Regenerated with Lithium Thiocyanate Solution, 1273C
Bhateja, S. K.
—; Andrews, E. H.; Young, R. J.: Radiation-Induced Crystallinity Changes in Linear Polyethylene, 523P
Bhattacharya, V. K. See Ray, A., 77L
Bhattacharyya, S. N.
—; Maldas, D.: Radiation-Induced Graft Copolymerization of Mixtures of Styrene and Acrylamide onto Cellulose Acetate. II. Studies on Bromine Labeling, 3281C
—; Maldas, D.: Radiation-Induced Graft Copolymerization of Mixtures of Styrene and Acrylamide onto Cellulose Acetate. III. A Kinetic Study, 3291C
Bhaumik, D.
—; Mark, J. E.: A Theoretical Investigation of Chain Packing and Electronic Band Structure of the Rigid-Rod Polymer *Trans*-Poly(*p*-phenylene benzobisthiazole) in the Crystalline State, 2543P
—; Mark, J. E.: Calculation of Electronic Band Structures for Some Rigid Benzobisoxazole and Benzobisthiazole Polymers, 1111P
Bhoraskar, S. V. See Joshi, S. G., 685P
Biddle, D. See Chapoy, L. L., 621L
Bier, G. See Kricheldorf, H. R., 2283C
Bilow, N. See Lau, K. S. Y., 3009C
Biswas, M.
—; Haque, S. A.: Some Observations on the Polymerization of *N*-Vinylcarbazole by Carbon Black (Note), 1861C
Biswas, S. See Ghosh, P., 3347C
Bittencourt, E.
—; Guimaraes, N.; Camargo, M. E.; Ferreira, A. W.; Makino, M. M.: Immunoenzymatic Assays Conducted with Resin-Treated Nylon Fabrics, 717L
Blackley, D. C. See Hasan, S. M., 2843C
Blackwell, J.
—; Lee, C. D.: Hard-Segment Domain Sizes in MDI/Diol Polyurethane Elastomers, 2169P
Blasco, F.
—; Riande, E.: Dipole Moments of Poly(*p*-Chlorostyrene) Chains Determined in Toluene and Isopropyl–Benzene (Note), 835P
Bleha, T.
—; Spychaj, T.; Vondra, R.; Berek, D.: Concentration Effects and Thermodynamic Nonideality in Gel Chromatography, 1903P
Blinov, N. N. See Popov, A. A., 1017P
Blume, R. C. See Panar, M., 1955P
Blumstein, A.
—; Mjlas, M.; Ozcayir, Y.; Bellantoni, E.: Matrix Polymerization on Polycationic Backbones: A Continuous Method for Following the Polymerization Kinetics, 2159P
Bomo, F. See Shanahan, M. E. R., 1103P
Bonner, D. C. See Saeki, S., 2049P
Booij, H. C.
—; Leblans, P.; Tiemersma-Thoone, G.; Palmen, J.: Nonlinear Viscoelasticity and the Cox–Merz Relations for Polymeric Fluids, 1703P
Booth, C. See Swales, T. G. E., 1501P; Viras, K., 919P
Boschan, R. H. See Lau, K. S. Y., 3009C
Bottin, M. F.
—; Boudeulle, M.; Guillet, J.: Orientation Studies on Hot-Drawn Tubular Blown Films of Isotactic Polypropene, 401P
Bouchal, K. See Matejka, L., 2873C; Zurkova, E., 2949C
Boudeulle, M. See Bottin, M. F., 401P
Boulette, B. M. See Hay, A. S., 449L
Boyd, R. H.
The Dielectric Constant of Lamellar Semicrystalline Polymers, 505P
The Mechanical Moduli of Lamellar Semicrystalline Polymers, 493P
Brandolini, A. J.
—; Alvey, M. D.; Dybowski, C.: The Crystallite Orientation Distribution Functions of Deformed Polytetrafluoroethylene: Multiple-Pulse ^{19}F NMR Spectroscopy, 2511P
—; Dybowski, C.: Determination of Orientation Distribution Functions Using Solid-State Nuclear Magnetic Resonance, 423L
Brant, P.
—; Weber, D.: The Reactions of Polyacetylene with Trimethyloxonium Hexachloroantimonate. Covalent Doping of $(CH)_x$, 1929C
Brauman, S. K.
—; Chen, I. J.; Matzinger, D. P.: Polystyrene Degradation during Combustion, 1831C
Bredas, J. L.
—; Baughman, R. H.: Theoretical Study of the Electronic Properties of Biphenylene Polymers: Prediction of New Highly Conducting Polymer Complexes, 475L
Breton, M.
—; Gustafson, D.: A Simple, Cost-Effective Automatic Capillary Viscometer System (Note), 1559P
Brisimitzakis, A. C.
—; Karydas, A. C.: A Mechanistic Study of the Photochemical Synthesis and Thermal Degradation of Poly(4-Methyl-4-Trichloromethyl-2,5-Cyclohexadienone), 565L
Brockman, N. L.
—; Eisenberg, A. E.: The Synthesis of Poly(styrene-Co-Sodium Styrene-*p*-Carboxylate), 3563C
Brown, C. E. See Rao, S. P., 551L
Brown, D. J.
—; Mitchell, G. R.: Molecular Orientation in PMMA Uniaxially Deformed Above the Glass Transition Temperature, 341L
Brown, D. W. See Li, G. C. G., 301C
Brown, G. R. See Kennedy, M. A., 1403P
Brown, H. R.
The Use of Small-Angle Electron Scattering to Compare the Structure of Craze Found in Thin Films with that Found in Bulk Materials, 483P
Brown, W.
—; Stilbs, P.; Johnsen, R. M.: Friction Coefficients in Self-Diffusion, Velocity Sedimentation, and Mutual Diffusion for Poly(ethylene Oxide) in Aqueous Solution, 1029P
Broze, G.
—; Jerome, R.; Teyssie, Ph.: Halato-Telechelic Polymers. IX. Some Specific Properties of Dicarboxylato Polymers Based on Group IVb Metal Ions, 237L
—; Jerome, R.; Teyssie, Ph.; Marco, C.: Halato-Telechelic Polymers. VII. Viscoelastic Behavior of α,ω-Divalent Cation Dicarboxylato Polybutadiene, 2205P
Brozoski, B. A.
—; Coleman, M. M.; Painter, P. C.: Further Annealing Studies of the Calcium Salt of an Ethylene–Methacrylic Acid Copolymer, 301P
Bruneau, C. M. See Durand, D., 2945C
Burdick, B. A.
Preparation and Polymerization of Thyroxine Methacrylate Monomers, 1997C
Burford, R. P. See Honig, J. A. J., 2559C
Burgar, W. F. H. See Hasan, S. M., 2843C
Burger, V. T. See Rao, S. P., 551L
Burillo, G.
—; Ogawa, T.: The Gamma Ray-Induced Crosslinking of Polyacrylamide in the Solid State, 615L
Burkhart, C. W.
—; Gillette, P. C.; Lando, J. B.; Beres, J. J.: X-Ray Structure Analysis of Poly[di-(3,4-Dimethylphenoxy)Phosphazene], 2349P
Burns, C. M. See Narasimhan, V., 1993P
Burr, R. C. See Fanta, G. F., 2095C

Butler, G. B. See Lai, Yu.-C., 2513C

Cakmak, M. See Westbrook, P. A., 1913P
Calafate, B. A. L. See Mano, E. B., 829C
Calgari, S. See Ballistreri, A., 679C
Calvert, P. D.
Fibrillar Structures in Spherulites, 467L
Camargo, M. E. See Bittencourt, E., 717L
Camberlin, Y.
—; Pascault, J.-P.: Quantitative DSC Evaluation of Phase Segregation Rate in Linear Segmented Polyurethanes and Polyurethaneureas, 415C
Candau, F. See Ballet, F., 155C
Canetti, M. See Galli, R., 717P
Cánovas, A.
—; Rubio, R. G.; Renuncio, J. A. R.: Local Composition Effect in Poly(dimethyl Siloxane) Solutions: A Comparison of Two Models, 841P
Cantor, D. M. See McDaniel, M. P., 1217C
Capistran, J. D. See Chien, J. C. W., 93L
Caraculacu, A. A. See Caraculacu, G., 277L
Caraculacu, G.
—; Scortanu, E.; Caraculacu, A. A.: Copolymer of Poly(parabanic Acid) and Polyimide, 277L
Carenza, M. See Palma, G., 251P
Carfagna, C. See Addeo, A., 317L
Carlini, C. See Aglietto, M., 1203C; Altomare, A., 1693C
Carlson, G. M. See Kennedy, J. P., 2973C, 3551C
Carlsson, D. J. See Gupta, M. K., 211L
Carman, C. J. See Komoroski, R. A., 89C
Carroll, P. J. See Patterson, G. D., 605P, 613P, 1897P
—; Patterson, G. D.; Cullerton, S. A.: Light-Scattering Photography of Polymers Near the Glass Transition, 1889P
Castle, P. M. See Sadhir, R. K., 1315C
Cava, M. P. See Jen, K. Y., 441L
Cembrola, R. J.
—; Kyu, T.; Stein, R. S.; Suehiro, S.; Kawai, H.: Dynamic X-Ray Diffraction Studies of High-Density Polyethylene, 329P
Cernia, E.
—; D'Ilario, L.: Conformational Aspects of a "Very Simple" Chain: Polyacetylene, 2163C
Cha, C. Y.
—; Min, K. W.: Photon Correlation Spectroscopy of Polymer Solutions, 807P
Chakrabarty, N. K. See Saha, S. K., 963L
Challa, G. See Eling, B., 1125C
Chan, K.
—; Matsuura, T.; Rajan, K.: Determination of Pore Sizes at the Skin Layer of Aromatic Polyamidohydraziде Ultrafiltration Membranes, 417L
Chance, R. R. See Frommer, J. E., 39L
Chang, C. See Krimm, S., 907L
—; Krimm, S.: Mixed-Crystal Infrared Study of Chain Mobility in Untreated and Nitric-Acid-Treated Polyethylene Single Crystals, 913L
Chang, G. B. See Chen, W. Y., 335L
Chang, G. L. See Chen, W. Y., 335L
Chang, J.-M.
—; Aklonis, J. J.: A Photothermal Reversibly Crosslinkable Polymer System, 999L
Chaplin, R. P. See Honig, J. A. J., 2559C; Moore, P. W., 2491C, 2503C
Chapoy, L. L.
—; Biddle, D.: A Well-Resolved Carbazole Excimer Emission from a Conformationally Pure Polymer, 621L
Chatfield, D. A.
—; Poly(vinylfluoride), pyrolysis and oxidative d: The Pyrolysis and Nonflaming Oxidative Degradation of Poly(vinylfluoride), 1681C
Chatterjee, S. K.
—; Sethi, K. R.: Study of Interpolymer Complex Formation of Polyvinylpyrrolidone and Poly(ethylene Oxide) with Phenolic Polymers in Nonaqueous Media, 1045C
—; Singh, B. P.; Pachauri, L. S.: Copolymerization Parameters of Substituted Aniline Monomers, 1165C
Chau, N. See Saegusa, Y., 637C
Chaudhuri, A. K. See Saha, S. K., 329L, 963L
Chen, I. J. See Brauman, S. K., 1831C
Chen, S.-A.
—; Hu, H.-C.: The Skewness of Polymer Molecular Weight Distributions, 3373C
Chen, W. Y. See Feng, X. D., 593L
—; Sun, D. H.; Chang, G. L.; Feng, X. D.; Chang, G. B.: Plasma-Initiated Polymerization of Sodium Sulfohexyl Methacrylate, 335L
Cheng, H. N.
^{13}C-NMR Analysis of Propylene–Butylene Copolymers by a Reaction Probability Model, 573P
Chern, R. T.
—; Koros, W. J.; Hopfenberg, H. B.; Stannett, V. T.: Reversible Isopentane-Induced Depression of Carbon Dioxide Permeation through Polycarbonate, 753P
Chew, C. H. See Gan, L. M., 513C
Chiantore, O.
A Comment on the Solute Dimensions to Be Applied in Inverse Size Exclusion Chromatography, 429L
Chidambareswaran, P. K. See Gupta, V. B., 2425P
Chien, J. C. W. See Fan, J. L., 3453C; Schen, M. A., 2787C
—; Schen, M. A.; Capistran, J. D.; Karasz, F. E.; Dickinson, L. C.; Schen, M. A.: Molecular Weight of Polyacetylene, 93L
—; Wu, J.-C.; Kuo, C.-I.: Magnesium Chloride Supported High-Mileage Catalyst for Olefin Polymerization. IV. FTIR and Quantitative Analysis of Modifiers in the Catalysts, 725C
—; Wu, J.-C.; Kuo, C.-I.: Magnesium Chloride-Supported, High-Mileage Catalysts for Olefin Polymerization. V. BET, Porosimetry, and X-Ray Diffraction Studies, 737C
—; Yang, X.: Cis–Trans Isomerization of Polyacetylene Catalyzed by Oxygen, 767L
Chilingirjan, M. K. See Karaenev, S. S., 141C
Cho, I.
—; Kim, J-B.: Exploratory Ring-Opening Polymerization. VIII. Radical Ring-Opening Polymerization of 2-Phenyl-3-Vinyloxirane: A C—C Bond Scission Polymerization of the Epoxide Ring, 433L
—; Lee, J.-Y.: Exploratory Ring-Opening Polymerization. VII. Ring-Opening Polymerization of 2-Alkoxy-6-Alkyl-3,4-Dihydro-2H-Pyrans: A Synthetic Route to Head-to-Head Alternating Copolymers of Vinyl Ketones and Vinyl Ethers, 389L
Choi, S. J. See Zeldin, M., 1361C
Choi, S. K. See Han, Y. K., 73C, 353C
Choy, C. L. See Ito, M., 2299P; Leung, W. P., 725P; Wang, L.-H., 657P
—; Wang, L.-H.; Ito, M.; Porter, R. S.: Thermal Expansivity of Oriented Poly(ethylene Terephthalate), 1427P
—; Leung, W. P.: Thermal Conductivity of Ultradrawn Polyethylene (Note), 1243P
Chu, S.-G. See Lee, C. C., 1573P
Chuah, H. H.
—; De Micheli, R. E.; Porter, R. S.: Density Changes on Drawing by Solid-State Extrusion of High-Density Polyethylene, 791L
Chujo, R.
—; Nishi, T.; Sumi, Y.; Adachi, T.; Naito, H.; Frentzel, H.: Vertical Distribution of Components in a Polymer Blend with the Aid of the Secondary Ion Mass Spectroscopy, 487L
Chung, C.-J. See Turro, N. J., 1085C
Chung, S. Y. See Hong, S-D., 1647P
Ciardelli, F. See Altomare, A., 1693C
Ciferri, A. See Acierno, D., 2027P; Asrar, J., 1119P
Claesson, S.
—; McAtee, J. L., Jr.; Ali, S.: Pressure Dependence of the Viscosity of Dilute Polystyrene Solutions in Toluene, 1873P
Clark, D. T. See Peeling, J., 2047C

—; Abu-Shbak, M. M.: Plasma Polymerization. IX. A Systematic Investigation of Materials Synthesized in Inductively Coupled Plasmas Excited in Perfluoropyridine, 2907C
—; Wilson, R.: Selective Surface Modification of Polymers by Means of Hydrogen and Oxygen Plasmas, 837C
Clark, F. R. S.
Ignition of Low-Density Polyethylene Slabs by a Small Flame, 3225C
Ignition of Poly(methyl Methacrylate) Slabs Using a Small Frame, 2323C
Close, L. G., Jr.
—; Fornes, R. E.; Gilbert, R. D.: A ^{13}C NMR Study of Mesomorphic Solutions of Poly(*p*-Phenylene Terephthalamide), 1825P
Clough, R. L.
Aging Effects on Fire-Retardant Additives in Polymers, 767C
Clouston, J. G. See Moore, P. W., 2491C, 2503C
Cohen, D. S.
Theoretical Models For Diffusion In Glassy Polymers, 2057P
Coleman, M. M. See Brozoski, B. A., 301P
Comyn, J.
—; Glasse, M. D.: The Aging of Living α-Methylstyryl Oligomers. I. The Kinetics of Aging, 209C
—; Glasse, M. D.: The Aging of Living α-Methylstyryl Oligomers. II. The Mechanism of Aging, 227C
Conlon, D. A. See Crivello, J. V., 1785C
Cooper, S. L. See Belfiore, L. A., 2135P; Pan, H. K., 1389P; Van Bogart, J. W. C., 65P; Wang, C. B., 11P
Cotillas, V.
—; Mijangos, F.; Leon, L. M.: The Heat and Entropy of Dissociation for Trityl Hexachloroantimonate in Nitrobenzene, 831L
Cotts, D. B.
Network Formation in Addition-Cured Acetylene-Terminated Resins (Note), 1883P
Properties of Semidilute Polymer Solutions: Investigation of an Optically Labeled Three-Component System, 1381P
Cotts, P. M.
—; Berry, G. C.: Studies on Dilute Solutions of Rodlike Macroions. II. Electrostatic Effects, 1255P
Cousin, P. See Garton, A., 2275P
Cramer, R. J. See Mulvaney, J. E., 309C
Crater, D. H.
—; Cuculo, J. A.: A Flow Visualization Technique for the Determination of Velocity Profiles in Dies with Circular Cross Sections, 2123P
—; Cuculo, J. A.: A Visualization Study of Poly(ethylene Terephthalate) Flow Using Potential Chain-Ordering Die Geometries, 2219P
Crist, B. See Bartels, C. R., 495L
Crivello, J. V.
—; Conlon, D. A.: Aromatic Bisvinyl Ethers: A New Class of Highly Reactive Thermosetting Monomers, 1785C
—; Lee, J. L.: Redox-Initiated Cationic Polymerization: The Diaryliodonium Salt/Benzoin Redox Couple, 1097C
—; Lockhart, T. P.; Lee, J. L.: Diaryliodonium Salts as Thermal Initiators of Cationic Polymerization, 97C
Cross, L. E. See Uchino, K., 765P
Croucher, M. D. See Peckan, O., 1011L
Cuculo, J. A. See Crater, D. H., 2123P, 2219P; Hudson, S. M., 651C; Wei, K.-Y., 1091P
Cullerton, S. A. See Carroll, P. J., 1889P
Curro, J. J.
—; Roe, R.-J.: Small-Angle X-Ray Scattering Study of Density Fluctuation in Pressure-Densified Polystyrene Glasses, 1785P
Daikyo, T. See Kuzuya, M., 515L
Dairanieh, I. S.
—; McHugh, A. J.: An Analysis of Local Flow Effects in Flow-Induced Orientation and Crystallization, 1473P
Dan, E. See Roller, M. B., 875L
Danno, T.
—; Miyasaka, K.; Ishikawa, K.: Dynamics and Mechanism of Iodine Sorption by Polyacetylene, 1527P
Daoust, H.
—; Ferland, P.; St-Cyr, D.: Electrostatic Contribution to Heat Capacity of Polyelectrolyte Solutions (Note), 1563P
Das, B. K. See Ray, P. K., 263L
Dash, S. B. See Lenka, S., 1867C
Dass, N. N. See Gogoi, A. K., 3517C
—; Sen, S. R.: Effect of Rh(III) and Ru(II) Complexes in the Polymerization of Vinyl Monomers Initiated by Charge Transfer Mechanism, 3381C
Davankov, V. A. See Berkovich, L. A., 1281C
Dawson, B. See Volksen, W., 2249C
Dawson, D. J. See Dawson, M. I., 381L
Dawson, M. I.
—; Hobbs, P. D.; Dawson, D. J.: Synthesis and Characterization of a Polymeric, Water-Soluble Chelator for Fe(III), 381L
Day, D. R. See Mazurek, H., 537P
Debski, M. See Shanahan, M. E. R., 1103P
Decker, C.
Ultra-Fast Polymerization of Epoxy-Acrylate Resins by Pulsed Laser Irradiation, 2451C
Del Puerto, M. A. See Roman, J. S., 691C; San Roman, J., 3303C
Demertzis, P. G. See Koutinas, A. A., 335C
Demery, V. C. See Sullivan, J. L., 2201P
De Micheli, R. E. See Chuah, H. H., 791L
Deprez, J. See Dobek, A., 2465P
de Ruvo, A. See Rigdahl, M., 205L
Deslandes, Y.
—; Marchessault, R. H.: Review of *Cellulose and Other Natural Polymer Systems: Biogenesis, Structure, and Degradation*, R. Malcolm Brown, Jr., Ed., 583L
Destruel, P.
—; Ai, B.; Hoang-The-Giam: Densification Effect on Physical Properties of Atactic Polystyrene, 851P
deValera, J. See Rabolt, J. F., 253L
Dharumaraj, G. V. See Kishore, K., 627L
Diab, M. A. See Asatiani, L. P., 2529C
Thermal Stability of Poly(vinyl Bromide) and Vinyl Bromide-Methyl Acrylate Copolymers. I., 3249C
Diaz, F. R.
—; Tagle, L. H.; Olivares, J. P.: Synthesis and Characterization of Polyesters Derived from Aromatic 1,4-Dimethoxylated Diacids, 2277C
Dicke, H.-R.
—; Lenz, R. W.: Liquid Crystal Polymers. 14. Synthesis and Properties of Thermotropic Poly(1,4-Alkylphenylene Terephthalates), 2581C
Dickinson, L. C. See Chien, J. C. W., 93L
D'Ilario, L. See Cernia, E., 2163C
Dilks, A. See Kaplan, S., 1819C
Dinan, F. J. See Uebel, J. J., 917C, 1773C, 2427C
Djurovich, P. I. See Trefonas, P., III, 819L
Doane, W. M. See Fanta, G. F., 2095C
Dobek, A.
—; Deprez, J.: Study of Light-Scattering Changes Induced in tRNA Solutions by a Strong Optical Field of Picosecond Pulses, 2465P
Dobos, S. See Neto, N., 3389C
Doi, M.
Explanation for the 3.4-Power Law for Viscosity of Polymeric Liquids on the Basis of the Tube Model, 667P
Doicheva, J. See Velichkova, R., 17C
Dole, M. See Basheer, R., 111P, 949P, 957P
Domszy, R. See Glotin, M., 285P
Domszy, R. C. See Swales, T. G. E., 1501P; Viras, K., 919P
Donahue, P. E. See Hay, A. S., 449L

Donaruma, L. G.
Review of *Biomaterials—An Interfacial Approach*, L. L. Hench and E. C. Ethridge, 677L
Dondos, A. See Tsitsilianis, C., 685L
Dosière, M.
—; Point, J. J.: Thermal Annealing of Doubly Oriented Nylon 11 in Contact with Formic Acid, 625P
Douglas, W.
—; Pritchard, G.: Dielectric Loss of Polyester Resins Crosslinked by Substituted Styrenes, 139L
Dowrey, A. E. See Noda, I., 99L
Dresselhaus, G. See Mazurek, H., 537P
Dresselhaus, M. S. See Mazurek, H., 537P
Dreyfus, B.
Thermodynamic Properties of a Small Droplet of Water around an Ion in a Compressible Matrix, 2337P
Dub, S. M. See Sefcik, M. D., 1041P
Duever, T. A.
—; O'Driscoll, K. F.; Reilly, P. M.: The Use of the Error-in-Variables Model in Terpolymerization, 2003C
Duke, C. B.
Review of *Electronic Properties of Polymers*, J. Mort and G. Pfister, Eds., 586L
Review of *Extended Linear Chain Compounds, Vol. 1*, J. S. Miller, Ed., 501L
Dumais, J. J. See Tarcha, P. J., 2389P
Dumitrascu, V. See Vasile, C., 329C
Dunkle, S. R. See Jellinek, H. H. G., 487C, 2111C
Durand, D.
—; Riviere, M.; Bruneau, C. M.: Comments on a Kinetic Approach of Multifunctional Polycondensation and Gelation by J. W. Stafford, 2945C
Dusek, K. See Matejka, L., 2873C
—; Ilavsky, M.: Formation, Structure, and Elasticity of Loosely Crosslinked Epoxy–Amine Networks. I. Statistics of Formation, 1323P
Dybowski, C. See Brandolini, A. J., 423L, 2511P

Eckhardt, H. See Frommer, J. E., 39L
Economy, J. See Volksen, W., 2249C
Egawa, H.
—; Ishikawa, M.; Tsunooka, M.; Ueda, T.; Tanaka, M.: Photocrosslinking of Poly(2,3-Epithiopropyl Methacrylate) Film with 254 nm Irradiation, 479C
—; Nonaka, T.; Hurusawa, T.; Tsunooka, M.; Tanaka, M.: Photocrosslinking of Poly(2,3-Epithiopropyl Methacrylate) and Its Copolymers (Note), 2597C
—; Nonaka, T.; Tokushige, K.; Tsunooka, M.; Tanaka, M.: Effect of Additives on Photocrosslinking of Poly(2,3-epithiopropyl Methacrylate) (Note), 1233C
Eguiazabál, J. I. See Fernandez-Berridi, M. J., 859P
Einaga, Y. See Fujita, H., 1187P
Eirich, F. R.
Review of *Surface and Colloid Science, Vol. 12, E. Matijevic, Ed.*, 67L
Eisenberg, A. See Kyu, T., 589L; Smith, P., 223L; Zhou, Z.-L., 595P
Eisenberg, A. E. See Brockman, N. L., 3563C
El-Aasser, M. S. See Min, T. I., 2845C; Misra, S. C., 2383C
—; Misra, S. C.; Makgawinata, T.; Vanderhoff, J. W.; Pichot, C.: Batch and Semicontinuous Emulsion Copolymerization of Vinyl Acetate–Butyl Acrylate. I. Bulk, Surface, and Colloidal Properties of Copolymer Latexes, 2363C
El-Agamey, A. A. See Asatiani, L. P., 2529C
Elayaperumal, P. See Gaylord, N. G., 781L
Eling, B.
—; Challa, G.; Pandit, U. K.: A Regenerable Immobilized NADH Model. Reduction of α,α,α-Trifluoroacetophenone by 1,4-Dihydronicotinamide Anchored to Macroreticular Polystyrene, 1125C
Elmgren, H.
Frictional Coefficients in Polymer Solutions and the Applicability of Scaling Laws to Experimental Data, 669L
Elorza, J. M. See Fernandez-Berridi, M. J., 859P
Elsdon, W. L.
—; Goldwasser, J. M.; Rudin, A.: Densimeter Detector in Gel Permeation Chromatography of Copolymers (Erratum), 1557C
Elsenbaumer, R. L. See Frommer, J. E., 39L
Elshafee, E.
—; Abdel Moteleb, M. M.; Kinawi, A.; Shinouda, H. G.; Rizk, H. A.: Dielectric Investigation on Mercerized Cotton and Some of Its Hydrolysis Residues, 2067C
Encinas, M. V.
—; Lissi, E. A.; Olea, A. E.: Polymerization Photoinitiated by Carbonyl Compounds. V. Dependence of the Initiation Efficiency on the Sensitizer Distribution in Emulsion Polymerization (Note), 2157C
Endo, T. See Ageishi, K., 175C, 293C; Saigo, K., 1435C
—; Saigo, K.; Okawara, M.; Bailey, W. J.; Azuma, K.; Nate, K.; Yokono, H.: Photoinitiated Ring-Opening Polymerization of 2-Methylene-1,3-Dioxepane, 373L
—; Takada, T.; Okawara, M.: Preparation of 1,4-Dihydronicotinamide Polymers with Spacers Between the Polymeric Matrix and Catalytic Center and Their Use in the Reduction of Ethyl Benzoylformate (Note), 603C
Enikolopian, N. S. See Zhorin, V. A., 929P
Erman, B.
Nonhomogeneous State of Stress, Strain, and Swelling in Amorphous Polymer Networks, 893P
Ezzell, S. A.
—; Furtsch, T. A.; Khor, E.; Taylor, L. T.: Properties of Polyimide Films Doped with Copper Complexes, 865C

Fan, J. L.
—; Chien, J. C. W.: Electron–Proton and Electron–Methyl Exchanges in Pyrolysis of Polyacetylene and Polymethylacetylene, 3453C
Fanta, G. F.
—; Burr, R. C.; Doane, W. M.: Ceric-Initiated Polymerization onto Polyacrylonitrile with Carbohydrate End Groups. Graft versus Block Copolymer Formation, 2095C
Farid, S. See Herkstroeter, W. G., 2473C
Farris, R. J. See Lyon, R. E., 223L
Fedors, R. F. See Hong, S-D., 1647P
Feijen, J. See Sederel, L. C., 1L; Van Dijk, J. A. P. P., 197C
Feinerman, A. E. See Lipatova, T. E., 2085C
Feld, W. A.
—; Ramalingam, B.; Harris, F. W.: Polyimides Containing Oxyethylene Units, 319C
—; Serico, L.; Genez, B. G.; Friar, L. L.: Phenylated Polyimides Via Bifunctional Monomers, 883C
Feldman, D.
Review of *Macromolecular Chemistry—Volume 2*, A. D. Jenkins and J. F. Kennedy, Senior Reporters, 69L
Review of *Plastics Materials, 4th ed.*, J. A. Brydson, 231L
Review of *Polymer Applications of Renewable-Resource Materials*, C. E. Carraher, Jr., and L. H. Sperling, 1021L
Review of *Polymers and Their Properties, Vol. 1, Fundamental of Structure and Mechanics*, J. W. S. Hearle, 863L
Review of *Polymers in Solar Energy Utilization*, C. G. Gebelein, D. J. Williams, and R. D. Deanin, 954L
Review of *Recycling of Thermoplastic Wastes*, 301L
Fellers, J. F. See Westbrook, P. A., 969P, 1913P
Feng, X. D. See Chen, W. Y., 335L
—; Song, C. X.; Chen, W. Y.: Synthesis and Evaluation of Biodegradable Block Copolymers of ϵ-Caprolactone and DL-Lactide, 593L

Ferland, P. See Daoust, H., 1563P
Fernandez-Berridi, M. J.
—; Eguiazabál, J. I.; Elorza, J. M.; Iruin, J. J.: Vapor-Pressure Osmometry and Inverse Gas Chromatography in the Analysis of Thermodynamic Properties of Polymer Solutions, 859P
Ferreira, A. W. See Bittencourt, E., 717L
Ferry, J. D.
Review of *Introduction to Polymer Viscoelasticity*, J. J. Aklonis and W. J. MacKnight, 958L
Fetters, L. J. See Hadjichristidas, N., 189P; Pearson, D. S., 2287P
Fink, J. K. See Vijayakumar, C. T., 1617C
Determination of In-Cage and Out-of-Cage Recombination of Initiator Radicals in Solution Polymerization Using Labeled Initiators, 1445C
Fisher, M. M. See Wang, D. W., 671C
Fitch, R. M. See Tarcha, P. J., 2389P
Fleming, R. J. See Hagekyriakou, J., 1691P
Fohlen, G. M. See Achar, B. N., 111C, 589C, 1025C, 1505C, 3063C; Kumar, D., 245C, 565C, 3155C; Varma, I. K., 2017C
Fornes, R. E. See Close, L. G., Jr., 1825P
—; Work, R. W.; Morosoff, N.: Molecular Orientation of Spider Silks in the Natural and Supercontracted States, 1163P
Forth, C. M. See LeGrand, D. G., 853L
Foti, S.
—; Giuffrida, M.; Maravigna, P.; Montaudo, G.: Direct Mass Spectrometry of Polymers. VII. Primary Thermal Fragmentation Processes in Polycarbonates, 1567C
—; Giuffrida, M.; Maravigna, P.; Montaudo, G.: Direct Mass Spectrometry of Polymers. VIII. Primary Thermal Fragmentation Processes in Polyurethanes, 1583C
—; Giuffrida, M.; Maravigna, P.; Montaudo, G.: Direct Mass Spectrometry of Polymers. IX. Copoly(carbonate–urethanes) Prepared by Reorganization of Polycarbonates with Piperazine, 1599C
Franson, N. M. See Peppas, N. A., 983P
Freche, P.
—; Grenier-Loustalot, M.-F.: Etude par RMN ^{13}C a 62,89 MHz de Ramifications Longues d'Alcanes Lourds Branches. Modeles de PEbd et des Copolymeres Ethylene-α Olefines, 2755C
Freitas, J. A., Jr.
—; Greenbaum, S. G.: ESR Study of the Diacetylene Polymer 4BCMU, 2045P
Frentzel, H. See Chujo, R., 487L
Friar, L. L. See Feld, W. A., 883C
Friberg, S. E. See Gan, L. M., 513C
Frisch, H. L. See Stern, S. A., 467P, 1275P; Xiao, H. X., 2547C
Frisch, K. C. See Xiao, H. X., 2547C
Frommer, J. E.
—; Elsenbaumer, R. L.; Eckhardt, H.; Chance, R. R.: Arsenic Trifluoride–Arsenic Pentafluoride Synergism in the Formation of Electrically Conductive Poly(*p*-Phenylene Sulfide), 39L
Fuhrmann, J. See Leicht, R., 2215C
Fujimori, K.
Cyclocopolymerization of Diallyl Ether with Sulfur Dioxide in Acetone, 25C
Fujimoto, M. See Oishi, T., 1053C
Fujita, H.
—; Einaga, Y.: The Onset of Three-Phase Separation in Ternary Polymer Solutions, 1187P
Fujita, K-I.
—; Niwa, H.; Nomura, S.; Kawai, H.: Rheo-optical Studies on the Deformation Mechanism of Semicrystalline Polymers. XIV. Alpha and Beta Mechanical Dispersions of Spherulitic High-Density Polyethylene and the Dynamic Orientation Distribution Function of Crystallites, 1713P
Fukuda, H.
—; Hirota, M.; Nakashima, Y.: Reaction and Cationic Polymerization of 4-Methyl-2-Methylene-1,3-Dioxolane, 171L
—; Nakashima, Y.: Photocrosslinking of Polymethoxymethylstyrene and Copolymers Containing (2,2-Disubstituted-1,3-Dioxolan-4-yl)methoxymethylstyrene, 1423C
Fukutomi, T. See Ishizu, K., 405L
Fuller, G. G.
Dynamics of Adsorbed Polymer Chains Subjected to Flow: The Dumbbell Model, 151P
Furtsch, T. A. See Ezzell, S. A., 865C
Furue, M. See Iwai, K., 2439C
Fyfe, C. A.
—; McKinnon, M. S.; Rudin, A.; Tchir, W. J.: High-Resolution ^{13}C CP/MAS Solid-State NMR Spectroscopic Investigation of the Thermal Decomposition of Cured Phenolic Resins, 249L

Galembeck, F. See Nunes, S. P., 49L
Galeski, A.
—; Piorkowska, E.: Localized Volume Deficiencies as an Effect of Spherulite Growth. I. The Two-Dimensional Case, 1299P
—; Piorkowska, E.: Localized Volume Deficiencies as an Effect of Spherulite Growth. II. The Three-Dimensional Case, 1313P
Galiotis, C.
—; Young, R. J.; Batchelder, D. N.: The Solid-State Polymerization and Physical Properties of Bis(ethyl Urethane) of 2,4-hexadiyne-1,6-diol. II. Resonance Raman Spectroscopy, 2483P
Galli, R.
—; Canetti, M.; Sadocco, P.; Seves, A.; Vicini, L.: Preoriented Poly(ethylene Terephthalate) Yarns: Influence of the *Gauche–Trans* Transformation on Crystallization, 717P
Galvin, M. E.
—; Wnek, G. E.: Characterization of Polyacetylene/Low Density Polyethylene Composites Prepared by *In-Situ* Polymerization, 2727C
Gan, L. M.
—; Chew, C. H.; Friberg, S. E.: Styrene and Polystyrene Microemulsions. I. Solubility in the W/O System, 513C
Gardlund, Z. G.
—; Bator, M. A. K.: Polycarbonate–Poly(methyl Methacrylate) Block Copolymers: Synthesis and Characterization, 1251C
Gardner, K. H. See Panar, M., 1955P
Gargallo, L. See Gil-Llambias, F. J., 897L; Roman, E., 2057C
Garnett, J. L. See Ang, C. H., 257L
Garrido, L.
—; Riande, E.; Guzman, J.: Influence of the Chemical Composition and Comonomer Distribution on the Dipole Moments of 3,3-Dimethyloxetane/Tetrahydrofuran Copolymers, 1493P
Garton, A.
—; Aubin, M.; Prud'homme, R. E.: FTIR of Polycaprolactone/Poly(vinylidene Chloride-co-Acrylonitrile) Miscible Blends, 45L
—; Cousin, P.; Prud'Homme, E.: An Examination of Specific Interactions of Esters and Polyesters with Chlorinated Solvents by Infrared and Nuclear Magnetic Resonance Spectroscopies, 2275P
Gatzke, A. L. See Tung, L. H., 1839P
Gaylord, N. G.
—; Elayaperumal, P.: Dicumyl Peroxide-Catalyzed Degradation of Polystyrene in the Presence of Maleic Anhydride, 781L
—; Mishra, M. K.: Nondegradative Reaction of Maleic Anhydride and Molten Polypropylene in the Presence of Peroxides, 23L
Geckeler, K.
—; Zheng, H.; Bayer, E.: Synthesis and Reactivity of Aromatic Aldehyde Functions Based on Crosslinked Polystyrene, 3541C
Geil, P. H. See Takahama, T., 1247P
Genez, B. G. See Feld, W. A., 883C
German, A. L. See Schrijver, J., 341C
Gerrard, D. L. See Williams, G. E., 1491C
Ghatge, N. D. See Idage, B. B., 385C, 2145C; Joshi, S. G., 685P

—; Joshi, S. G.; Jadhav, J. Y.: Preparation of Silicon-Containing Polymers. I. Polyimides from Dianhydrides and Organosilicon Diisocyanates, 3055C
—; Jadhav, J. Y.: Synthesis, Characterization, and Properties of Novel Poly(ether Urethanes), 1941C
—; Vernekar, S. P.; Wadgaonkar, P. P.: Synthesis of Secondary Hydroxyl-Terminated Telechelic Polybutadiene Prepolymers Using a New Azobisnitrile Initiator (Note), 3591C
Ghosh, P.
—; Jana, S.; Biswas, S.: Photopolymerization of Methyl Methacrylate with Sulfur Dioxide-Benzophenone Combination as Initiator (Note), 3347C
Gibson, P. E. See Van Bogart, J. W. C., 65P
Gierke, T. D. See Panar, M., 1955P
Giglio, E.
—; Morosetti, S.; Palleschi, A.; Pavel, N. V.: Chain Folding in Single Crystals of Polytetrafluoroethylene, 321P
Gil, M. H. See Abdel-Hay, F. I., 2463C
Gilbert, R. D. See Close, L. G., Jr., 1825P; Patel, D. L., 1079P; Patton, P. A., 515P
Gilbert, R. G. See Lichti, G., 269C; Wood, D. F., 985C
Gillette, P. C. See Burkhart, C. W., 2349P
Gil-Llambias, F. J.
—; Gargallo, L.; Radic, D.; Roman, E.: Polymer-Supported Redox Catalysts: Determination of Apparent Surface Coverage, 897L
Gitsov, I. See Rashkov, I. B., 923C, 937C
Giuffrida, M. See Foti, S., 1567C, 1583C, 1599C
Glasse, M. D. See Comyn, J., 209C, 227C
Glatter, O.
Review of *Scattering Techniques Applied to Supramolecular and Nonequilibrium Systems*, Sow-Hsin Chen, Benjamin Chu, and Ralph Nossal, 307L
Glotin, M.
—; Domszy, R.; Mandelkern, L.: A Raman-Spectroscopic Study of Solution-Crystallized Polyethylenes, 285P
—; Mandelkern, L.: On the Use of Raman-Active Longitudinal Acoustic Modes in the Study of Polyethylene Lamellar Structures, 29P
—; Mandelkern, L.: On the Use of the Raman-Active Longitudinal Acoustic Mode in the Study of Crystallite Size Distribution in Polyethylene, 807L
Gogoi, A. K.
—; Dass, N. N.: Charge Transfer Polymerization of 2-Vinyl Pyridine Initiated by *n*-Butyl Amine and Carbon Tetrachloride, 3517C
Goldberg, E. P. See Reich, S., 869P
Goldwasser, J. M. See Eladon, W. L., 1557C
Golub, M. A.
—; Lee, W. M.: Thermal cis–trans Isomerization of *cis,cis*-3,7-Decadiene: A Model for *cis*-1,4-Polybutadiene, 867L
Goni, I.
—; Gurruchaga, M.; Valero, M.; Guzman, G. M.: Graft Polymerization of Acrylic Monomers onto Starch Fractions. I. Effect of Reaction Time on Grafting Methyl Methacrylate onto Amylose, 2573C
Gonzalez, M. C. See Zamora, F., 539L
Gooden, R. See Reichmanis, E., 1075C
Gosk, J. See Lukasik, L., 3333C
Graessley, W. W. See Bartels, C. R., 495L
Gray, D. G. See Aspler, J. S., 1675P
Grebowicz, J.
—; Wunderlich, B.: Phase Transitions in Mesophase Macromolecules. VI. The Transitions in Poly(oxy-2,2′-dimethylazoxybenzene-4,4′-diyloxydodecanedioyl), 141P
Greenbaum, S. G. See Freitas, J. A., Jr., 2045P
Grenier-Loustalot, M.-F. See Freche, P., 2755C
Etude par RMN ^{13}C a 62,89 MHz des Branchements Ethyles dans les Copolymeres Ethylene-Butene et Polyethylene Basse Densite, 2683C
Gribkova, P. N. See Siling, S. A., 2675C
Grizzuti, N. See Marrucci, G., 83L
Grubb, D. T.
A Structural Model for High-Modulus Polyethylene Derived from Entanglement Concepts, 165P
Gugger, H. See Russell, T. P., 1745P
Guillet, J. See Bottin, M. F., 401P
Guillet, J. E. See Li, X.-B., 1263C
Guimaraes, N. See Bittencourt, E., 717L
Gupta, A. K.
—; Singhal, R. P.: Effect of Copolymerization and Heat Treatment on the Structure and X-Ray Diffraction of Polyacrylonitrile, 2243P
Gupta, D. C. See Bajaj, P., 1347C
Gupta, M. K.
—; Bansil, R.: Raman Spectroscopic and Thermal Studies fo Polyacrylamide Gels with Varying Monomer/Comonomer Ratios, 969L
—; Ripmeester, J. A.; Carlsson, D. J.; Wiles, D. M.: Characterization of Antiplasticizer–Polycarbonate Interactions by ^{13}C-NMR Spin-Lattice Relaxation Studies, 211L
Gupta, V. B.
—; Ramesh, C.; Patil, N. B.; Chidambareswaran, P. K.: Measurement of Crystallite Orientation in Poly(ethylene Terephthalate) Fibers (Note), 2425P
Gupte, K. M.
—; Motz, H.; Schultz, J. M.: Microstructure Rearrangement During the Heat Treatment of Melt-Drawn Poly(ethylene Terephthalate) Fibers, 1927P
Gurruchaga, M. See Goni, I., 2573C
Gustafson, D. See Breton, M., 1559P
Guthrie, J. T. See Abdel-Hay, F. I., 2463C
Guzman, G. M. See Goni, I., 2573C; Zamora, F., 539L
Guzman, J. See Garrido, L., 1493P; Riande, E., 2473P

Hadjichristidas, N.
—; Mays, J.; Vargo, R. D.; Fetters, L. J.: Properties and Chain Flexibility of Poly(tetrahydro-4*H*-pyranyl-2-methacrylate), 189P
Hadjichristidis, N. See Pearson, D. S., 2287P
Hadziioannou, G. See Yang, H., 159P
Hagekyriakou, J.
—; Fleming, R. J.: Existence of a Distribution of Hole-Trap Activation Energies in FEP–Teflon, 1691P
Hall, E. E. See Li, G. C. G., 301C
Hall, H. K., Jr. See Mulvaney, J. E., 309C; Szymanski, R., 177L
—; Szymanski, R.; Snow, L. G.: Synthesis and Polymerization of Methyl 3-Methylenecyclobutene-1-Carboxylate and Dimethyl 3-Methylenecyclobutene-1,2-Dicarboxylate, 1885C
Hallgren, J. E. See White, D. M., 2921C
Hamada, N. See Ishihara, K., 1551C
Hamed, G. R.
—; Shieh, C.-H.: Relationship between the Cohesive Strength and the Tack of Elastomers, 1415P
Han, C. D.
Review of *Fundamental Principles of Polymeric Materials*, Stephen L. Rosen, 677L
Review of *Principles of Polymer Systems, 2nd ed.*, Ferdinand Rodriguez, 680L
Review of *Reaction Injection Molding and Fast Polymerization Reactions*, Jiri E. Kresta, Ed., 587L
Review of *Rheometers for Molten Plastics*, J. M. Dealy, 859L
Review of *Twin-Screw Extruders—A Basic Understanding*, Fabrizio Martelli, 585L
Han, Y. K.
—; Choi, S. K.: Synthesis and Polymerization of 8,9-Benzo-2-Methylene-1,4,6-Trioxaspiro[4,4]Nonane (BMTN), 353C
—; Jin, M. Y.; Choi, S. K.: Polymerization of Acrylonitrile Initiated by KO_2–Nitrobenzene, 73C

Hanabusa, H. See Shindo, Y., 481L
Hanabusa, K. See Shirai, H., 157L
Hanna, F. F. See Abd-El-Nour, K. N., 723L
Haque, S. A. See Biswas, M., 1861C
Harris, F. W. See Feld, W. A., 319C
Harsanyi, L. See Neto, N., 3389C
Hartman, S. E. See Herkstroeter, W. G., 2473C
Haruta, Y. See Nishimoto, S., 195L
Harwood, H. J. See Majumdar, R. N., 1717C
Hasan, S. M.
—; Burgar, W. F. H.; Blackley, D. C.: The Effect of the Purity of Ingredients, Oxygen, and Inorganic Particulate Dispersion on the Course of Styrene Emulsion Polymerization (Erratum), 2843C
Hasegawa, M. See Niume, K., 615C
—; Saigo, K.; Katsuki, H.; Yonezawa, N.; Kanoe, T.: Preparation and Photolysis of Polyamides Having Coumarin Dimer Component, 2345C
Hashimoto, K.
—; Sumitomo, H.: Isomerization of Polyamide Prepared from Bicyclic Oxalactam, 397C
—; Sumitomo, H.: Isomerization of Polyamide Prepared from Bicyclic Oxalactam (Erratum), 2162C
Hashimoto, T.
—; Ogita, K.; Umemoto, S.; Sakai, T.: Thermoluminescence from Extended-Chain Crystals of Polyethylene, 1347P
Hassan, H. H. See Amin, M., 3353C
Hasumi, K. See Nakanishi, H., 983L
Hatada, K. See Sato, H., 1667P
Hatanaka, K. See Uryu, T., 2203C
Haudin, J. M. See Navard, P., 271L
Havens, J. R.
—; Koenig, J. L.: Local Order in Amorphous Polystyrenes: A High-Resolution ^{13}C-NMR Study, 243L
Hay, A. S.
—; Williams, F. J.; Relles, H. M.; Boulette, B. M.; Donahue, P. E.; Johnson, D. S.: Synthesis of the Polyformal of Bisphenol A, 449L
Hayakawa, N. See Arakawa, K., 1173C
Hayakawa, T. See Yamamoto, H., 131L
Hayase, S. See Araki, T., 1671C
—; Onishi, Y.; Suzuki, S.; Wada, M.: Polymerization of Cyclohexene Oxide with Aluminum Complex/Silanol Catalyst. VI. Oligomer and Polymer Effects, 467C
Hayashi, A. See Takagishi, T., 2311C
He, F.-F.
—; Kise, H.: Dehydrochlorination of Vinylidene Chloride–Vinyl Chloride Copolymer by Aqueous Sodium or Potassium Hydroxide Solutions Under Two-Phase Conditions, 1729C
Helfand, E.
Review of *Static and Dynamic Properties of the Polymeric Solid State*, R. A. Pethrick, and R. W. Richards, Eds., 1019L
Hendricks, R. W. See Westbrook, P. A., 969P, 1913P
Henrichs, P. M.
Interdependence of Motional Processes in Polymers: Correlation Functions for NMR Relaxation, 263P
Herkstroeter, W. G.
—; Martic, P. A.; Hartman, S. E.; Williams, J. L. R.; Farid, S.: Unique Hydrophobic Interactions of Pyrene in Aqueous Solution as Effected by Polyelectrolytes and Surfactants, 2473C
Herweh, J. E.
Novel Polyurethanes with Macroheterocyclic (Crown-Ether) Structures in the Polymer Backbone, 3101C
Heusinger, H. See Beckewitz, F., 2763C
Higaki, S. See Shirai, H., 157L
Higashi, F.
—; Akiyama, N.; Koyama, T.: Preparation of Polyaryl Esters by a New Direct Polycondensation Reaction with Arylsulfonyl Chlorides in Pyridine, 3233C
—; Akiyama, N.; Ogata, S.-I.: Further Study of Polyamide Synthesis by Direct Polycondensation Reaction with Triphenyl Phosphite and Metal Salts (Note), 913C
—; Hoshio, A.; Kiyoshige, J.: Preparation of Aromatic Polyesters by the Direct Polycondensation Reaction with Diphenyl Chlorophosphate in Pyridine, 3241C
—; Mochizuki, A.: Direct Polycondensation Reaction with Triphenyl Phosphite Initiated by Tertiary Amine Hydrochlorides (Note), 3337C
Hirao, A. See Yamaguchi, K., 395L
Hirota, M. See Fukuda, H., 171L
Hiza, M. See Kennedy, J. P., 1033C, 3573C
Hoang-The-Giam See Destruel, P., 851P
Hobbs, P. D. See Dawson, M. I., 381L
Hodder, A. N.
—; Holland, K. A.; Rae, I. D.: Thermal Degradation of Selectively Deuterated Poly(methyl Methacrylate), 403L
Hodge, A. M. See Wittmann, J. C., 2495P
Hodgson, A. W. See Partch, R., 961C
Hofer, D. See Trefonas, P., III, 819L, 823L
Hofmann, R. See Subramanian, R. V., 105L
Hogen-Esch, T. E. See Huang, S. S., 559L
Hojo, N. See Shirai, H., 157L
Holland, K. A. See Hodder, A. N., 403L
Hollmark, H. See Rigdahl, M., 205L
Holste, J. C. See Saeki, S., 2049P
Hong, S-D.
—; Chung, S. Y.; Fedors, R. F.; Moacanin, J.: Study of Molecular Deformation Mechanisms in the Glassy State. I. Temperature Effect on Stress-Birefringence and Strain-Birefringence Responses of Poly(methyl Methacrylate), 1647P
Honig, J. A. J.
—; Burford, R. P.; Chaplin, R. P.: Ziegler–Natta Polymerization of Butadiene: Kinetic and Molecular Weight Study, 2559C
Hope, P. S. See Richardson, A., 2525P
Hopfenberg, H. B. See Chern, R. T., 753P
Horne, S. E., Jr. See Komoroski, R. A., 89C
Hosaka, Y. See Ouchi, T., 2897C
Hoshio, A. See Higashi, F., 3241C
Hotz, C. Z.
—; Kovacic, P.; Khoury, I. A.: Synthesis and Properties of Polythienylenes, 2617C
Hsing, C-F.
—; Kovacic, P.; Khoury, I. A.: Oligomers from Biphenyl, Biphenyl-d_{10}, of *p*-Terphenyl with Aluminum Chloride–Cupric Chloride: Mechanism, ESR, and Conductivity, 457C
Hsu, S. L. See Ito, M., 389P
Hsu, W. Y. See Avakian, P., 647P
Hu, H.-C. See Chen, S.-A., 3373C
Huang, R. Y. M. See Narasimhan, V., 1993P
Huang, S. S.
—; Soum, A. H.; Hogen-Esch, T. E.: Stereochemical Kinetics of Anionic Vinyl Polymerization. I. Trapping of Stereoisomeric Anions in the Polymerization of 2-Vinylpyridine, 559L
Huang, W. S. See Jen, K. Y., 441L
Hudson, S. M.
—; Cuculo, J. A.; Wadsworth, L. C.: The Solubility of Cellulose in Liquid Ammonia/Ammonium Thiocyanate Solution: The Effect of Composition and Temperature on Dissolution and Solution Properties, 651C
Huebner, D. J. See Saam, J. C., 1239C
Hummel, K. See Kumar, V. G., 1183C
Hunter, B. K.
—; Redler, E.; Russell, K. E.; Schnarr, W. G.; Thompson, S. L.: Characterization of Phenol-Terminated Polystyrenes by Means of ^{13}C-NMR Spectroscopy, 435C
Hurusawa, T. See Egawa, H., 2597C
Hutchinson, J. M.
—; Kovaks, A. J.: On Characterizing the Pure Temperature Dependence of Isobaric Volume Recovery in Glasses. A Critical Evaluation of a Method Proposed by Lagasse, Cohen, and Letton (Note), 2419P

Hwang, L.-P.
Cage Effects in Recombination of Allyl Radicals in Irradiated Polyethylene. II. Cumulative Reaction Rates and Decay Kinetics Processes, 2003P

Idage, B. B.
—; Vernekar, S. P.; Ghatge, N. D.: Azo Initiators for the Preparation of Hydroxyl-Terminated Polybutadienes, 385C
—; Vernekar, S. P.; Ghatge, N. D.: Decomposition Rate Studies of Azo Initiators in Solution, 2145C
Igarashi, M.
Free-Radical Identification by ESR in Polyethylene and Nylon, 2405C
Ihara, Y.
—; Kimura, Y.; Nango, M.; Kuroki, N.: Catalysis of Enantiomeric Ester Hydrolysis by *N*-Decanoyl-L-Histidine in Polymer Domains, 1535C
Ihm, D. W. See Wei, K.-Y., 1091P
Iizawa, T. See Nishikubo, T., 2025C, 2291C
Ikeda, Y. See Ozaki, M., 989L
Ikemura, T. See Kuroki, T., 703C
Ilavsky, M. See Dusek, K., 1323P
Imai, K.
—; Shiomi, T.; Tsuchida, T.; Watanabe, C.; Nishioka, S.: Aikylation of Poly(vinyl Alcohol) by Alkyl Halide (Note), 305C
Imai, Y. See Shimizu, J., 275P; Ueda, M., 2997C
—; Ueda, M.; Takahashi, T.; Nan, R.; Ueda, M.: Synthesis of Benzylidene-Pendant Polyphthalimidines from Flexible Bisphthalides and Various Diamines, 1241C
Imamura, N. See Ishikawa, M., 657L
Imoto, M. See Ouchi, T., 2101C, 2897C
Inaba, M. See Ouchi, T., 2101C
Inagaki, N.
—; Kishi, A.: Comparisons of Glow Discharge Polymerization between Hexamethyldisilazane and Trimethylsilyldimethylamine, 2335C
—; Kishi, A.: Glow Discharge Polymerization of Tetramethylsilane Investigated by Infrared Spectroscopy and ESCA, 1847C
—; Koyama, M.: Comparisons of Glow-Discharge Polymerizations among Tetramethylsilane, Dimethyldimethoxysilane, and Tetramethoxysilane, 183C
—; Mitsuuchi, M.: Glow Discharge Polymerization of Tetramethylgermanium, 2887C
—; Nejigaki, K.; Suzuki, K.: Glow Discharge Polymerization in the Mixture of Tetramethylsilane and Ammonia Gas, 3181C
—; Suzuki, K.; Nejigaki, K.: Application of Polymer Films Plasma Polymerized in the Tetramethylsilane/Ammonia Mixture to Moisture Sensor, 353L
Inaishi, K. See Ashitaka, H., 1973C
Inaki, Y. See Suda, Y., 2813C
Inohana, A. See Iwabuchi, S., 1877C
Inoue, T. See Yasuda, O., 813L
Iruin, J. J. See Fernandez-Berridi, M. J., 859P
Ishido, H. See Matsumoto, A., 609C
Ishihara, K.
—; Hamada, N.; Kato, S.; Shinohara, I.: Photo-induced Change in Surface Free Energy of Azoaromatic Polymers (Note), 1551C
Ishihara, M. See Shinkai, S., 3525C
Ishikawa, H. See Ashitaka, H., 1853C
Ishikawa, K. See Danno, T., 1527P
Ishikawa, M. See Egawa, H., 479C
—; Imamura, N.; Miyoshi, N.; Kumada, M.: Photolysis of Polymeric Organosilicon Systems. I. Photocrosslinking of Polysiloxanes Containing Phenyldisilanyl Units, 657L
Ishikawa, T. See Krigbaum, W. R., 1851P; Lee, D. I., 147C
Ishitobi, W. See Ogawa, T., 781C
Ishizu, K.
—; Fukutomi, T.: Kakurai, T.: Synthesis of Poly(styrene-*b*-2-Methyl-2-Oxazoline) and Its Alkaline Hydrolysis, 405L
Ito, M. See Choy, C. L., 1427P
—; Pereira, J. R. C.; Hsu, S. L.; Porter, R. S.: Fourier-Transform Infrared Study of Coextrusion-Drawn Poly(ethylene Terephthalate), 389P
—; Serizawa, H.; Tanaka, K.; Leung, W. P.; Choy, C. L.: Pulsed NMR Observation of Ultradrawn Polypropylene, 2299P
Itoh, Y. See Iwai, K., 2439C; Morishima, Y., 953C
—; Morishima, Y.; Morishima, Y.; Nozakura, S.: Charge Separation in the Light-Induced Electron Transfer Reaction of Amphiphilic Copolymers Consisting of Polyanion and Phenanthrene Segments, 167L
Ivan, B.
—; Kennedy, J. P.; Kelen, T.; Tudos, F.; Nagy, T. T.; Turcsanyi, B.: Degradation of PVCs Obtained by Controlled Chemical Dehydrochlorination, 2177C
Iwabuchi, S.
—; Nakahira, T.; Inohana, A.; Uchida, H.; Kojima, K.: Polymeric Catechol Derivatives. IV. Polymerization Behavior of 4-Vinylcatechols and Some Properties of Their Polymeric Derivatives, 1877C
Iwai, K.
—; Itoh, Y.; Furue, M.; Nozakura, S.-I.: Exciplex Formation in Aromatic Copolymers and Photoinduced Electron Transfer from Exciplex to Acceptor, 2439C
Iwaki, T. See Sato, T., 819C, 943C
Iwakura, Y. See Niume, K., 615C; Saegusa, Y., 637C
Iwamoto, M. See Kawakami, M., 199L
Iwanaga, H. See Kawakami, M., 199L
Izukawa, T. See Nishimoto, S., 195L
Izumi, T. See Ouchi, T., 2101C

Jadhav, J. Y. See Ghatge, N. D., 1941C, 3055C
Jagur-Grodzinski, J. See Konigsberg, I., 2535C, 2649C
Jakes, J. See Lukas, R., 3093C
Jamieson, A. M. See Van Den Berg, J. W. A., 2311P
Jana, S. See Ghosh, P., 3347C
Janovic, Z. See Saric, K., 1913C
—; Saric, K.; Vogl, O.: Terepolymerization of Acrylonitrile, Styrene, and 2,4,6-Tribromophenyl Acrylate, 2713C
Jansson, L. H.
—; Wellons, M. C.; Poehlein, G. W.: High Swelling of Latex Particles Without the Utilization of Swelling Agents, 937L
Jasse, B. See Theodorou, M., 2263P
Jayakrishnan, A.
—; Shah, D. O.: Phase-Transfer-Catalyzed Free-Radical Polymerization: Kinetics of Polymerization of Methyl Methacrylate Using Ammonium Peroxydisulfate/Hexadecyl Pyridinium Chloride in Ethyl Acetate/Water, 3201C
Jayaprakash, D. See Nanjan, M. J., 1227C
Jeffcoate, J. M.
—; Wragg, A.: The Numerical Solution of Fujita's Integral Equation to Provide Estimates of Molecular Weight Distributions, 123P
Jelinski, L. W. See Tarcha, P. J., 2389P
Jellinek, H. H. G.
Review of *Developments in Polymer Degradation—4*, N. Grassie, Ed., 955L
Review of *Polymer Degradation*, T. Kelen, 956L
—; Dunkle, S. R.: HCN Evolution from Thermal and Oxidative Degradation of Poly(diphenyl Methane Pyromellitimide) at High Temperatures, 2111C
—; Dunkle, S. R.: Kinetics and Mechanism of HCN-Evolution from the Oxidation of Polyurethanes, 487C
Jen, K. Y.
—; Lakshmikantham, M. V.; Albeck, M.; Cava, M. P.; Huang, W. S.; MacDiarmid, A. G.: Poly(*p*-Phenylene Selenide): Synthesis and Conductivity Studies, 441L

Jendrychowska-Bonamour, A.-M.
Hydrogels Prepares par le Greffage Radiochimique pour l'Immobilisation des Enzymes, 2589C
Jerome, R. See Broze, G., 237L, 2205P; Lefebvre, P. M., 789C
Jiang, G.-J. See Matsumoto, A., 3191C
Jin, M. Y. See Han, Y. K., 73C
Jinda, K. See Ashitaka, H., 1951C, 1989C
Jing, X.
—; Krimm, S.: Mixed-Crystal Infrared Studies of Chain Folding in Melt-Crystallized Polyethylene, 123L
Jog, J. P. See Joshi, S. G., 685P
Johnsen, R. M. See Brown, W., 1029P
Johnson, C. B. See Mathias, L. J., 711L
Johnson, D. S. See Hay, A. S., 449L
Jones, G. A. See Starkweather, H. W., Jr., 295P
Jones, M. B. See Rao, S. P., 551L
Jones, R. T.
The Condensation of Trimethylolphenol, 1801C
Joseph, K. T. See Nithianandam, V. S., 761C
Joshi, S. G.
—; Ghatge, N. D.; Jog, J. P.; Walzade, S. J.; Bhoraskar, S. V.: Electron-Beam-Induced Conduction in Fluorinated Ethylene–Propylene Copolymer and Its Acrylonitrile Graft Copolymer, 685P
Joshi, S. N. See Trivedi, M. K., 2011C
Joullie, M. M. See Ricciardi, F., 633L, 1475C
Jurkiewicz, A. See Kunert, K. A., 1195C

Kaetsu, I. See Kumakura, M., 609L
Kagawa, S. See Kawakami, M., 199L
Kagiya, T. See Nishimoto, S., 195L
Kakurai, T. See Ishizu, K., 405L
Kalal, J. See Zurkova, E., 2949C
Kaleem, K. See Nithianandam, V. S., 761C
Kalpagam, V. See Marjit, D. N., 803C
Kamachi, M.
—; Akimoto, H.; Nozakura, S.: Preparation of Polymer Containing Porphyrin Moiety. Radical Polymerization of 5-(4-Acryloyloxyphenyl)-10,15,20-Triphenylporphyrin, 693L
Kamiya, K. See Kuzuya, M., 509L
Kanamoto, T.
—; Porter, R. S.: On the Minimum Draw Ratio Necessary for Full Chain Extension: Illustrated with Polyethylene, 1005L
Kanba, M. See Watanabe, M., 939P
Kanetsuna, H. See Kyotani, M., 379P
Kanoe, T. See Hasegawa, M., 2345C
Kanzaki, K. See Yamashita, N., 191C
Kapko, J.
N,N′,N″-Triphenylguanidine-Sensitized Photodegradation of Polyethylene, 731L
Kaplan, S.
—; Dilks, A.: The Structure of Plasma-Polymerized Toluene: A Solid-State ^{13}C-NMR Study of Isotopically Labeled Polymers, 1819C
Karaenev, S. S.
—; Chilingirjan, M. K.: Influence of Monomer Composition on Certain Factors Affecting the Light-Transmitting Properties of MBS Terpolymers, 141C
Karasz, F. E. See Chien, J. C. W., 93L; Schen, M. A., 2787C
Karpova, S. G. See Popov, A. A., 1017P
Karydas, A. C. See Brisimitzakis, A. C., 565L
Katayose, T. See Takayanagi, M., 31C
Kato, M. See Nakanishi, H., 983L
Kato, S. See Ishihara, K., 1551C
Katsuki, H. See Hasegawa, M., 2345C
Kawabata, N. See Ando, Y., 1661P
Kawaguchi, T. See Kuzuya, M., 509L, 515L
Kawai, H. See Cembrola, R. J., 329P; Fujita, K-I., 1713P
Kawai, T. See Kuroyanagi, Y., 1289C
Kawakami, M.
—; Iwanaga, H.; Yamasaki, M.; Iwamoto, M.; Kagawa, S.: Enhancement of Carbon Dioxide Sorbability of Liquid Polyethylene Glycol by Addition of Salts, 199L
Kelen, T. See Ivan, B., 2177C
Kelleghan, W. J. See Lau, K. S. Y., 3009C
Keller, A. See Odell, J. A., 289L
Kennedy, J. P. See Ivan, B., 2177C
Review of *Developments in Block Copolymers—1*, I. Goodman, Ed., 584L
—; Carlson, G. M.: Synthesis, Characterization, and Diels–Alder Extension of Cyclopentadiene Telechelic Polyisobutylene. III. Silylcyclopentadiene-Telechelic Polyisobutylene, 2973C
—; Carlson, G. M.: Synthesis, Characterization, and Diels–Alder Extension of Cyclopentadiene Telechelic Polyisobutylene. IV. α,ω-Di(3-cyclopentadienylpropyldimethylsilyl-)polyisobutylene, 3551C
—; Hiza, M.: Macromers by Carbocationic Polymerization. IV. Synthesis and Characterization of Polyisobutenyl Methacrylate Macromer and Its Homopolymerization and Copolymerization with Methyl Methacrylate, 1033C
—; Hiza, M.: New Telechelic Polymers and Sequential Copolymers by Polyfunctional *Ini*tiator-Trans*fer* Agents (Inifers). XXX. Synthesis and Quantitative Terminal Functionalization of α,ω-Diarylpolyisobutylenes, 3573C
Kennedy, M. A.
—; Turturro, G.; Brown, G. R.; St-Pierre, L. E.: Retardation of Spherulitic Growth Rate in the Crystallization of Isotactic Polystyrene Due to the Presence of Nucleant, 1403P
Khandelwal, P. K.
—; Talwar, S. S.: Solid-State Polymerization Studies of Conjugated Diacetylenes Deca-2,8-Diene-4,6-Diyne-1,10-Diol and Derivatives, 3073C
Khanduala, B. C. See Patel, A., 2937C
Kharas, G.
—; Kohn, D. H.: Copolymerization of Vinyl Acetate with Ethyl α-Cyanocinnamate, 1457C
Khatib, J. I. See Misra, G. S., 1665C
Khor, E. See Ezzell, S. A., 865C
Khoury, I. A. See Hotz, C. Z., 2617C; Hsing, C-F., 457C
Kidwell, D. A. See Li, G. C. G., 301C
Kikyotani, S. See Overberger, C. G., 525C, 541C, 2161C
Kilp, T. See Wismontski-Knittel, T., 3209C
Kim, J-B. See Cho, I., 433L
Kim, K.-Y. See Kuroyanagi, Y., 1289C
Kim, O-K.
Electrical Conductivity and Film Morphology of TCNQ Salt Dispersion in Polymer Matrix, 575L
Kim, S. W. See Sederel, L. C., 1L
Kimura, K. See Wong, K.-H., 579C
—; Yoshinaga, M.; Kitazawa, S.; Shono, T.: Synthesis of Poly(vinyl Alcohol)-Based Poly(crown Ether)s and Permeability of their Polymeric Membranes, 2777C
Kimura, M.
—; Porter, R. S.; Salee, G.: Blends of Poly(butylene Terephthalate) and a Polyarylate Before and After Transesterification, 367P
Kimura, T. See Oishi, T., 1053C
Kimura, Y. See Ihara, Y., 1535C
Kinawi, A. See Elshafee, E., 2067C
Kinda, H. See Shinkai, S., 3525C
King, T. A. See Swales, T. G. E., 1501P; Viras, K., 919P
Kinoshita, A.
—; Naito, I.: Copolymerization of Alkyl Isopropenyl Ketone with Styrene, 359L
Kirpichnikov, P. A. See Pobedimskii, D. G., 55C
Kiryjow, J. See Lukasik, L., 17L
Kiryukhin, D. P. See Barkalov, I. M., 1401C
Kise, H. See He, F.-F., 1729C

—; Ogata, H.: Phase Transfer Catalysis in Dehydrofluorination of Poly(vinylidene Fluoride) by Aqueous Sodium Hydroxide Solutions, 3443C
Kishi, A. See Inagaki, N., 1847C, 2335C
Kishore, K.
—; Pai Verneker, V. R.; Dharumaraj, G. V.: The Effect of Bisthioacetylacetonato Nickel(II) Compounds on Thermal Oxidation of Polyethylene, 627L
Kissin, Y. V.
Orientation of Isotactic Polypropylene in Crystalline and Amorphous Phases: IR Methods, 2085P
—; Beach, D. L.: A Kinetic Method of Reactivity Ratio Measurement in Olefin Copolymerization with Ziegler–Natta Catalysts, 1065C
Kitazawa, S. See Kimura, K., 2777C
Kiyoshige, J. See Higashi, F., 3241C
Klein, A. See Min, T. I., 2845C
Klempner, D. See Wang, C-L., 749L
Knapp, G. S. See Pan, H. K., 1389P
Kobayashi, T. See Miyama, H., 945L
Koberstein, J. T.
—; Stein, R. S.: Small-Angle X-Ray Scattering Measurements of Diffuse Phase-Boundary Thicknesses in Segmented Polyurethane Elastomers, 2181P
—; Stein, R. S.: Small-Angle X-Ray Scattering Studies of Microdomain Structure in Segmented Polyurethane Elastomers, 1439P
Koc··ig, J. L. See Havens, J. R., 243L; Lin, S-B., 1539P, 2067P, 2365P
Kohn, D. H. See Kharas, G., 1457C
Kohn, F. E. See Van Dijk, J. A. P. P., 197C
Kojima, K. See Iwabuchi, S., 1877C
Kolarik, J.
Dynamic Relaxation Behavior of Copolymers of *n*-Butyl Methacrylate with *n*-Butyl Acrylate and of 2-Hydroxyethyl Methacrylate with Ethyl Acrylate, *n*-Butyl Acrylate, and Dodecyl Methacrylate, 2445P
Kolesinski, H. S. See Mehta, A. C., 1159C, 2607C
Kolinsky, M. See Lukas, R., 3093C
Komoroski, R. A.
Carbon-13 NMR Spectra of Solid Chlorinated Polymers (Note), 1569P
Line Broadening in the ^{13}C NMR Spectra of Bulk Polymers Above T_g, 2551P
—; Horne, S. E., Jr.; Carman, C. J.: Carbon-13 NMR Microstructural Characterization of Dichlorocarbene Adducts of Polybutadiene, 89C
Konar, R. S. See Paul, T. K., 57L
Kondo, H.
—; Sato, M.; Yokoyama, M.: Phenazasiline-Containing Polyamides and Polyesters, 165C
Kondo, S.
—; Kondo, Y.; Tsuda, K.: Photoinitiated Polymerization of Methyl Methacrylate and Styrene by a Phosphorus Ylide, 217L
—; Nakanishi, M.; Tsuda, K.: Nucleophilic Substitution Polymerization of Pyridines: Condensation Polymerization of Dihalopyridines with Dithiols, 847L
—; Takagishi, K.; Obata, T.; Senga, M.; Yamashita, K.; Tsuda, K.: Synthesis of Polymers Containing Pyridinium Ylide and Iminopyridinium Ylide Structure (Note), 3597C
Kondo, Y. See Kondo, S., 217L
Konigsberg, I.
—; Jagur-Grodzinski, J.: Anionic Polymerization and Copolymerization of *p*-Bromostyrene, 2649C
—; Jagur-Grodzinski, J.: Polybromostryl Macromers and their Anionic Polymerization, 2535C
Koros, W. J. See Chern, R. T., 753P
Korshak, V. V. See Siling, S. A., 2675C
Kotek, R. See Acierno, D., 2027P
—; Krigbaum, W. R.; Preston, J.: Preparation of Polyamides via the Phosphorylation Reaction. VII. Synthesis of Polyoxamides and Regular Copolyoxamides (Note), 2837C
Kothe, G. See Mueller, K., 785L
Koutinas, A. A.
—; Demertzis, P. G.: *N*-Chlorination of Nylon Fabric and Polyurea-6, 335C
Kovacic, P. See Hotz, C. Z., 2617C; Hsing, C-F., 457C
Kovaks, A. J. See Hutchinson, J. M., 2419P
Koyagi, A. See Morishima, Y., 953C
Koyama, M. See Inagaki, N., 183C
Koyama, T. See Higashi, F., 3233C
Kozuka, H. See Takagishi, T., 447C
Kramer, H. See Ballauff, M., 1205P, 1217P
Kratochvil, P. See Prochazka, O., 3269C
Kricheldorf, H. R. See Lieser, G., 1599P
—; Bier, G.: New Polymer Synthesis. IX. Synthesis of Poly(ether Sulfone)s from Silylated Diphenols or Hydroxybenzoic Acids, 2283C
Krigbaum, W. R. See Acierno, D., 2027P; Asrar, J., 1119P; Kotek, R., 2837C
—; Kotek, R.; Ishikawa, T.; Watanabe, J.; Toriumi, H.; Kubota, K.: Thermotropic Homopolyesters. III. Preparation and Properties of Polymers Based on 4′-Hydroxyphenyl-4-Hydroxycinnamate, 1851P
Krimm, S. See Chang, C., 913L; Jing, X., 123L
Review of *Small Angle X-Ray Scattering*, O. Glatter and O. Kratky, 504L
—; Jing, X.; Chang, C.: Nitric Acid Etching Studies of Compositional Heterogeneity in Mixed-Crystal Polyethylene Single Crystals, 907L
Krisyuk, B. E. See Popov, A. A., 1017P
Krul, L. P. See Osipenko, I. F., 527L
Kruse, R. L.
—; Padwa, A. R.: Intrinsic Viscosity–Molecular Weight Relationships for Styrene–Butadiene Block Copolymers (Note), 1251P
Kubota, H.
—; Yoshino, N.; Ogiwara, Y.: Vapor Phase Photografting of Maleic Anhydride on Polymer Films, 367L
Kubota, K. See Krigbaum, W. R., 1851P
Kuboyama, H. See Oguni, N., 1559C
Kukimoto, Y. See Matsumoto, A., 3493C
Kulkarni, B. D. See Balaraman, K. S., 87L
Kulkarni, S. G. See Panda, S. P., 649L
Kulkarni, S. S. See Stern, S. A., 467P
—; Stern, S. A.: The Diffusion of CO_2, CH_4, C_2H_4, and C_3H_8 in Polyethylene at Elevated Pressures, 441P
Kumada, M. See Ishikawa, M., 657L
Kumakura, M.
—; Kaetsu, I.: Radiation Polymerization of 2-Hydroxyethyl Methacrylate in the Presence of Biological Substances, 609L
Kumar, D.
—; Fohlen, G. M.; Parker, J. A.: Bis-, Tris-, and Tetrakis-Maleimidophenoxy-Triphenoxycyclotriphosphazene Resins for Fire- and Heat-Resistant Applications, 3155C
—; Fohlen, G. M.; Parker, J. A.: High-Temperature Resins Based on Aromatic Amine-Terminated Bisaspartimides, 245C
—; Fohlen, G. M.; Parker, J. A.: The Synthesis and Characterization of Nadimidized Aromatic Bisaspartimides and Their Polymerization to High-Temperature-Resistant Laminating Resins, 565C
—; Rao, M. R.; Rao, K. V. C.: Carbon-13 NMR of 1,2-Polybutadienes: Configurational Sequencing, 365C
Kumar, V. G.
—; Hummel, K.: Cis–Trans Isomerization of Polybutadiene Double Bonds During Olefin Metathesis, 1183C
—; Rao, M. R.; Ravindran, P. V.; Rao, K. V. C.: Oligomerization of Styrene over Molybdenum Oxide on Silica-Alumina Catalyst, 2133C
Kunert, K. A.
—; Jurkiewicz, A.; Pislewski, N.: The Investigation of Chemically Crosslinked Polypropylene by Spin-Lattice Relaxation Time, 1195C
Kuo, C.-I. See Chien, J. C. W., 725C, 737C
Kuran, W. See Lukasik, L., 17L, 3333C

Kurashov, S. I. See Pobedimskii, D. G., 55C
Kurimoto, Y. See Matsumoto, A., 837L
Kuroki, N. See Ihara, Y., 1535C; Takagishi, T., 447C, 2311C
Kuroki, T.
—; Sawaguchi, T.; Niikuni, S.; Ikemura, T.: Determination of Chemical Structures by ^{1}H- and ^{13}C-NMR for Thermally Degraded Linear High Density Polyethylene, 703C
Kuroyanagi, Y.
—; Kim, K.-Y.; Seno, M.; Kawai, T.: Synthesis of Crosslinked Poly(α-amino Acids) with Various Functional Groups, 1289C
Kusuki, Y. See Ashitaka, H., 1111C
Kuwabara, A. See Miyama, H., 945L
Kuzuhara, H. See Uryu, T., 2203C
Kuzuya, M.
—; Kamiya, K.; Kawaguchi, T.; Okuda, T.: Concerning a Trigger of Plasma-Initiated Polymerization of Methyl Methacrylate and Characterization of the Resulting Polymers, 509L
—; Kawaguchi, T.; Daikyo, T.; Okuda, T.: A Novel Polymerization by Plasma-Fragmented Species Generated from Nonpolymerized Compounds, 515L
Kyotani, M.
—; Kanetsuna, H.: Phase Transitions and Structural Properties of a Thermotropic Polyester, 379P
Kyu, T. See Cembrola, R. J., 329P; Young, P., 881P
—; Young, P.; Eisenberg, A.: Electrorheological Effects in Ionomer Membranes. I. The Nafion Polymers, 589L

Labischinski, H. See Padhi, R. C., 2863C; Patel, A., 2937C
Laguna, B. See Lukasik, L., 3333C
Lai, Yu.-C.
—; Butler, G. B.: Kinetic and Mechanistic Studies of the Copolymerization of Bis-4-Substituted-1,2,4-Triazoline-3,5-Diones with Styrenes, 2513C
Lakhanpal, M. L. See Sharma, S. C., 353P
Lakshmikantham, M. V. See Jen, K. Y., 441L
La Mantia, F. P. See Acierno, D., 2027P
Lando, J. B. See Burkhart, C. W., 2349P
Lau, K. S. Y.
—; Kelleghan, W. J.; Boschan, R. H.; Bilow, N.: Ethynylated *N*-Phenylbenzimidazoles: Synthesis and Thermal Properties, 3009C
Leblans, P. See Booij, H. C., 1703P
Lee, B. H.
—; Marvel, C. S.: Rigid-Ladder Polymers: Polymers Containing Anthraquinone Recurring Units, 83C
Lee, C. C.
—; Chu, S.-G.; Berry, G. C.: Studies on Dilute Solutions of Rodlike Macroions. I. Light Scattering, Densitometry, and Cryoscopy, 1573P
Lee, C. D. See Blackwell, J., 2169P
Lee, D. I.
—; Ishikawa, T.: The Formation of "Inverted" Core–Shell Latexes, 147C
Lee, J.
—; Marvel, C. S.: Polyaromatic Ether-Ketones from *o,o'*-Disubstituted Diphenyl Ethers, 2189C
Lee, J. L. See Crivello, J. V., 97C, 1097C
Lee, J.-Y. See Cho, I., 389L
Lee, S-I. See Wang, C-L., 749L
Lee, W. M. See Golub, M. A., 867L
Lefebvre, P. M.
—; Jerome, R.; Teyssie, Ph.: Block Copolymerization of 3,3-Dimethyl-2-oxetanone. II. Synthesis of Polydimethylsiloxane-Containing Copolymers, 789C
Lefelar, J. See Weiss, R. A., 661L
LeGrand, D. G.
—; Forth, C. M.: Positional Small-Angle X-Ray Scattering from Crazes, 853L
Legros, R. See Lesbats, J. P., 635C
Leicht, R.
—; Fuhrmann, J.: Comparative Recalculation of the Monomer Reactivity Ratios in Copolymerization for Styrene and Methyl Methacrylate, 2215C
Lenka, S.
Grafting Vinyl Monomers onto Poly(ethylene Terephthalate). V. Graft Copolymerization of Methyl Methacrylate onto PET Fibers Using Acetylacetonate Complex of Tetravalent Vanadium, 281L
—; Nayak, P. L.: Photoinduced Graft Copolymerization. VIII. Graft Copolymerization of Methyl Methacrylate onto PET Using Peroxydiphosphate as Photoinitiator (Note), 1871C
—; Nayak, P. L.; Dash, S. B.: Vinyl Polymerization Initiated by Peroxydiphosphate. X. Polymerization of Methyl Methacrylate Initiated by Peroxydiphosphate–Ascorbic Acid Redox System (Note), 1867C
Lenz, R. W. See Dicke, H.-R., 2581C; Mueller, K., 785L; Zhou, Q.-F., 3313C
Leon, L. M. See Anasagasti, M. S., 979L; Cotillas, V., 831L; Mijangos, F., 885L; Rodriguez, M., 881L; Zamora, F., 539L
Lesbat , J. P.
—; Legros, R.; Aleman, J. V.: Longitudinal Volume Viscosity of Epoxide Prepolymers (Erratum), 635C
Leung, W. P. See Choy, C. L., 1243P; Ito, M., 2299P
—; Ito, M.; Choy, C. L.: The Elastic Constants of Ultradrawn Polypropylene, 725P
Levot, R. See Ang, C. H., 257L
Lewis, C. R.
The Incorporation of Heavy Metals into Diazo-Type Electron Beam Resists, 1543C
Li, G. C. G.
—; Kidwell, D. A.; Brown, D. W.; Hall, E. E.; Wnek, G. E.: Characterization of Polyacetylene by Ozonolysis (Note), 301C
Li, X.-B.
—; Winnik, M. A.; Guillet, J. E.: Photocleavage of the Acetate of a Hydroxyphenyl Benzotriazole UV Absorber: The Search for a Photo-Fries Rearrangement Product, 1263C
Lichti, G. See Wood, D. F., 985C
—; Gilbert, R. G.; Napper, D. H.: The Mechanisms of Latex Particle Formation and Growth in the Emulsion Polymerization of Styrene Using the Surfactant Sodium Dodecyl Sulfate, 269C
Liepins, R.
—; Timmons, M. L.; Moroseff, N.: Piezoelectric Polymer Films. II. Piezoelectric and Pyroelectric Evaluation, 751C
Lieser, G.
Polymer Single Crystals of Poly(4-Hydroxybenzoate). II. A Contribution to Crystal Structure and Polymorphism, 1611P
—; Schwarz, G.; Kricheldorf, H. R.: Polymer Single Crystals of Poly(4-Hydroxybenzoate). I. Morphology, 1599P
Lin, J. S. See Westbrook, P. A., 969P, 1913P; Young, P., 881P
Lin, S.
—; Marvel, C. S.: Polyaromatic Ether-Sulfone-Ketones with Fluorosubstituted *p*-Cyclophane Units as Crosslinking Sites, 1151C
Lin, S.-B.
—; Koenig, J. L.: A Kinetic Analysis of the *Gauche-Trans* Isomerization in Semicrystalline Poly(ethylene Terephthalate), 2365P
—; Koenig, J. L.: Spectroscopic Characterization of Solvent-Induced Crystallization of PET, 1539P
—; Koenig, J. L.: The Effect of Temperature on the Infrared Spectra of Poly(ethylene Terephthalate), 2067P
Lipatova, T. E.
—; Vengerovskaya, S. G.; Feinerman, A. E.; Sheinina, L. S.: Adsorption Layers of Surface-Active Substances and Their Influence on Polyurethane Network Formation, 2085C
Lissi, E. A. See Encinas, M. V., 2157C

—; Zanocco, A.: Photoinitiated Polymerization: Effect of the Initiator Absorbance, 2197C
Ljubcheva, M. See Mladenov, I., 1223C
Llorente, M. A. See Riande, E., 2473P
—; Mark, J. E.; Saiz, E.: Stress-Optical Behavior of Polydimethylsilmethylene [—$Si(CH_3)_2CH_2$—], a Hydrocarbon Analog of Polydimethylsiloxane, and a Silicon Analog of Polyisobutylene, 1173P
Lockhart, T. P. See Crivello, J. V., 97C
Logan, J. A. See Zachariades, A. E., 821P
Long, M. A. See Ang, C. H., 257L
Loomis, L. D.
—; Zoller, P.: Unsuccessful Search for a Liquid–Liquid Transition in Compression Isotherms of Polystyrene, 241P
Lotz, B. See Wittmann, J. C., 2495P
Lovinger, A. J.
Microstructure and Unit-Cell Orientation in α-Polypropylene, 97P
Lovy, J. See Matejka, L., 2873C
Lukas, R.
—; Jakes, J.; Paleckova, V.; Pokorny, S.; Kolinsky, M.: Structure of Chlorinated Poly(vinyl Chloride). XII. Configuration and Reactivity of Low-Molecular-Weight Models of Poly(vinyl Chloride) in the Course of Chlorination, 3093C
Lukasik, L.
—; Kuran, W.; Kiryjow, J.: Copolymerization of Diethylaluminum Acrylate and Styrene, 17L
—; Kuran, W.; Laguna, B.; Gosk, J.: Radical Copolymerization of Potassium Methacrylate and Acrylonitrile in the Presence of 18-Crown-6 Ether in Ethyl Alcohol as Solvent (Note), 3333C
Lund, A. See Tabata, M., 3257C
Lyerla, J. R., Jr. See Volksen, W., 2249C
Lyon, R. E.
—; Farris, R. J.; MacKnight, W. J.: A Differential Scanning Calorimetry Method for Determining Strain-Induced Crystallization in Elastomeric Fibers, 323L

Maby, E. W. See Mazurek, H., 537P
MacDiarmid, A. G. See Jen, K. Y., 441L
Machi, S. See Arakawa, K., 1173C
MacKnight, W. J. See Lyon, R. E., 323L
Madruga, E. L. See Roman, J. S., 691C; San Roman, J., 3303C
—; San Roman, J.; San Roman, J.; Rodriguez, M. J.: Radical Polymerization in the Presence of Complexing Agents. V. Effect of Low Concentrations of $ZnCl_2$ on the Radical Copolymerization of Methyl Methacrylate with Ethyl Acrylate, 2739C
—; San Roman, J.; Rodriguez, M. J.: Radical Polymerization in the Presence of Complexing Agents. VI. Effect of Low Concentrations of $ZnCl_2$ on the Overall Rate of Copolymerization of Methyl Methacrylate with Ethyl Acrylate, 2749C
Maeda, O. See Nakagawa, K., 933L
Maeshima, T. See Yamashita, N., 13L, 191C, 239C
Maissa, P.
—; Ten Bosch, A.; Sixou, P.: Phase Transition of Nematic Polymers in Elongational Flow, 757L
Maiti, S. See Ray, A., 77L
—; Ray, A.: Processable Heat-Resistant Polymers. XI. Synthesis and Characterization of Unsaturated Polyamideimides, 999C
Majumdar, R. N.
—; Yang, S.-L.; Harwood, H. J.: Alternating Copolymerization of Methyl Acrylate with Donor Monomers Having a Protected Amine Group, 1717C
Mak, H.-B. See Pender, L. F., 1635P
Makarova, L. I. See Zhorin, V. A., 929P
Makgawinata, T. See El-Aasser, M. S., 2363C
Makino, M. M. See Bittencourt, E., 717L
Malanga, M.
—; Vogl, O.: Head-to-Head Polymers. XXIV. Synthesis of Head-to-Head Polyisobutylene by Grignard Coupling Reaction, 2629C
Maldas, D. See Bhattacharyya, S. N., 3281C, 3291C
Manabe, O. See Shinkai, S., 3525C
Mandelkern, L. See Axelson, D. E., 2319P; Glotin, M., 29P, 285P, 807L
Mano, E. B.
—; Calafate, B. A. L.: Electrolytically Initiated Polymerization of *N*-Vinylcarbazole, 829C
Manolova, N. See Velichkova, R., 17C
Mansfield, M. L.
One-Dimensional Models of Polymer Dynamics. I. Dashpot–Spring Models Applied to a Single Rotor, 773P
One-Dimensional Models of Polymer Dynamics. II. A Dashpot–Spring Model, 787P
Mansour, O. Y.
—; Nagaty, A.; Beshay, A. D.; Nosseir, M. H.: Graft Polymerization of Monomers onto Cellulose and Lignocelluloses by Chemically Induced Initiator, 715C
Maravigna, P. See Foti, S., 1567C, 1583C, 1599C
Marchessault, R. H. See Deslandes, Y., 583L
Marco, C. See Broze, G., 2205P
Marcott, C. See Noda, I., 99L
Marina, N. G. See Rafikov, S. R., 2697C
Marjit, D. N.
—; Kalpagam, V.; Nandi, U. S.: Metal Chelates in Vinyl Polymerization: Kinetics and Mechanism of Acrylonitrile Polymerization Initiated by Cu(II) Imine Complexes, 803C
Mark, J. E. See Bhaumik, D., 1111P, 2543P; Llorente, M. A., 1173P
—; Llorente, M. A.; Zhang, Z.-M.: The Use of Model Networks with Reptating Chains to Study Extraction Efficiencies, 1971P
Marrucci, G.
—; Grizzuti, N.: The Effect of Polydispersity on Rotational Diffusivity and Shear Viscosity of Rodlike Polymers in Concentrated Solutions, 83L
Marshall, A. See Viras, K., 919P
Martic, P. A. See Herkstroeter, W. G., 2473C
Marvel, C. S. See Lee, B. H., 83C; Lee, J., 2189C; Lin, S., 1151C
Matejka, L.
—; Lovy, J.; Pokorny, S.; Bouchal, K.; Dusek, K.: Curing Epoxy Resins with Anhydrides. Model Reactions and Reaction Mechanism, 2873C
Mathias, L. J. See Anderson, K. W., 445L
—; Moore, D. R.; Johnson, C. B.: Further Examination of the Microemulsion–Molecular Weight Method for Polyoxyethylene, 711L
Mathieu, P. See Axelson, D. E., 2319P
Matijevic, E. See Partch, R., 961C
Matsumoto, A. See Yamada, B., 2241C
—; Aoki, K.; Kurimoto, Y.; Oiwa, M.; Ochi, M.; Shimbo, M.: Reactive Oligomers. III. Mechanical Properties of Diallyl Phthalate Resins Cocrosslinked with Glycol Bis(allyl Phthalate)s, 837L
—; Araki, Y.; Oiwa, M.: Reactive Oligomers. IV. Postcopolymerization of Oligo(methyl Methacrylate-co-Allyl Methacrylate) with Allyl Benzoate, 771L
—; Jiang, G.-J.; Oiwa, M.: Reactive Oligomers. I. Preparation and Polymerization of Ethylene Glycol Bis(methyl Fumarate), 3191C
—; Kukimoto, Y.; Aoki, K.; Oiwa, M.: Reactive Oligomers. II. Polymerization of Glycol Bis(allyl Phthalate)s and Glycol Bis(allyl Succinate)s, 3493C
—; Nakane, T.; Oiwa, M.: Studies of the Polymerization of Diallyl Compounds. XXXIX. Chain Length Dependency of Cyclization Constant in the Cyclopolymerization of Diallyl Phthalate, 699L
—; Tano, M.; Ishido, H.; Oiwa, M.: Polymerization of Allyl Esters of Unsaturated Acids. X. Cyclopolymerization of Methallyl Methacrylate (Note), 609C

Matsumoto, S.
Behavior of Antioxidant in Polyethylene, 557C
Matsuura, T. See Chan, K., 417L
Matsuzaki, K. See Uryu, T., 2203C
Matzinger, D. P. See Brauman, S. K., 1831C
Mauze, G. R. See Stern, S. A., 1275P
May, F. L. See Sefcik, M. D., 1041P
Mays, J. See Hadjichristidas, N., 189P
Mazurek, H.
—; Day, D. R.; Maby, E. W.; Abel, J. S.; Senturia, S. D.; Dresselhaus, M. S.; Dresselhaus, G.: Electrical Properties of Ion-Implanted Poly(*p*-Phenylene Sulfide), 537P
McAtee, J. L., Jr. See Claesson, S., 1873P
McDaniel, M. P.
—; Cantor, D. M.: Hydrogen Transfer During Propagation of the Phillips Catalyst (Note), 1217C
McGrath, J. E. See Anderson, K. W., 445L
McHugh, A. J. See Dairanieh, I. S., 1473P; Rietveld, J., 919L, 1513P
McKee, D. W. See Will, F. G., 3479C
McKinnon, M. S. See Fyfe, C. A., 249L
McTigue, F. H.
Review of *Developments in Polymer Stabilisation—5*, Gerald Scott, Ed., 149L
Meakin, P. See Avakian, P., 647P
Mehta, A. C.
—; Rickter, D. O.; Kolesinski, H. S.; Taylor, L. D.: Synthesis of Aminimide Monomers and Polymers, 1159C
—; Rickter, D. O.; Kolesinski, H. S.; Taylor, L. D.: Synthesis of Aminimide Monomers and Polymers (Erratum), 2607C
Mijangos, F. See Cotillas, V., 831L
—; Leon, L. M.: Polymerization of Ethylene Oxide by Triphenylmethyl Tetrafluoroborate in Nitrobenzene, 885L
Mijovic, J.
Review of *Developments in Adhesives—2*, A. J. Kinloch, Ed., 68L
Milas, M. See Blumstein, A., 2159P
Miller, R. D. See Trefonas, P., III, 819L, 823L
Miller, W. J.
Review of *Handbook of Chemical Microscopy, Volume I, 4th ed.*, C. W. Mason, 951L
Min, K. W. See Cha, C. Y., 807P
Min, T. I.
—; Klein, A.; El-Aasser, M. S.; Vanderhoff, J. W.: Morphology and Grafting in Polybutylacrylate-Polystyrene Core-Shell Emulsion Polymerization, 2845C
Minchenkova, N. K. See Rafikov, S. R., 2697C
Mirabella, F. M., Jr.
Strength of Interaction and Penetration of Infrared Radiation for Polymer Films in Internal Reflection Spectroscopy, 2403P
Mishra, M. K. See Bhadani, S. N., 3601C; Gaylord, N. G., 23L
Mishra, R. See Senapati, M., 407C
Misono, T. See Abe, Y., 41C
Misra, G. S.
—; Khatib, J. I.: Polymerization of Acrylamide with Ceric Ion–Malic Acid Redox Pair, 1665C
Misra, S. C.
—; Pichot, C.; El-Aasser, M. S.; Vanderhoff, J. W.: Batch and Semicontinuous Emulsion Copolymerization of Vinyl Acetate–Butyl Acrylate. II. Morphological and Mechanical Properties of Copolymer Latex Films, 2383C
Mitchell, G. R. See Brown, D. J., 341L
Mitchell, T. D. See Moore, J. A., 1305C
Mitsuuchi, M. See Inagaki, N., 2887C
Miyama, H.
—; Nosaka, Y.; Kobayashi, T.; Kuwabara, A.: Synthesis of Nylon Containing Pendant Viologen Groups and Its Evaluation as Electron Transfer Catalyst, 945L
Miyasaka, K. See Danno, T., 1527P; Yasuda, O., 813L
Miyoshi, N. See Ishikawa, M., 657L
Mizutani, F. See Nakanishi, H., 983L
Mladenov, I.
—; Ljubcheva, M.: Polyacrylonitrile Fibers Treated by Hydrazine Hydrate as a Basis for the Production of Carbon Fibers, 1223C
Moacanin, J. See Hong, S-D., 1647P
Mochizuki, A. See Higashi, F., 3337C
Mohan, D.
—; Radhakrishnan, G.; Rajadurai, S.: Synthesis of Casein-*g*-Poly(Vinyl Acetate). II, 3041C
Momoi, M. See Oishi, T., 1053C
Monakov, Y. B. See Rafikov, S. R., 2697C
Monnerie, L. See Tassin, J. F., 1981P, 2109P; Viovy, J. L., 2427P
Montaudo, G. See Ballistreri, A., 679C; Foti, S., 1567C, 1583C, 1599C
—; Foti, S.; Scamporrino, E.; Vitalini, D.: Intumescent Flame Retardants for Polymers. II. The Polypropylene-Ammonium Polyphosphate-Polyurea System, 3361C
—; Scamporrino, E.; Vitalini, D.: The Effect of Ammonium Polyphosphate on the Mechanism of Thermal Degradation of Polyureas, 3321C
Moore, D. R. See Mathias, L. J., 711L
Moore, J. A.
—; Mitchell, T. D.: Siloxane-Containing Polyenaminoesters, 1305C
Moore, P. W.
—; Clouston, J. G.; Chaplin, R. P.: Gamma Radiation-Initiated Polymerization of Styrene at High Pressure. III. Emulsion Polymerization with Anionic Emulsifiers, 2491C
—; Clouston, J .G.; Chaplin, R. P.: Gamma Radiation-Initiated Polymerization of Styrene at High Pressure. IV. Emulsion Polymerization with Nonionic Emulsifier, 2503C
Morawetz, H.
Review of *Developments in Ionic Polymers—1*, Alan D. Wilson and Havard J. Prosser, Eds., 678L
Review of *Photophysics of Synthetic Polymers*, D. Phillips and A. J. Roberts, 232L
Morgan, R. J.
—; Pruneda, C. O.; Steele, W. J.: The Relationship between the Physical Structure and the Microscopic Deformation and Failure Processes of Poly(*p*-Phenylene Terephthalamide) Fibers, 1757P
Mori, K.
—; Nakamura, Y.: Study on Triazine Thiols. V. Polymerization of 6-(4-Vinylbenzyl Propyl) Amino-1,3,5-Triazine-2,4-Dithiol on Copper Plates and Their Corrosion Resistance, 889L
Mori, S. See Sato, T., 819C
Morishima, Y. See Itoh, Y., 167L
—; Itoh, Y.; Koyagi, A.: Electrochemical Electron-Transfer Process of Polymers Containing *N*-Methylphenothiazine, 953C
Morita, S. See Yamashita, N., 13L, 191C, 239C
Morosetti, S. See Giglio, E., 321P
Morosoff, N. See Fornes, R. E., 1163P; Liepins, R., 751C
Morrissette, M.-F. See Aubin, M., 233P
Mortier, R. M. See Paton, R. M., 145L
Moscicki, J. K.
—; Williams, G.: Concentrated Solutions of Polydisperse Rodlike Polymers in the Isotropic and Lyotropic Liquid-Crystalline Phases. I. The Effects of Molecular Length Distribution on Phase Behavior, 197P
—; Williams, G.: Concentrated Solutions of Polydisperse Rodlike Polymers in the Isotropic and Lyotropic Liquid-Crystalline Phases. II. Model Simulation of the Dielectric Relaxation Behavior of Poly(*n*-Alkylisocyanates) in Toluene and Comparison with Experimental Results, 213P
Motz, H. See Gupte, K. M., 1927P
Mueller, K.
—; Wassmer, K.-H.; Lenz, R. W.; Kothe, G.: Spin Probe Study of Molecular Order in a Liquid Crystal Polymer, 785L
Mueller, S. J. See Pearson, D. S., 2287P

Mulvaney, J. E.
—; Cramer, R. J.; Hall, H. K., Jr.: Reduction Potentials of Olefinic Electron Acceptor Monomers (Note), 309C
Munikhes, V. M. See Barkalov, I. M., 1401C
Muniz-Miranda, M. See Neto, N., 3389C
Murray, C. T. See Tabar, R. J., 831P

Nadkarni, V. M. See Balaraman, K. S., 739L
Nagai, K.
—; Yonezawa, H.: Spontaneous Copolymerization and Diels–Alder Reaction of 1,3-Cyclohexadiene with Citraconic Anhydride, 115L
Nagaoka, K. See Watanabe, M., 939P
Nagasaka, A. See Ashitaka, H., 1111C, 1853C
Nagata, K.
—; Turner, T.: Network Formation during Vinyl Polymerization Via Inorganic Particles, 811C
Nagaty, A. See Mansour, O. Y., 715C
Nagy, T. T. See Ivan, B., 2177C
Naito, H. See Chujo, R., 487L
Naito, I. See Kinoshita, A., 359L
Nakagawa, K.
—; Maeda, O.; Yamakawa, S.: Production of Ultrahigh Modulus Polyoxymethylene by Drawing Under Dielectric Heating, 933L
Nakahama, S. See Yamaguchi, K., 395L
Nakahira, T. See Iwabuchi, S., 1877C
Nakajima, T. See Oyama, H. T., 2987C
Nakamura, A. See Araki, T., 1671C; Oguni, N., 1559C
Nakamura, S. See Saegusa, Y., 637C
Nakamura, Y. See Mori, K., 889L
Nakane, T. See Matsumoto, A., 699L
Nakanishi, H.
—; Mizutani, F.; Kato, M.; Hasumi, K.: Semiconducting Single Crystals of Polydiacetylenes, 983L
Nakanishi, M. See Kondo, S., 847L
Nakano, H.
—; Ohtsuka, Y.; Sangen, O.; Yamamoto, Y.: Alteration of Reaction Specificity Induced by Synthetic Polymer in Pyridoxal Model System, 163L
Nakashima, Y. See Fukuda, H., 171L, 1423C
Nakazawa, A. See Yamamoto, H., 131L
Namasivayam, C.
—; Natarajan, P.: Kinetics of Photopolymerization of Acrylamide Initiated by Copper (II)–Bis(amion Acid) Chelates in Aqueous Solution. II., 1385C
—; Natarajan, P.: Photopolymerization Reactions Initiated by Copper (II)–Amino Acid Chelates: Investigation of the Initiating Species by Flash Photolysis, 1371C
Nan, R. See Imai, Y., 1241C
Nandi, U. S. See Marjit, D. N., 803C
Nango, M. See Ihara, Y., 1535C
Nanjan, M. J. See Sachindrapal, P., 2301C
—; Jayaprakash, D.: Synthesis of a New Azopolyamide-Hydroazide (Note), 1227C
Napper, D. H. See Lichti, G., 269C; Wood, D. F., 985C
Narasimhan, V.
—; Huang, R. Y. M.; Burns, C. M.: Polymer–Polymer Interaction Parameters of Polystyrene and Polybutadiene from Studies in Solutions of Toluene or Tetrahydrofuran, 1993P
Narayan, R.
—; Tsao, G. T.: Mechanism of Graft Copolymerization of Vinyl Monomers onto Cellulose by Periodate, 437L
Nasr, G. M. See Amin, M., 3353C
Natarajan, P. See Namasivayam, C., 1371C, 1385C
Nate, K. See Endo, T., 373L
Navard, P.
—; Haudin, J. M.; Aharoni, S. M.: Rigid Backbone Polymers: Thermal Behavior of Polyhexylisocyanate Mesomorphic Solutions, 271L
Nayak, P. L. See Lenka, S., 1867C, 1871C
Naylor, K. L.
—; Phillips, P. J.: Optimization of Permanganic Etching of Polyethylenes for Scanning Electron Microscopy, 2011P
Neckers, D. C. See Abu-Abdoun, I. I., 3129C; Zhang, K., 3115C
Nejigaki, K. See Inagaki, N., 353L, 3181C
Nemoto, N. See Tsunashima, Y., 531L
Neto, N.
—; Sbrana, G.; Muniz-Miranda, M.; Dobos, S.; Zelei, B.; Harsanyi, L.: Spectroscopic Investigation of Organosilicon Polymers. I. Vibrational Analysis of Poly(tetramethyl-*p*-Silphenylene-Siloxane), 3389C
Nicodemo, L. See Addeo, A., 317L
Nicolais, L. See Addeo, A., 317L
Nielsen, L. E.
Elastic Modulus of Syntactic Foams (Note), 1567P
Niezette, J. See Aras, L., 799L
Niikuni, S. See Kuroki, T., 703C
Nilsson, G. See Tabata, M., 3257C
Nishi, T. See Chujo, R., 487L
Nishida, K. See Ando, Y., 1661P
Nishide, S. See Shimizu, J., 275P
Nishikawa, H. See Nishimoto, S., 195L
Nishikubo, T.
—; Iizawa, T.; Saito, Y.: Study of Photopolymer. XIX. Novel Syntheses of the Polymers with Pendant Ester and Chloromethyl Groups by Addition Reactions of the Copolymer of Glycidyl Methacrylate with Acid Chlorides, 2291C
—; Iizawa, T.; Yamada, M.; Tsuchiya, K.: Study of Photopolymer. XVII. Synthesis of Novel Photosensitive Polymers with Pendant Photosensitive Group and Photosensitizer Groups, 2025C
Nishimoto, S.
—; Nishikawa, H.; Izukawa, T.; Haruta, Y.; Kagiya, T.: Selective Vinyl Polymerization of 1-Methacryloylaziridine and Reactivity of the Pendant 1-Acylaziridine Ring in the Polymer, 195L
Nishino, M. See Yamashita, N., 239C
Nishioka, S. See Imai, K., 305C
Nithianandam, V. S.
—; Kaleem, K.; Srinivasan, K. S. V.; Joseph, K. T.: Estimation of Reactivity Ratios of Acrylate Copolymers by ^{1}H-NMR, 761C
Niume, K.
—; Toda, F.; Uno, K.; Hasegawa, M.; Iwakura, Y.: Aromatic Poly-Schiff's Bases (Note), 615C
Niwa, H. See Fujita, K-I., 1713P
Noda, I.
—; Dowrey, A. E.; Marcott, C.: Dynamic Infrared Linear Dichroism of Polymer Films under Oscillatory Deformation, 99L
Nomura, S. See Fujita, K-I., 1713P
Nonaka, T. See Egawa, H., 1233C, 2597C
Nosaka, Y. See Miyama, H., 945L
Nosseir, M. H. See Mansour, O. Y., 715C
Nozakura, S. See Itoh, Y., 167L; Kamachi, M., 693L
Nozakura, S.-I. See Iwai, K., 2439C
Nunes, S. P.
—; Galembeck, F.: Preparation and Characterization of Cellulose Acetate Membranes for Osmosedimentation, 49L

Obata, T. See Kondo, S., 3597C
Ochi, M. See Matsumoto, A., 837L
Odell, J. A.
—; Atkins, E. D. T.; Keller, A.: Diffusion and Orientability of Rigid-Rod Molecules, 289L
O'Driscoll, K. F. See Duever, T. A., 2003C
Ogata, H. See Kise, H., 3443C
Ogata, N. See Yasuda, S., 2609C
Ogata, S.-I. See Higashi, F., 913C
Ogawa, T. See Burillo, G., 615L
—; Ishitobi, W.: Determination of Composition Distribution of Acrylonitrile-Styrene Copolymers by Thin-Layer Chromatography, 781C

Ogita, K. See Hashimoto, T., 1347P
Ogiwara, Y. See Kubota, H., 367L
Oguni, N.
—; Kuboyama, H.; Nakamura, A.: Enantioselective Polymerization of γ-Benzyl-DL-Glutamate *N*-Carboxy Anhydride in the Presence of Poly(γ-Benzyl-L-Glutamate), 1559C
Ohtsuka, Y. See Nakano, H., 163L
Ohya, T.
—; Otsu, T.: Head-to-Head Vinyl Polymers. X. Cyclopolymerization of *o*-Dimethacryloyloxybenzene, 3169C
—; Otsu, T.: Head-to-Head Vinyl Polymers. XI. Preparation and Characterization of Poly(methyl Acrylate) and Poly(methyl Methacrylate) Consisting of Head-to-Head and Head-to-Tail Units through Cyclopolymerization of Acrylic and Methacrylic Anhydrides, 3503C
Oie, M. See Yamada, K., 1063P
Oishi, T.
—; Momoi, M.; Fujimoto, M.; Kimura, T.: Reactivities of *N*-Alkylitaconimides in Radical Copolymerizations with Styrene or Methyl Methacrylate, 1053C
Oiwa, M. See Matsumoto, A., 609C, 699L, 771L, 837L, 3191C, 3493C
Okamoto, Y.
—; Shohi, H.; Yuki, H.: Facile Syntheses of (+)- and (−)-Poly(triphenylmethyl Methacrylate)s and Their Macromers, 601L
Okawara, M. See Ageishi, K., 175C, 293C; Endo, T., 373L, 603C; Saigo, K., 1435C
Okuda, T. See Kuzuya, M., 509L, 515L
Okui, N. See Shimizu, J., 275P
Olea, A. E. See Encinas, M. V., 2157C
Olivares, J. P. See Diaz, F. R., 2277C
Onishi, Y. See Hayase, S., 467C
Osa. T. See Anzai, J.-I., 855C
Osada, Y.
—; Takase, M.: Plasma-Initiated Emulsion Polymerization of Alkyl Acrylates and Methacrylates, 643L
Osipenko, I. F.
—; Polikarpov, A. P.; Prokopchuk, N. R.; Krul, L. P.: Stress–Strain Properties of Graft Copolymers of Polyethylene and Acrylic Acid, 527L
Otey, F. H. See Wing, R. E., 121C
Otsu, T. See Ohya, T., 3169C, 3503C; Sato, T., 819C, 943C; Yamada, B., 2241C
Ouchi, T.
—; Hosaka, Y.; Beika, N.; Imoto, M.: Vinyl Polymerization. 416. Polymerization of Vinyl Monomer Initiated by Polyethyleneglycol, 2897C
—; Izumi, T.; Inaba, M.; Imoto, M.: Vinyl Polymerization. 413. Polymerization of Vinyl Monomer Initiated by Poly(vinylbenzyltrimethyl)ammonium Chloride, 2101C
Ougizawa, T. See Yasuda, O., 813L
Overberger, C. G. See Ahn, K.-D., 1699C; Arora, K. S., 189L; Shalati, M. D., 3425C; Yang, W. W.-Y., 1643C, 1741C, 1751C
—; Yang, W. W.-Y.; Kikyotani, S.: Spectroscopic Studies of Poly(vinylamine) Containing Optically Active Thymine Derivatives as Grafted Pendants, 541C
—; Kikyotani, S.: Synthesis of Poly(vinylamine) Containing Asymmetric Nucleic Acid Base Derivatives as Grafted Pendants, 525C
—; Kikyotani, S.: Synthesis of Poly(vinylamine) Containing Asymmetric Nucleic Acid Base Derivatives as Grafted Pendants (Erratum), 2161C
—; Shalati, M. D.: Syntheses and Polymerizations of Some Vinyl Monomers Containing Nitro- or Fluorophthalimides, 3403C
Oyama, H. T.
—; Nakajima, T.: Structure and Sorption Properties of the Polyion Complex between Poly(acrylic Acid) and Poly(4-Vinylpyridine), 2987C
Ozaki, M.
—; Ikeda, Y.; Arakawa, T.: Oriented Polyacetylene Epitaxially Formed on Crystalline Benzene, 999L
Ozcayir, Y. See Blumstein, A., 2159P

Pachauri, L. S. See Chatterjee, S. K., 1165C
Padden, F. J.
Review of *Developments in Crystalline Polymers—1*, D. C. Bassett, Ed., 861L
Padhi, N. P.
—; Singh, B. C.: Ceric-Ion-Initiated Polymerization of Acrylonitrile in the Presence of Sucrose (Note), 599C
Padhi, R. C.
—; Labischinski, H.; Patel, A.: Correlation of Fine Structural Characteristics and Textile Properties of Silk Fiber, 2863C
Padmanaban, M. See Bajaj, P., 2261C
Padwa, A. R. See Kruse, R. L., 1251P
Pae, K. D.
—; Questad, D. L.: The Dependence of Dielectric Response of an Elastomer on Hydrostatic Pressure, 1195P
Pai, D. M. See Stolka, M., 969C, 3033C
Painter, P. C See Brozoski, B. A., 301P
Pai Verneker, V. R. See Kishore, K., 627L
Paleckova, V. See Lukas, R., 3093C
Palleschi, A. See Giglio, E., 321P
Palma, G.
—; Tavan, M.; Carenza, M.: Particle Morphology in the Radiation-Induced Heterophase Polymerization of Vinyl Chloride with Solvent Added in Small Amounts, 251P
Palmen, J. See Booij, H. C., 1703P
Pan, H. K.
—; Yarusso, D. J.; Knapp, G. S.; Cooper, S. L.: EXAFS Studies of Nickel Nafion Ionomers, 1389P
Panar, M.
—; Avakian, P.; Blume, R. C.; Gardner, K. H.; Gierke, T. D.; Yang, H. H.: Morphology of Poly(*p*-Phenylene Terephthalamide) Fibers, 1955P
Panayotov, I. M. See Rashkov, I. B., 923C, 937C; Velichkova, R., 17C
Panda, S. P.
—; Kulkarni, S. G.: On the Structure of Resins Obtained from 3-Carene and Its Reaction with Phenol, 649L
Pandit, U. K. See Eling, B., 1125C
Papirer, E.
The Effect of Filler Shape on the Mechanical Properties of a Reinforced Vulcanizate: The SBR-Ground Asbestos System, 2833C
Parker, J. A. See Achar, B. N., 111C, 589C, 1025C, 1505C, 3063C; Kumar, D., 245C, 565C, 3155C; Varma, I. K., 2017C
Partch, R.
—; Matijevic, E.; Hodgson, A. W.; Aiken, B. E.: Preparation of Polymer Colloids by Chemical Reactions in Aerosols. I. Poly(*p*-Tertiarybutylstyrene), 961C
Pascault, J.-P. See Camberlin, Y., 415C; Rashkov, I. B., 923C
Patachia, S. F. See Vasile, C., 329C
Patel, A. See Padhi, R. C., 2863C
—; Khanduala, B. C.; Thakur, G. B.; Labischinski, H.: The Investigation of Cancerous Human Bone (Osteoclastoma) by Small-Angle X-Ray Scattering, 2937C
Patel, D. L.
—; Gilbert, R. D.: Mesomorphic Solutions of Cellulose Triacetate in Trifluoroacetic Acid Halogenated Solvent Mixtures: Phase Separations and Factors Affecting the Cholesteric Pitch, 1079P
Patel, J. D.
—; Patel, M. R.: Free-Radical Copolymerizations of *N*-Arylmaleimides. II, 3027C
Patel, M. R. See Patel, J. D., 3027C
Patil, N. B. See Gupta, V. B., 2425P

Paton, R. M.
—; Stobie, I.; Mortier, R. M.: Copolymerization of 5-(α-Alkenyl)-1,3,4-Oxathiazol-2-ones with Styrene and Methyl Methacrylate, 145L
Patterson, G. D. See Carroll, P. J., 1889P
—; Carroll, P. J.: Photon Correlation Spectroscopy of Polymers in the Glassy State, 1897P
—; Carroll, P. J.; Stevens, J. R.: Photon Correlation Spectroscopy of Poly(methyl Methacrylate) near the Glass Transition, 613P
—; Carroll, P. J.; Stevens, J. R.: Photon Correlation Spectroscopy of Polystyrene as a Function of Temperature and Pressure, 605P
Patton, P. A.
—; Gilbert, R. D.: Anisotropic Solutions of Methylol Cellulose, 515P
Paul, C. W.
A Model for Predicting Solvent Self-Diffusion Coefficients in Nonglassy Polymer/Solvent Solutions, 425P
Paul, T. K.
—; Banerjee, M.; Konar, R. S.: Aqueous Polymerization of Methyl Methacrylate, 57L
Pavel, N. V. See Giglio, E., 321P
Pavlova, S.-S. A. See Siling, S. A., 2675C
Pearce, E. M. See Altomare, A., 1693C
Pearson, D. S.
—; Mueller, S. J.; Fetters, L. J.; Hadjichristidis, N.: Comparison of the Rheological Properties of Linear and Star-Branched Polyisoprenes in Shear and Elongational Flows, 2287P
Peckan, O.
—; Winnik, M. A.; Croucher, M. D.: A Microphase Model for Sterically Stabilized Polymer Colloids: Fluorescence Energy Transfer from Naphthalene-Labeled Dispersions, 1011L
Peeling, J.
—; Clark, D. T.: Surface Ozonation and Photooxidation of Polyethylene Film, 2047C
Pelzbauer, Z. See Zurkova, E., 2949C
Pender, L. F.
—; Mak, H.-B.; Wintle, H. J.: Diffusion of Iodine into PE and PET, 1635P
Peppas, N. A. See Barar, D. G., 1013C
—; Franson, N. M.: The Swelling Interface Number as a Criterion for Prediction of Diffusional Solute Release Mechanisms in Swellable Polymers, 983P
Pereira, J. R. C. See Ito, M., 389P
—; Porter, R. S.: Soild-State Coextrusion of Poly(ethylene Terephthalate). II. Drawing of Semicrystalline PET, 1147P
—; Porter, R. S.: Solid-State Coextrusion of Poly(ethylene Terephthalate). I. Drawing of Amorphous PET, 1133P
Pezdirtz, G. F. See Bell, V. L., 3083C
Phillips, P. J. See Naylor, K. L., 2011P
Pichot, C. See El-Aasser, M. S., 2363C; Misra, S. C., 2383C
Pierola, I. F. See Turro, N. J., 1085C
Pierri, E. See Tsitsilianis, C., 685L
Piorkowska, E. See Galeski, A., 1299P, 1313P
Pislewski, N. See Kunert, K. A., 1195C
Pittman, C. U., Jr. See Ueda, M., 1139C, 2997C
Pizzi, A.
Kinetics of the Base Fragmentation of a Model of Lignosulfonate (Note), 627C
Review of *Polymer Applications of Renewable-Resource Materials*, C. E. Carraher, Jr., and L. H. Sperling, Eds., 1020L
Platzer, N.
Review of *Flame-Retardant Polymeric Materials*, Menachem Lewin, S. M. Atlas, and Eli M. Pearce, Eds., 150L
Review of *Handbook of Applied Chemistry*, V. Hopp, and I. Hennig, 860L
Review of *Plastics Polymer Science and Technology*, Mahendra D. Baijal, Ed., 71L
Review of *Polymer Applications of Renewable-Resource Materials*, C. E. Carraher, Jr. and L. H. Sperling, Eds., 506L
Plesch, P. H.
Review of *Carbocationic Polymerization*, Joseph P. Kennedy and Ernest Marechal, 304L
Plonka, A.
Time-Dependent Reactivity of Species Trapped in Polymer Matrices: Decay of Allyl Radicals in Irradiated Polyethylene, 1011P
Pobedimskii, D. G.
—; Kirpichnikov, P. A.; Kurashov, S. I.: Metal Complexes with Ligands–Organic Phosphites as Polyolefin Antioxidants. III. Kinetics and Mechanism of the Inhibiting Action of Individual Stable Cu(I) Complexes with Phosphites, 55C
Podkoscielny, W.
—; Wdowicka, D.: Linear Polythioesters. VI. Products of Interfacial Polycondensation of Bis/4-Mercaptophenyl/Ether with Some Aliphatic Acid Dichlorides, 2961C
Poehlein, G. W. See Jansson, L. H., 937L
Point, J. J. See Dosière, M., 625P
Pokorny, S. See Lukas, R., 3093C; Matejka, L., 2873C
Polikarpov, A. P. See Osipenko, I. F., 527L
Polizzotti, G. See Acierno, D., 2027P
Poly(vinylfluoride), pyrolysis and oxidative d See Chatfield, D. A., 1681C
Ponomarev, I. I. See Siling, S. A., 2675C
Popli, R. See Axelson, D. E., 2319P
Popov, A. A.
—; Blinov, N. N.; Krisyuk, B. E.; Karpova, S. G.; Privalova, L. G.; Zaikov, G. E.: Oxidative Destruction of Polyolefins under Stress. The Action of Ozone on Polyethylene and Polypropylene, 1017P
Porter, R. S. See Choy, C. L., 1427P; Chuah, H. H., 791L; Ito, M., 389P; Kanamoto, T., 1005L; Kimura, M., 367P; Pereira, J. R. C., 1133P, 1147P; Wang, L. H., 1815P; Wang, L.-H., 657P, 907P
Preston, J. See Asrar, J., 1119P; Kotek, R., 2837C
Pritchard, G. See Douglas, W., 139L
Privalova, L. G. See Popov, A. A., 1017P
Prochazka, O.
—; Kratochvil, P.: Termination in Radical Copolymerization: Correlation of Experimental Data, 3269C
Prokopchuk, N. R. See Osipenko, I. F., 527L
Prud'Homme, E. See Garton, A., 2275P
Prud'Homme, R. E. See Aubin, M., 233P; Garton, A., 45L
Pruneda, C. O. See Morgan, R. J., 1757P
Puglisi, C. See Ballistreri, A., 679C

Qayyum, M. M.
—; White, J. R.: Anomalous Deformation Behavior of Poly(ether Sulfone): An Example of Stress-Accelerated Aging?, 31L
Qian, B.-R. See Zeldin, M., 1361C
Questad, D. L. See Pae, K. D., 1195P

Rabolt, J. F. See Twieg, R., 901L
Characterization of Lattice Disorder in the Low-Temperature Phase of Irradiated PTFE by Vibrational Spectroscopy, 1797P
—; Schlotter, N. E.; Swalen, J. D.; Santo, R.: Comparative Raman Studies of Molecular Interactions at a Dye/Polymer and a Dye/Glass Interface, 1P
—; Zanoni, R.; deValera, J.; Stegeman, G. I.: Brillouin Scattering in Thin Deposited Polymer Films, 253L
Radhakrishnan, G. See Mohan, D., 3041C
Radic, D. See Gil-Llambias, F. J., 897L; Roman, E., 2057C
Rae, I. D. See Hodder, A. N., 403L
Rafikov, S. R.
—; Monakov, Y. B.; Tolstikov, G. A.; Marina, N. G.; Minchenkova, N. K.; Savelieva, I. G.: The Effect

of the Radical Structure in Trialkylaluminums on Cis Polymerization of Dienes on Titanium Catalyst Systems, 2697C
Rajadurai, S. See Mohan, D., 3041C
Rajagopal, K. R. See Trivedi, M. K., 2011C
Rajan, K. See Chan, K., 417L
Ramalingam, B. See Feld, W. A., 319C
Ramesh, C. See Gupta, V. B., 2425P
Rao, B. S. See Varma, I. K., 545L
Rao, K. V. C. See Kumar, D., 365C; Kumar, V. G., 2133C
Rao, M. R. See Kumar, D., 365C; Kumar, V. G., 2133C
Rao, S. P.
—; Jones, M. B.; Baltisberger, R. J.; Burger, V. T.; Brown, C. E.: Copolymerization of Dibenzofuran and Dichloromethane, 551L
Rao, Y. V. See Ray, A., 77L
Rashkov, I. B.
—; Gitsov, I.; Panayotov, I. M.: Anionic Polymerization of Lactones Initiated by Alkali Graphitides. II. Changes in the KC_{24} Structure During Polymerization of Lactones, 937C
—; Gitsov, I.; Panayotov, I. M.; Pascault, J.-P.: Anionic Polymerization of Lactones Initiated by Alkali Graphitides. I. Polymerization of ϵ-Caprolactone Initiated by KC_{24}, 923C
Raucher, D. See Sefcik, M. D., 1041P
Ravey, M.
Pyrolysis of Unsaturated Polyester Resin. Quantitative Aspects, 1C
The Examination of Bromine-Containing Fire Retardants in Unsaturated Polyester Resins by Means of Pyrolysis Residue Analysis, 375C
Ravindran, P. V. See Kumar, V. G., 2133C
Ray, A. See Maiti, S., 999C
—; Rao, Y. V.; Bhattacharya, V. K.; Maiti, S.: Polyimidehydrazide: A New Processable Heat-Resistant Polymer, 77L
Ray, P. K.
—; Das, B. K.; Banerjee, S. K.; Sen, S. K.: On the Partial Mercerization and Crimp Development in Jute Fiber, 263L
Raynal, S.
—; Bergeret, W.; Sledz, J.: Complex Bases: Some New Complex Bases; Application to Anionic Polymerization of Methyl Methacrylate (Note), 2601C
—; Bergeret, W.; Sledz, J.: Complex Bases. Use of Polymers Containing Alcohol Functions as Activating Agents in the Polymerization of Vinyl Monomers (Note), 3341C
Redler, E. See Hunter, B. K., 435C
Reed, T. F.
Review of *Practical Rubber Compounding and Processing*, Colin W. Evans, 302L
Reich, S.
—; Goldberg, E. P.: Poly(vinylidene Fluoride)–γFe_2O_3 Magnetic Composites, 869P
Reichmanis, E.
—; Gooden, R.; Wilkins, C. W., Jr.; Schonhorn, H.: A Study of the Photochemical Response of *o*-Nitrobenzyl Cholate Derivatives in P(MMA–MAA) Matrices, 1075C
Reilly, P. M. See Duever, T. A., 2003C
Reiser, A.
Review of *Developments in Polymer Photochemistry—3*, Norman S. Allen, Ed., 679L
Relles, H. M. See Hay, A. S., 449L
Renfer, D. S. See Stolka, M., 969C, 3033C
Renuncio, J. A. R. See Cánovas, A., 841P
Riande, E. See Blasco, F., 835P; Garrido, L., 1493P
—; Garrido, L.; Guzman, J.; Llorente, M. A.: Birefringence and Glass Transition Temperatures of Poly(diethylene Glycol Terephthalate) Networks, 2473P
Ricciardi, F.
—; Romanchick, W. A.; Joullie, M. M.: 1,3-Dialkylimidazolium Salts as Latent Catalysts in the Curing of Epoxy Resins, 633L
—; Romanchick, W. A.; Joullie, M. M.: Mechanism of Imidazole Catalysis in the Curing of Epoxy Resins, 1475C
Richardson, A.
—; Hope, P. S.; Ward, I. M.: The Production and Properties of Poly(vinylidene Fluoride) Rods Oriented by Drawing through a Conical Die, 2525P
Rickter, D. O. See Mehta, A. C., 1159C, 2607C
Rietveld, J.
—; McHugh, A. J.: Flow-Induced Crystallization by Surface Growth of Polyethylene Fibers, 1513P
—; McHugh, A. J.: Flow-Induced Fibrillar Formation Process in Poiseuille Flow, 919L
Rigdahl, M.
—; Westerlind, B.; Hollmark, H.; de Ruvo, A.: A Note on the Binder Distribution in Networks of Cellulose Fibers, 205L
Ripmeester, J. A. See Gupta, M. K., 211L
Riviere, M. See Durand, D., 2945C
Rivlin, R. S.
—; Thomas, A. G.: The Incipient Characteristic Tearing Energy for an Elastomer Crosslinked under Strain, 1807P
Rizk, H. A. See Elshafee, E., 2067C
Rodriguez, M.
—; Leon, L. M.: *N*-Vinylcarbazole Polymerization: The Reaction Enthalpy, 881L
Rodriguez, M. J. See Madruga, E. L., 2739C, 2749C
Roe, R.-J. See Curro, J. J., 1785P
Roller, M. B.
—; Dan, E.: GPC Calibration for Epoxy Resins, 875L
Roman, E. See Gil-Llambias, F. J., 897L
—; Valenzuela, G.; Gargallo, L.; Radic, D.: New Polymer-Supported Catalysts. (Polyvinylchloride-Containing Redox) Catalyst Cyclopentadienyl Iron Moiety: $[\eta^5C_5H_5Fe\eta_6C_6(CH_3)_5CH_2—]^+$, 2057C
Roman, J. S.
—; Madruga, E. L.; Del Puerto, M. A.: Radical Copolymerization of Acrylic Monomers. IV. Effect of Substituents on the Radical Polymerization and Copolymerization of Phenyl Acrylates, 691C
Romanchick, W. A. See Ricciardi, F., 633L, 1475C
Rout, M. K. See Senapati, M., 407C
Rout, S. P. See Senapati, M., 407C
Rubinstein, I.
Properties of Polyphenylene Films Deposited Electrochemically in an HF-Benzene System, 3035C
Rubio, R. G. See Cánovas, A., 841P
Rudin, A. See Eladon, W. L., 1557C; Fyfe, C. A., 249L
Russell, K. E. See Hunter, B. K., 435C
Russell, T. P.
—; Gugger, H.; Swalen, J. D.: In-Plane Orientation of Polyimide, 1745P
—; Stein, R. S.: An Investigation of the Compatibility and Morphology of Semicrystalline Poly(ϵ-Caprolactone–Poly(vinyl Chloride) Blends, 999P

Saam, J. C.
—; Huebner, D. J.: Condensation Polymerization of Oligomeric Polydimethylsiloxanols in Aqueous Emulsion (Erratum), 1239C
Sacher, E.
Water Permeation in Polymer Films. VI. Boundary Layer Resistance to Permeation, 111L
Sachindrapal, P.
—; Nanjan, M. J.: Synthesis and Characterization of Certain Aromatic Polyfumaramides, 2301C
Sadhir, R. K.
—; Smith, J. D. B.; Castle, P. M.: Laser-Initiated Copolymerization of Maleic Anhydride with Styrene, Vinyltoluene, and *t*-Butylstyrene, 1315C
Sadler, D. M.
—; Barham, P. J.: Neutron Scattering Measurements of Chain Dimensions in Polyethylene Fibers (Note), 309P
Sadocco, P. See Galli, R., 717P

Saegusa, Y.
—; Nakamura, S.; Chau, N.; Iwakura, Y.: Synthesis of Polyamides from Active 4,4′-Diacylbis-2-aryl-1,3,4-Oxadiazoline-5-thiones and -ones and Diamines under Mild Conditions, 637C
Saeki, S.
—; Holste, J. C.; Bonner, D. C.: The Effect of Polymer Side Chains on Vapor Sorption in Polyacrylate and Polymethacrylate Solutions, 2049P
Saha, S. K.
—; Chakrabarty, N. K.; Chaudhuri, A. K.: Redox Polymerization Initiated by Mn^{3+} Ions in Nonaqueous Medium, 963L
—; Chaudhuri, A. K.: Metal Ion Amines as Initiators in Vinyl Polymerization, 329L
Saigo, K. See Hasegawa, M., 2345C
—; Bailey, W. J.; Endo, T.; Okawara, M.: Synthesis of Monomers that Expand on Polymerization. Synthesis and Polymerization of 2,6,7-Trioxabicyclo[2.2.2]octanes with Phenyl Groups, 1435C
Saito, Y. See Nishikubo, T., 2291C
Saiz, E. See Llorente, M. A., 1173P
Sakai, T. See Hashimoto, T., 1347P
Sakata, Y. See Anzai, J.-I., 855C
Salee, G. See Kimura, M., 367P
Samal, N. C. See Senapati, M., 407C
Sangen, O. See Nakano, H., 163L
San Roman, J. See Madruga, E. L., 2739C, 2749C
—; Madruga, E. L.; Del Puerto, M. A.: Radical Copolymerization of Acrylic Monomers. V. Copolymerization of *ortho*- and *para*-Chlorophenyl Acrylates with Methyl Methacrylate, 3303C
Santo, R. See Rabolt, J. F., 1P
Sanui, K. See Yasuda, S., 2609C
Saric, K. See Janovic, Z., 2713C
—; Janovic, Z.; Vogl, O.: Terpolymerization of Acrylonitrile, Styrene, and 2,3-Dibromopropyl Acrylate, 1913C
Sarwade, B. D. See Balaraman, K. S., 739L
Sasaki, S. See Shimano, Y., 1331C
—; Ban, H.; Uematsu, I.: Structure and Side-Chain Interactions in Poly(δ-*N*-Carbobenzoxy L-Ornithine), 413P
Sato, H.
—; Tanaka, Y.; Hatada, K.: C-13 NMR Analysis of Polystyrene from Low-Molecular-Weight Model Compounds, 1667P
Sato, M. See Kondo, H., 165C
Sato, T.
—; Iwaki, T.; Mori, S.; Otsu, T.: Long-Lived Polymer Radicals. III. Synthesis of Block Copolymer by the Reaction of Living Poly(*N*-Methylacrylamide) Radical with Some Vinyl Monomers, 819C
—; Iwaki, T.; Otsu, T.: Long-Lived Polymer Radicals. IV. Reactions of Poly(*N*-Methylacrylamide) and Poly(*N*-Methylmethacrylamide) Radicals with Binary Mixtures of Vinyl Monomers, 943C
Savelieva, I. G. See Rafikov, S. R., 2697C
Sawaguchi, T. See Kuroki, T., 703C
Sbrana, G. See Neto, N., 3389C
Scamporrino, E. See Ballistreri, A., 679C; Montaudo, G., 3321C, 3361C
Schaefer, J. See Sefcik, M. D., 1041P, 1055P
Schen, M. A. See Chien, J. C. W., 93L
—; Karasz, F. E.; Chien, J. C. W.: Kinetics and Mechanism of Acetylene Polymerization, 2787C
Schick, M. J.
Review of *Encyclopedia of Emulsion Technology, Volume 1, Basic Theory*, Paul Becher, Ed., 680L
Review of *Solution Behavior of Surfactants—Theoretical and Applied Aspects*, K. L. Mi-tal and E. J. Fendler, Eds., 310L
Schlotter, N. E. See Rabolt, J. F., 1P
Schnarr, W. G. See Hunter, B. K., 435C
Schonhorn, H. See Reichmanis, E., 1075C
Schrijver, J.
—; German, A. L.: Structure–Reactivity Relations of Conjugated and Unconjugated Monomers: Acrylates and Methyl Vinyl Ketone in Copolymerization with Styrene Compared with Vinyl Esters in Copolymerization with Ethylene, 341C
Schultz, J. See Shanahan, M. E. R., 1103P
Schultz, J. M. See Gupte, K. M., 1927P
Schwarz, G. See Lieser, G., 1599P
Scortanu, E. See Caraculacu, G., 277L
Sederel, L. C.
—; van der Does, L.; Beugeling, T.; Feijen, J.; Bantjes, A.; Kim, S. W.: Comparison of Two Carboxylate-Activating Agents for the Modification of a Synthetic Heparinoid Polyelectrolyte, 1L
Sefcik, M. D. See Andrady, A. L., 2453P
—; Schaefer, J.: Solid-State ^{13}C-NMR Evidence for Gas–Polymer Interactions in the Carbon Dioxide–Poly(vinyl Chloride) System, 1055P
—; Schaefer, J.; May, F. L.; Raucher, D.; Dub, S. M.: Diffusivity of Gases and Main-Chain Cooperative Motions in Plasticized Poly(vinyl Chloride), 1041P
Seguchi, T. See Arakawa, K., 1173C
Sen, S. K. See Ray, P. K., 263L
Sen, S. R. See Dass, N. N., 3381C
Senapati, M.
—; Samal, N. C.; Mishra, R.; Tripathy, B.; Rout, S. P.; Rout, M. K.: Polymerization of Acrylonitrile Initiated by a Manganese(III) Acetate Glycerol Redox System, 407C
Senga, M. See Kondo, S., 3597C
Seno, M. See Kuroyanagi, Y., 1289C
Senturia, S. D. See Mazurek, H., 537P
Serico, L. See Feld, W. A., 883C
Serizawa, H. See Ito, M., 2299P
Sethi, K. R. See Chatterjee, S. K., 1045C
Seves, A. See Galli, R., 717P
Shah, D. O. See Jayakrishnan, A., 3201C
Shalati, M. D. See Overberger, C. G., 3403C
—; Overberger, C. G.: Grafting of Living Poly(ethylene Oxide) onto Polystyrene via Aromatic Nucleophilic Displacement of Activated Nitro Groups, 3425C
Shanahan, M. E. R.
—; Debski, M.; Bomo, F.; Schultz, J.: Temperature Effects in the Environmental Stress Cracking of Polyethylene, 1103P
Sharma, G. K. See Shukla, J. S., 2665C
Sharma, S. C.
—; Lakhanpal, M. L.: Thermodynamics of Mixtures of Poly(tetramethylene Oxide)s and 1,4-Dioxane, 353P
Shchori, E.
Poly(secondary Amine)s from Diacrylates and Diamines, 413L
Sheinina, L. S. See Lipatova, T. E., 2085C
Sheldon, R. P. See Al-Ghazawi, M., 347L
Sherle, A. I. See Zhorin, V. A., 929P
Shibata, N. See Tsubokawa, N., 425C
Shieh, C.-H. See Hamed, G. R., 1415P
Shimano, Y.
—; Sasaki, S.: Preparation of AB Polyacylthioureas and Related Copolyacylthioureas, 1331C
Shimbo, M. See Matsumoto, A., 837L
Shimizu, J.
—; Okui, N.; Imai, Y.; Nishide, S.; Takaku, A.: Polymorphic Structure and Physical Properties of the Polyester/Ether Poly(ethylene-1,2-diphenoxyethane-*p*,*p*′-dicarboxylate), 275P
Shindo, Y.
—; Hanabusa, H.: Temperature Dependence of Birefringence in Oriented Poly(methyl Methacrylate), 481L
Shinkai, S.
—; Kinda, H.; Ishihara, M.; Manabe, O.: Photoresponsive Crown Ethers. 10. Metal Complexation by Light-Switched Crown Ethers Immobilized in Polymer Matrices, 3525C

Shinohara, I. See Ishihara, K., 1551C; Takizawa, Y., 3145C; Watanabe, M., 939P, 2397C
Shinouda, H. G. See Elshafee, E., 2067C
Shiomi, T. See Imai, K., 305C
Shirai, H.
—; Higaki, S.; Hanabusa, K.; Hojo, N.: Synthesis and Catalaselike Activity of Fe(III)-Phthalocyanine Covalently Bonded on Poly(2-Vinylpyridine-co-Styrene), 157L
Shohi, H. See Okamoto, Y., 601L
Shono, T. See Kimura, K., 2777C
Shukla, J. S.
—; Tiwari, R. K.; Sharma, G. K.; Shukla, S. K.: Aqueous Polymerization of Methyl Methacrylate. III, 2665C
Shukla, S. K. See Shukla, J. S., 2665C
Sigwalt, P.
Review of *Carbocationic Polymerization*, Joseph P. Kennedy and Ernest Marechal, 306L
Siling, S. A.
—; Gribkova, P. N.; Ponomarev, I. I.; Balykova, T. N.; Vlasova, I. V.; Pavlova, S.-S. A.; Korshak, V. V.; Vinogradova, S. V.: Thermal Conversions of Polymers with Macroheterocycles in the Chain, 2675C
Silverman, J. See Zoepfl, F. J., 1763C
Singh, B. C. See Padhi, N. P., 599C
Singh, B. P. See Chatterjee, S. K., 1165C
Singhal, R. P. See Gupta, A. K., 2243P
Sivashinsky, N.
—; Soong, D. S.: Viscosity Reduction of Styrene–Butadiene–Styrene Block Copolymer Melts: Plasticization of the Interphase, 459L
Sixou, P. See Maissa, P., 757L
Skeist, I.
Review of *Adhesion and the Formulation of Adhesives, 2nd ed.*, William Wake, 301L
Sledz, J. See Raynal, S., 2601C, 3341C
Smid, J. See Wong, K.-H., 579C
Smit, J. A. M. See Van Dijk, J. A. P. P., 197C
Smith, J. D. B. See Sadhir, R. K., 1315C
Smith, K. J., Jr.
Crystallization Under Stress: A Theory of Fibrillar Crystallization, 55P
Inclusion of Mobile Crosslinks and Lateral Crystallite Growth In the Theory of Stress-Induced Crystallization, 45P
Smith, P.
—; Eisenberg, A.: Ionomeric Blends. I. Compatibilization of the Polystyrene–Poly(ethyl Acrylate) System via Ionic Interactions, 223L
Smook, M. A.
Review of *Preparation, Properties, and Industrial Applications of Organofluorine Compounds*, R. E. Banks, Ed., 502L
Snow, L. G. See Hall, H. K., Jr., 1885C
Snyder, H. L. See Avakian, P., 647P
Sogah, D. Y.
—; Webster, O. W.: Telechelic Polymers by Group Transfer Polymerization, 927L
Sohma, J. See Tabata, M., 3257C
Sone, Y. See Tsubokawa, N., 425C
Song, C. X. See Feng, X. D., 593L
Soong, D. S. See Sivashinsky, N., 459L
Soum, A. H. See Huang, S. S., 559L
Spychaj, T. See Bleha, T., 1903P
Srinivasan, K. S. V. See Nithianandam, V. S., 761C
Stafford, J. W.
Distributions in Nonself-Condensing Polycondensations: A Kinetic Approach, 1627C
Reply to the Comments of Professor D. Durand et al, 2347C
Staller, K. P. See Barar, D. G., 1013C
Stannett, V. T. See Chern, R. T., 753P
Starkweather, H. W., Jr.
—; Zoller, P.; Jones, G. A.: The Heat of Fusion of Poly(ethylene Terephthalate), 295P
St-Cyr, D. See Daoust, H., 1563P
Steele, W. J. See Morgan, R. J., 1757P
Stegeman, G. I. See Rabolt, J. F., 253L
Stein, R. S. See Cembrola, R. J., 329P; Koberstein, J. T., 1439P, 2181P; Russell, T. P., 999P; Tabar, R. J., 831P; Yang, H., 159P; Young, P., 881P
Stephen, H. L.
Review of *Rubber Technology and Manufacture, 2nd ed.*, C. M. Blow and C. Hepburn, Eds., 505L
Stern, S. A. See Kulkarni, S. S., 441P
—; Kulkarni, S. S.; Frisch, H. L.: Tests of a "Free-Volume" Model of Gas Permeation through Polymer Membranes. I. Pure CO_2, CH_4, C_2H_4, and C_3H_8 in Polyethylene, 467P
—; Mauze, G. R.; Frisch, H. L.: Tests of a Free-Volume Model for the Permeation of Gas Mixtures through Polymer Membranes. CO_2–C_2H_4, CO_2–C_3H_8, and C_2H_4–C_3H_8 Mixtures in Polyethylene, 1275P
Stevens, J. R. See Patterson, G. D., 605P, 613P
Stevenson, A.
The Influence of Low-Temperature Crystallization on the Tensile Elastic Modulus of Natural Rubber, 553P
Stilbs, P. See Brown, W., 1029P
Stobie, I. See Paton, R. M., 145L
Stolka, M.
—; Pai, D. M.; Renfer, D. S.; Yanus, J. F.: Photoconductivity and Hole Transport in Polymers of Aromatic Amine-Containing Methacrylates, 969C
—; Pai, D. M.; Renfer, D. S.; Yanus, J. F.: Photoconductivity and Hole Transport in Polymers of Aromatic Amine-Containing Methacrylates (Erratum), 3033C
St-Pierre, L. E. See Kennedy, M. A., 1403P
Strobl, G. R.
Effect of Amorphous Sequences on the Longitudinal Acoustic Modes in Partially Crystalline Polymers. I. Transfer Matrix Method, 1357P
Subramanian, R. V.
—; Hofmann, R.: Study of the Kinetics of *In Situ* Polymerization in Wood by Dynamic Mechanical Measurements, 105L
Suda, Y.
—; Inaki, Y.; Takemoto, K.: Functional Monomers and Polymers. CVIII. Photodimerization of Pendant Thymine Bases in Thymine Containing Poly-Lysine Derivatives, 2813C
Suehiro, S. See Cembrola, R. J., 329P; Young, P., 881P
Sugimoto, T. See Takagishi, T., 2311C
Suhai, S.
Ab Initio Calculation of Polyethylene Deformation Including Electron Correlation Effects, 1341P
Sullivan, J. L.
—; Demery, V. C.: The Non-Linear Vicoelastic Behavior of a Carbon-Black Filled Elastomer (Erratum), 2201P
Sumi, Y. See Chujo, R., 487L
Sumitomo, H. See Hashimoto, K., 397C, 2162C
Sun, D. H. See Chen, W. Y., 335L
Suzuki, K. See Inagaki, N., 353L, 3181C; Yamaguchi, K., 395L
Suzuki, S. See Hayase, S., 467C
Suzuki, T. See Ueda, M., 1139C, 2997C
Suzuki, Y. See Anzai, J.-I., 855C
Svec, F. See Zurkova, E., 2949C
Swalen, J. D. See Rabolt, J. F., 1P; Russell, T. P., 1745P
Swales, T. G. E.
—; Teo, H. H.; Domszy, R. C.; Viras, K.; King, T. A.; Booth, C.: Low-Frequency Raman Scattering from Methylene–Oxyethylene–Methylene Triblock Oligomers, 1501P
Szekely-Pecsi, Z. See Vancso-Szmercsanyi, I., 1901C
Szilagyi, A.
—; Vancso-Szmercsanyi, I.: Coordination Polymers. XV. Influence of Diols on the Reaction Between Unsaturated Polyesters and Mg Ions, 2225C
Szymanski, R.
—; Hall, H. K., Jr.: Novel Cationic and Anionic Water-Soluble Polyorthoesters, 177L

Tabar, R. J.
—; Murray, C. T.; Stein, R. S.: The Effect of Particle Size on the Haze of Polymer Films (Note), 831P
Tabata, M.
—; Nilsson, G.; Lund, A.; Sohma, J.: Ionic Species in Irradiated Poly(methyl Methacrylate). A Pulse Radiolysis and ESR Study, 3257C
Tagle, L. H. See Diaz, F. R., 2277C
Takada, T. See Endo, T., 603C
Takagishi, K. See Kondo, S., 3597C
Takagishi, T.
—; Kozuka, H.; Kuroki, N.: Binding of Methyl Orange and Its Homologs by Polyion Complexes Consisting of a Piperidinium Cationic Polymer and Various Polyanions in Aqueous Solution, 447C
—; Sugimoto, T.; Hayashi, A.; Kuroki, N.: Interaction of Crosslinked Polyethylenimine with a Homologous Series of Methyl Orange Derivatives in Aqueous Solution, 2311C
Takahama, T.
—; Geil, P. H.: Correlation between Nodular Morphology and β-Relaxation Phenomena in Cured Epoxy Resins (Note), 1247P
Takahashi, M. See Ueda, M., 1139C
Takahashi, T. See Imai, Y., 1241C
Takaku, A. See Shimizu, J., 275P
Takasaki, R. See Tazuke, S., 1517C, 1529C
Takase, M. See Osada, Y., 643L
Takayanagi, M. See Yamada, K., 1063P
—; Katayose, T.: Syntheses and Characterization of *N*-Grafted Poly(*p*-Phenylene Terephthalamide), 31C
Takemoto, K. See Suda, Y., 2813C
Takenaka, K. See Yamaguchi, K., 395L
Takizawa, Y. See Watanabe, M., 2397C
—; Aiga, H.; Watanabe, M.; Shinohara, I.: Thermoswitching Property in TCNQ Salts of Ionenes Containing Poly(ethylene Oxide) Segments, 3145C
Talwar, S. S. See Khandelwal, P. K., 3073C
Tanaka, H. See Yasuda, S., 2609C
Tanaka, K. See Ito, M., 2299P
Tanaka, M. See Egawa, H., 479C, 1233C, 2597C
Tanaka, Y. See Sato, H., 1667P
Tano, M. See Matsumoto, A., 609C
Tarcha, P. J.
—; Fitch, R. M.; Dumais, J. J.; Jelinski, L. W.: Particle Morphology of Self-Hydrolyzed Acrylate Polymer Colloids: A ^{13}C NMR and DSC study, 2389P
Tassin, J. F. See Thirion, P., 2097P; Viovy, J. L., 2427P
—; Viovy, J. L.; Monnerie, L.: A Fluorescence Polarization Study of the Effect of Matrix Molecular Weight on the Relaxation of a Labeled Molecule in a Stretched Polymer Melt, 1981P
—; Thirion, P.; Monnerie, L.: Nonlinear Viscoelasticity of Entangled Polymer Chains. II. Comparison of the Slip-Link Model with Stress Measurements at Constant Rate of Elongation on Narrow-Distribution Polystyrenes, 2109P
Tavan, M. See Palma, G., 251P
Taylor, L. D. See Mehta, A. C., 1159C, 2607C
Taylor, L. T. See Ezzell, S. A., 865C
Tazuke, S.
—; Takasaki, R.: Photoinduced Electron Transfer at the Polymer–Solution Interface. I. Surface Property–Reactivity Relation, 1517C
—; Takasaki, R.: Photoinduced Electron Transfer at the Polymer–Solution Interface. II. Effects of Ionic Environment, 1529C
Tchir, W. J. See Fyfe, C. A., 249L
Ten Bosch, A. See Maissa, P., 757L
Teo, H. H. See Swales, T. G. E., 1501P; Viras, K., 919P
Tesoro, G.
Review of *Silane Coupling Agents*, Edwin P. Plueddemann, 503L
Teyssie, Ph. See Broze, G., 237L, 2205P; Lefebvre, P. M., 789C
Thakur, G. B. See Patel, A., 2937C
Theil, M. H.
Statistical Approaches to the Copolymerization Equation and the Steady-State Assumption (Note), 633C
Statistical Approaches to the Copolymerization Equation and the Steady-State Assumption (Erratum), 1558C
Theodorou, M.
—; Jasse, B.: Fourier-Transform Infrared Study of Conformational Changes in Plasticized Poly(vinyl Chloride), 2263P
Thijs, L. See Abu-Abdoun, I. I., 3129C
Thirion, P. See Tassin, J. F., 2109P
—; Tassin, J. F.: Nonlinear Viscoelasticity of Entangled Polymer Chains. I. Response of the Slip-Link Model to Elongation Strains, 2097P
Thomas, A. G. See Rivlin, R. S., 1807P
Thompson, S. L. See Hunter, B. K., 435C
Tiemersma-Thoone, G. See Booij, H. C., 1703P
Timmons, M. L. See Liepins, R., 751C
Tirrell, D. A. See Zussman, M. P., 1417C
Tiwari, R. K. See Shukla, J. S., 2665C
Toda, F. See Niume, K., 615C
Tokushige, K. See Egawa, H., 1233C
Tolstikov, G. A. See Rafikov, S. R., 2697C
Toriumi, H. See Asrar, J., 1119P; Krigbaum, W. R., 1851P; Weiss, R. A., 661L
Trefonas, P., III
—; Djurovich, P. I.; Zhang, X.-H.; West, R.; Miller, R. D.; Hofer, D.: Organosilane High Polymers: Synthesis of Formable Homopolymers, 819L
—; West, R.; Miller, R. D.; Hofer, D.: Organosilane High Polymers: Electronic Spectra and Photodegradation, 823L
Tripathy, B. See Senapati, M., 407C
Trivedi, M. K.
—; Rajagopal, K. R.; Joshi, S. N.: Emulsion Polymerization of Vinyl Acetate, 2011C
Tsao, G. T. See Narayan, R., 437L
Tsitsilianis, C.
—; Pierri, E.; Dondos, A.: Transition Phenomena in Polystyrene Near the Theta Condition, 685L
Tsubokawa, N.
Cationic Grafting from Carbon Black. I. Graft Polymerization of Styrene Using $CO^+ClO^-_4$ Groups on the Surface of Carbon Black, 705L
—; Shibata, N.; Sone, Y.: Radical Polymerization of Methyl Methacrylate Initiated by an Enolizable Ketone–Carbon Black System, 425C
Tsuchida, T. See Imai, K., 305C
Tsuchiya, K. See Nishikubo, T., 2025C
Tsuda, K. See Kondo, S., 217L, 847L, 3597C
Tsukube, H.
Lipophilic Polyethylenimine Oligomers as a New Family of Synthetic Carriers for Ammonium Cations, 639L
Tsunashima, Y.
—; Nemoto, N.: Experimental Consistency of the First Cumulants Estimated by Both Shape Function and Histogram Analyses in Dynamic Light Scattering, 531L
Tsunooka, M. See Egawa, H., 479C, 1233C, 2597C
Tsyurupa, M. P. See Berkovich, L. A., 1281C
Tudos, F. See Ivan, B., 2177C
Tung, L. H.
—; Gatzke, A. L.: Determination of Long-Chain Branching in Model Polystyrene Samples by the GPC-Sedimentation Method, 1839P
Turcsanyi, B. See Ivan, B., 2177C
Turner, T. See Nagata, K., 811C
Turro, N. J.
—; Pierola, I. F.; Chung, C.-J.: Stereochemistry of Photoinitiated Emulsion Polymerization, 1085C
Turturro, G. See Kennedy, M. A., 1403P
Tuzi, A. See Avitabile, G., 2379P
Twieg, R.
—; Rabolt, J. F.: An Investigation of the Raman-Active Longitudinal Acoustical Mode (LAM) in Semifluorinated *n*-Alkanes, 901L

Uchida, H. See Iwabuchi, S., 1377C
Uchino, K.
—; Cross, L. E.: Longitudinal Piezoelectric Strain Measurements of Poly(vinylidene Fluoride) Films, 765P
Uebel, J. J.
—; Dinan, F. J.: A Reassessment of the ^{1}H-NMR Spectra of Styrene/Methyl Methacrylate Copolymers, 2427C
—; Dinan, F. J.: ^{1}H-NMR Study of Structure and Tacticity in *p*-*t*-Butylstyrene/Methyl Methacrylate Copolymers, 1773C
—; Dinan, F. J.: Use of NMR Triad Data for the Determination of Reactivity Ratios (Note), 917C
Ueda, M. See Imai, Y., 1241C
—; Suzuki, T.; Imai, Y.; Pittman, C. U., Jr.; Wallace, E., Jr.: Radical-Initiated Homo- and Copolymerization of Cyanomethyl Methacrylate, 2997C
—; Takahashi, M.; Suzuki, T.; Pittman, C. U., Jr.: Polymerization of α-Methylene-*N*-Methylpyrrolidone, 1139C
Ueda, T. See Egawa, H., 479C
Uematsu, I. See Sasaki, S., 413P
Ueno, A. See Anzai, J.-I., 855C
Ueno, H. See Ashitaka, H., 1111C, 1853C, 1951C, 1973C, 1989C
Ullman, R.
Molecular Dimensions by Neutron Scattering, 521L
Review of *Developments in Polymer Characterisation—4*, J. V. Dawkins, Ed., 862L
Umemoto, S. See Hashimoto, T., 1347P
Uno, K. See Niume, K., 615C
Uryu, T.
—; Hatanaka, K.; Matsuzaki, K.; Kuzuhara, H.: Synthesis of Stereoregular Heteropolysaccharides Having Amino-Groups by Ring-Opening Copolymerization of 1,6-Anhydro-Azido-Sugar Derviatives, 2203C

Valenzuela, G. See Roman, E., 2057C
Valero, M. See Goni, I., 2573C
Van Bogart, J. W. C.
—; Gibson, P. E.; Cooper, S. L.: Structure-Property Relationships in Polycaprolactone-Polyurethanes, 65P
Vancso-Szmercsanyi, I. See Szilagyi, A., 2225C
—; Szekely-Pecsi, Z.: Metal-Containing Coordination Polymers. XIV. Relations Between the Structure and the Melt Viscosity of Polyesters Containing Mg Ions, 1901C
Van Den Berg, J. W. A.
—; Jamieson, A. M.: Comment on the Concentration and Temperature Dependences of the Translational Diffusion Coefficient of Flexible-Coil Macromolecules in Solution: Poly(2-Vinyl Pyridine) in Tetrahydrofuran, 2311P
van der Does, L. See Sederel, L. C., 1L
Vanderhoff, J. W. See El-Aasser, M. S., 2363C; Min, T. I., 2845C; Misra, S. C., 2383C
VanderSchueren, J. See Aras, L., 799L
VanderSchueren, R. See Aras, L., 799L
Van Dijk, J. A. P. P.
—; Smit, J. A. M.; Kohn, F. E.; Feijen, J.: Characterization of Poly(D,L-Lactic Acid) by Gel Permeation Chromatography, 197C
Vargo, R. D. See Hadjichristidas, N., 189P
Varma, I. K.
—; Fohlen, G. M.; Parker, J. A.: Phosphorus-Containing Imide Resins. III, 2017C
—; Rao, B. S.: Polyimides. II. Effect of Structure on Properties of Polyimides, 545L
Vasanthakumari, R. See Verneker, V. R. P., 1657C
Vasile, C.
—; Patachia, S. F.; Dumitrascu, V.: Thermoxidative Degradation of Vinyl Alcohol/Vinyl Acetate Copolymers. IV. Statistical Copolymers, 329C
Velichkova, R.
—; Panayotov, I. M.; Doicheva, J.; Manolova, N.: Trityl Salt—Initiated Polymerization of α-Methylstyrene, 17C
Vengerovskaya, S. G. See Lipatova, T. E., 2085C
Venkatachalam, C. M. See Yang, W. W.-Y., 1643C, 1741C, 1751C
Veracini, C. A. See Aglietto, M., 1203C
Vernekar, S. P. See Ghatge, N. D., 3591C; Idage, B. B., 385C, 2145C
Verneker, V. R. P.
—; Vasanthakumari, R.: Solid-State Thermal Polymerization of Sodium Acrylate, 1657C
Vicini, L. See Galli, R., 717P
Vijayakumar, C. T.
—; Fink, J. K.: Some Aspects of Tailoring Flame Retardancy in HET-Acid-Based Flame Retardants, 1617C
Vinogradova, S. V. See Siling, S. A., 2675C
Viovy, J. L.
—; Monnerie, L.; Tassin, J. F.: Tube Relaxation: A Necessary Concept in the Dynamics of Strained Polymers, 2427P
Viras, K. See Swales, T. G. E., 1501P
—; Teo, H. H.; Marshall, A.; Domazy, R. C.; King, T. A.; Booth, C.: Raman Scattering from the Longitudinal Acoustic Mode of Oligo(oxyethylene), 919P
Vitalini, D. See Ballistreri, A., 679C; Montaudo, G., 3321C, 3361C
Vlasova, I. V. See Siling, S. A., 2675C
Vogl, O. See Janovic, Z., 2713C; Malanga, M., 2629C; Saric, K., 1913C; Xi, F., 891C
Review of *Developments in Polymerization—3*, R. N. Haward, Ed., 308L
Volksen, W.
—; Lyerla, J. R., Jr.; Economy, J.; Dawson, B.: Liquid-Crystalline Copolyesters Based on Poly(*p*-Oxybenzoate) and Poly(*p*,*p*-Biphenylene Terephthalate), 2249C
Vondra, R. See Bleha, T., 1903P

Wada, M. See Hayase, S., 467C
Wadgaonkar, P. P. See Ghatge, N. D., 3591C
Wadsworth, L. C. See Hudson, S. M., 651C
Walker, C. C.
The Inhibitory Effect of Carboxylic Acids on the Catalyzed Reaction Between Dimethyl Terephthalate and Ethylene Glycol (Note), 623C
Wallace, E., Jr. See Ueda, M., 2997C
Walzade, S. J. See Joshi, S. G., 685P
Wang, C. B.
—; Cooper, S. L.: Morphology and Properties of Poly(vinyl Chloride)–Poly(butadiene-co-Acrylonitrile) Blends, 11P
Wang, C.-L.
—; Lee, S.-I.; Klempner, D.: Modeling of Incompatible Polymer Blend Systems, 749L
Wang, D. W.
—; Fisher, M. M.: Synthesis and Characterization of Linear High Molecular Weight Poly(Amino-s-Triazine)s, 671C
Wang, L. H.
—; Porter, R. S.: Chain Orientation in Polystyrene/Poly(2,6-Dimethyl-1,4-phenylene Oxide) Blends, 1815P
Wang, L.-H.
—; Choy, C. L.; Porter, R. S.: Thermal Expansion of Oriented Poly(methyl Methacrylate), 657P
—; Porter, R. S.: Drawing by Solid-State Coextrusion of Blends of Atactic and Isotactic Polystyrene with Poly(2,6-Dimethyl-1,4-Phenylene Oxide), 907P
Ward, I. M. See Richardson, A., 2525P
Wassmer, K.-H. See Mueller, K., 785L
Watanabe, C. See Imai, K., 305C
Watanabe, J. See Asrar, J., 1119P; Krigbaum, W. R., 1851P
Watanabe, M. See Takizawa, Y., 3145C
—; Kanba, M.; Nagaoka, K.; Shinohara, I.: Ionic Conductivity of Hybrid Films Composed of Polyacrylonitrile, Ethylene Carbonate, and $LiClO_4$, 939P
—; Takizawa, Y.; Shinohara, I.: Anisotropic Electrical Conductivity of Drawn Elastomeric Ionene–TCNQ Salts, 2397C

Wdowicka, D. See Podkoscielny, W., 2961C
Weber, D. See Brant, P., 1929C
Webster, O. W. See Sogah, D. Y., 927L
Wei, K.-Y.
—; Cuculo, J. A.; Ihm, D. W.: Effects of Pressure on the Compressibility and Crystallization of Fiber-Forming Polymers, 1091P
Weiss, P.
Review of *Handbook of Pressure-Sensitive Adhesive Technology*, Don Satas, Ed., 70L
Review of *Photopolymerization of Surface Coatings*, C. G. Roffey, 310L
Review of *Physicochemical Aspects of Polymer Surfaces, Volumes I and II*, K. L. Mittal, Ed., 952L
Weiss, R. A.
—; Lefelar, J.; Toriumi, H.: The Influence of Thermal History on the Microstructure of Sulfonated Polystyrene Ionomers, 661L
Wellons, M. C. See Jansson, L. H., 937L
West, R. See Trefonas, P., III, 819L, 823L
Westbrook, P. A.
—; Fellers, J. F.; Cakmak, M.; Hendricks, R. W.; Lin, J. S.: An Analysis of the Reflective Component of Small-Angle X-Ray Scattering Patterns from Crazed Polystyrene, 1913P
—; Fellers, J. F.; Hendricks, R. W.; Lin, J. S.: Small-Angle X-Ray Scattering Studies of Crazed Glassy Polymers, 969P
Westerlind, B. See Rigdahl, M., 205L
Whang, B. C. Y. See Wood, D. F., 985C
White, D. M.
—; Hallgren, J. E.: The Analysis of Poly(2,6-Dimethyl-1,4-Phenylene Oxide)(PPO Resin) in Mixtures of PPO Resin, Polystyrene, and Copolymers of PPO Resin and Polystyrene, 2921C
White, J. R. See Qayyum, M. M., 31L
Wiles, D. M. See Gupta, M. K., 211L
Wilkins, C. W., Jr. See Reichmanis, E., 1075C
Will, F. G.
—; McKee, D. W.: Thermal Oxidation of Polyacetylene, 3479C
Williams, F. J. See Hay, A. S., 449L
Williams, G. See Moscicki, J. K., 197P, 213P
The Effect of Restricted Rotational Diffusion on the Dynamics of Rodlike Molecules in Concentrated Solution, 2037P
Williams, G. E.
—; Gerrard, D. L.: An Investigation of Some Aspects of the Photodegradation of Plasticized PVC, 1491C
Williams, J. L. R. See Herkstroeter, W. G., 2473C
Wilson, R. See Clark, D. T., 837C
Wing, R. E.
—; Otey, F. H.: Determination of Reaction Variables for the Starch Xanthide Encapsulation of Pesticides, 121C
Winnik, M. A. See Li, X.-B., 1263C; Peckan, O., 1011L
Winter, W. T.
Review of *Measurement of Suspended Particles by Quasi-Elastic Light Scattering*, B. E. Dahneke, Ed., 1020L
Wintle, H. J. See Pender, L. F., 1635P
Wismontski-Knittel, T.
—; Kilp, T.: Studies on the Role of Peroxy and Hydroperoxy Groups in Polymer Photodegradation, 3209C
Wittmann, J. C.
—; Hodge, A. M.; Lotz, B.: Epitaxial Crystallization of Polymers onto Benzoic Acid: Polyethylene and Paraffins, Aliphatic Polyesters, and Polyamides, 2495P
Wnek, G. E. See Galvin, M. E., 2727C; Li, G. C. G., 301C
Wolf, B. A. See Ballauff, M., 1205P, 1217P
Wong, K.-H.
—; Kimura, K.; Smid, J.: Fluorescence of Auramine O and Its Binding to Poly(vinylbenzo-18-crown-6) and to Polyvinylbenzoglyme in Water, 579C
Wood, D. F.
—; Whang, B. C. Y.; Napper, D. H.; Gilbert, R. G.; Lichti, G.: Styrene Emulsion Polymerization: Kinetics and Particle Size Distribution in Highly Swollen Latex Systems, 985C
Work, R. W. See Fornes, R. E., 1163P
Worsfold, D. J.
Effect of Active-Group Position in Polymeric Interactions, 2271C
Preparation of Polystyrene Labeled with Amino Groups at Specific Sites, 2237C
Wragg, A. See Jeffcoate, J. M., 123P
Wu, G.-C. See Yasuda, S., 2609C
Wu, J.-C. See Chien, J. C. W., 725C, 737C
Wu, S.
Impact Fracture Mechanisms in Polymer Blends: Rubber-Toughened Nylon, 699P
Wunderlich, B. See Grebowicz, J., 141P

Xi, F.
—; Bassett, W., Jr.; Vogl, O.: Esters of Alternating Copolymers of Maleic or 2,3-Dimethylmaleic Anhydride with Alkyl Vinyl Ethers, 891C
Xiao, H. X.
—; Frisch, K. C.; Frisch, H. L.: Interpenetrating Polymer Networks from Polyurethanes and Methacrylate Polymers. I. Effect of Molecular Weight of Polyols and NCO/OH Ratio of Urethane Prepolymers on Properties and Morphology of IPNs, 2547C

Yamada, B.
—; Matsumoto, A.; Otsu, T.: ESR Study of Free Radicals Produced from the Reaction of *o*-Substituted Phenyl Methacrylates with tert-Butoxy Radical, 2241C
Yamada, K.
—; Oie, M.; Takayanagi, M.: Relationship between Piezoelectricity and Superstructure in Highly Oriented Poly(vinylidene Fluoride) Film Prepared by Zone Drawing, 1063P
Yamada, M. See Nishikubo, T., 2025C
Yamaguchi, K.
—; Hirao, A.; Suzuki, K.; Takenaka, K.; Nakahama, S.; Yamazaki, N.: Anionic Living Polymerization of *p*-*N*,*N*-Bis(trimethylsilyl)aminostyrene. Synthesis of Linear Poly(*p*-Aminostyrene) with a Narrow Molecular Weight Distribution, 395L
Yamakawa, S. See Nakagawa, K., 933L
Yamamoto, H.
—; Nakazawa, A.; Hayakawa, T.: Induced Optical Activity in the Complex of Poly-L-Lysine with Azo Dyes, 131L
Yamamoto, S. See Ashitaka, H., 1111C
Yamamoto, Y. See Nakano, H., 163L
Yamasaki, M. See Kawakami, M., 199L
Yamashita, K. See Kondo, S., 3597C
Yamashita, N.
—; Morita, S.; Kanzaki, K.; Maeshima, T.: Conformational and Neighboring Effects in Graft Polymerization of Acrolein on 4(5)-Vinylimidazole–Acrylamide Copolymer, 191C
—; Morita, S.; Nishino, M.; Maeshima, T.: Additive Effect of Polyacrylamide on the Anionic Polymerization of Acrolein, 239C
—; Morita, S.; Yoneyama, H.; Maeshima, T.: Initiation Mechanism of Polymerization of Acrolein Induced by *N*-Ethylimidazole and Water Mixture, 13L
Yamazaki, N. See Yamaguchi, K., 395L
Yang, H.
—; Hadziioannou, G.; Stein, R. S.: The Effect of Deuteration on the Phase Equilibrium of the Polystyrene/Poly(vinyl Methyl Ether) Blend System (Note), 159P
Yang, H. H. See Panar, M., 1955P
Yang, S.-L. See Majumdar, R. N., 1717C
Yang, W. W.-Y.
—; Overberger, C. G.; Venkatachalam, C. M.: Conformational Studies of Poly(*cis*-5-Ethyl-D-Proline), 1751C

—; Overberger, C. G.; Venkatachalam, C. M.: Mutarotation of Optically Active Poly(*cis*-5-Ethyl-D-Proline), 1741C
—; Overberger, C. G.; Venkatachalam, C. M.: Synthesis, Characterization, and Solution Properties of 5-Ethyl-Substituted Poly(L-Prolines). Synthesis of *cis*- and *trans*-5-Ethyl-L-Proline and Optically Active Poly(*cis*-5-Ethyl-D-Proline), 1643C
Yang, X. See Chien, J. C. W., 767L
Yanus, J. F. See Stolka, M., 969C, 3033C
Yarusso, D. J. See Pan, H. K., 1389P
Yasuda, O.
—; Ougizawa, T.; Inoue, T.; Miyasaka, K.: Formation of Regular Two-Phase Structure during Solution Casting of a Polymer Blend, 813L
Yasuda, S.
—; Wu, G.-C.; Tanaka, H.; Sanui, K.; Ogata, N.: Synthesis of Polyester by Direct Polycondensation with Triphenylphosphine, 2609C
Yokono, H. See Endo, T., 373L
Yokota, H.
The Selective Uniplanar Orientation Phenomenon in Regenerated Cellulose Sheets Derived from Microfibrillated Wood Pulp by Mercerization, 285L
Yokoyama, M. See Kondo, H., 165C
Yoneyama, H. See Yamashita, N., 13L
Yonezawa, H. See Nagai, K., 115L
Yonezawa, N. See Hasegawa, M., 2345C
Yoshinaga, M. See Kimura, K., 2777C
Yoshino, N. See Kubota, H., 367L
Young, P.
—; Kyu, T.; Suehiro, S.; Lin, J. S.; Stein, R. S.: Dynamic Small-Angle X-Ray Scattering from Crystalline Polymers, 881P
Young, R. J. See Bhateja, S. K., 523P; Galiotis, C., 2483P
Yuki, H. See Okamoto, Y., 601L

Zachariades, A. E.
—; Logan, J. A.: The Melt Anisotropy of Ultrahigh-Molecular-Weight Polyethylene, 821P
Zaikov, G. E. See Popov, A. A., 1017P
Zamora, F.
—; Leon, L. M.; Gonzalez, M. C.; Guzman, G. M.: Preferential Adsorption in the Poly(*N*-Vinylcarbazole)–Solvent–Nonsolvent System by IR Spectroscopy, 539L
Zanocco, A. See Lissi, E. A., 2197C
Zanoni, R. See Rabolt, J. F., 253L
Zdenkova, D. See Zurkova, E., 2949C
Zeldin, M.
—; Qian, B.-R.; Choi, S. J.: Mechanism of Thermal Depolymerization of Trimethylsiloxy-Terminated Polydimethylsiloxane, 1361C
Zelei, B. See Neto, N., 3389C
Zhang, K.
—; Neckers, D. C.: Diaminobipyridine-TDI Polyureas: Synthesis, Metal Complexes, and Catalytic Activity, 3115C
Zhang, X.-H. See Trefonas, P., III, 819L
Zhang, Z.-M. See Mark, J. E., 1971P
Zheng, H. See Geckeler, K., 3541C
Zhorin, V. A.
—; Beshenko, S. I.; Makarova, L. I.; Sherle, A. I.; Berlin, Yu. A.; Enikolopian, N. S.: Some Electrophysical Properties of Polyphthalocyanines under the Action of High Pressure and Shear Deformation, 929P
Zhou, Q.-F.
—; Lenz, R. W.: Liquid Crystal Polymers. 15. Synthesis and Liquid Crystalline Properties of Alkyl-Substituted Polyesters, 3313C
Zhou, Z.-L.
—; Eisenberg, A.: Ionomeric Blends. II. Compatibility and Dynamic Mechanical Properties of Sulfonated *cis*-1,4-Polyisoprenes and Styrene/4-Vinylpyridine Copolymer Blends, 595P
Zlatkevich, L.
Chemiluminescence in Autocatalytic Thermal Oxidation of Polymers, 571L
Zoepfl, F. J.
—; Silverman, J.: The Effect of Methanethiol on the Radiation Chemistry of Low-Density Polyethylene, 1763C
Zoller, P. See Loomis, L. D., 241P; Starkweather, H. W., Jr., 295P
Zurkova, E.
—; Bouchal, K.; Zdenkova, D.; Pelzbauer, Z.; Svec, F.; Kalal, J.; Batz, H. G.: Preparation of Monodisperse Reactive Styrene-Glycidyl Methacrylate Latexes by the Emulsifier-Free Dispersion Copolymerization Technique, 2949C
Zussman, M. P.
—; Tirrell, D. A.: Backbone-Assisted Reactions of Polymers. V. Kinetics of Isomerization of Poly(chloromethylthiirane) and Poly(3-Chlorothietane) in Solution, 1417C

Subject Index to Volume 21

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 21, 1983. The edition in which an item appears is indicated by a C, P, or L, respectively, following the page number. Notes and Errata are indicated by the letters N and E, respectively, in parentheses following the page number.

Acenaphthylene, heat of polymerization, 979L
Acetylene polymerization, kinetic and mechanism, 2787C
Acetylene-terminated polyphenylene resin, curing studies, 67C
Acetylene-terminated resins, measurement of crosslinking in, 1873P
Acrolein, polymerization mechanism, 13L
Acrylate copolymers, estimation of reactivity ratios, 761C
Acrylate polymer colloids, NMR and DSC study of morphology in, 2389P
Acrylates, plasma-initiated emulsion polymerization, 643L
—, substituent effects on radical polymerization, 691C
Acrylic acid-co-nylon substrates for immobilizing enzymes, 2463C
Acrylics, copolymerization reactivity ratios, 3303C
Acrylonitrile, ceric ion–maleic acid redox initiation, 1665C
—, copolymerization, 2261C
—, initiation by manganese(III) acetate–glycerol redox system, 407C
—, polymerization kinetics and mechanism for Cu(II)-/imine initiation, 803C
—, redox polymerization in presence of sucrose, 599C(N)
—, terpolymerization with styrene and 2,4,6 tribromophenyl acrylate, 2713C
Acrylonitrile–styrene copolymers, composition determination by TLC, 781C
5-(4-Acryloyloxyphenyl)-10,15,20-triphenylporphyrin, polymerization of, 693L
Adhesion and cohesion of styrene–butadiene elastomers, 1415P
Adhesion of dye at polymer and glass interfaces, 1P
Adsorbed polymer chains, 151P
Adsorption of water around an ion in a compressible matrix, thermodynamics of, 2337P
Aldehyde functionalized supports, 3541C
Alkali graphitides, anionic initiator, 923C, 937C
Alkanes, long-chain, in computer simulation of amorphous polymer structure, 2379P
5-(α-Alkenyl)-1,3,4-oxathiazol-2-ones, copolymerization of, 145L
2-Alkoxy-6-alkyl-3,4-dihydro-2H-pyrans, ring-opening polymerization, 389L
Alkyl isopropenyl ketone, copolymerization, 359L
N-Alkylitacoximides, reactions with styrene and methylene methacrylate, 1053C
Allyl esters, polymerization, 609C(N)
Alternating copolymers, maleic anhydride and alkyl vinyl ether, 891C
—, optical activity of chiral olefins, 1203C
Aminimides, synthesis and polymerization, 1159C
p-Aminostyrene, copolymers with methyl acrylate, 1717C
(−) and (+)Poly(triphenylmethyl methacrylate)s, synthesis of, 601L
1,6-Anhydro-azido-sugar derivatives, copolymerization, 2203C
Aniline monomers, copolymerization parameters, 1165C
Anionic polymerization, complex base initiator, 3341C(N)
—, complex base initiators, 2601C(N)
—, stereochemical kinetics, 559L
Anion radical initiators for olefin polymerization, 73C
Annealing of calcium salt of ethylene–methacrylic acid copolymer, 301P
Annealing of nylon 11 in formic acid, 625P
Anthraquinone-containing polymers, 83C
Antioxidant for polyolefins, Cu(I)–phosphite complex, 55C
Aromatic aldehydes, synthesis and reactivity on polystyrene supports, 3541C
Aromatic bisvinyl ethers, thermosetting monomers, 1785C
Aromatic polyesters, preparation by ring-opening polymerization, 353C
N-Arylmaleimides, copolymerizations, 3027C
Arylsulfonyl chlorides, condensing agent for polyaryl esters, 3233C
Azoaromatic polymers, photoinduced change in surface free energy, 1551C(N)
Azo initiators, decomposition rate studies, 2145C
Azopolyamide-hydrazide, synthesis, 1227C(N)

8,9-Benzo-2-methylene-1,4,6-trioxaspiro[4,4]nonane, synthesis and polymerization, 353C
Benzophenone *t*-butyl peresters, photoinitiated polymerizations, 3129C
Benzothiazole, UV stabilizer, 1263C
Biphenylene polymers, electronic properties, 475L
Birefringence of polyamic acid and polyimide films, 1745P
Birefringence of poly(diethylene glycol terephthalate) networks, 2473P
Bisaspartimides, amine-terminated resins, 245C
Bisphenol-A polycarbonate, plasticized, NMR study of, 2135P
Bisphthalonitriles, synthesis and characterization, 111C
Bis-4-substituted-1,2,4-triazoline-3,5-diones and styrene, copolymerization, 2513C
p-*N*,*N*-Bis(trimethylsilyl)aminostyrene, anionic polymerization of, 395L
Blends, drawing by solid-state coextrusion of, 907P
—, formation of regular two-phase structures, 813L
—, impact fracture mechanisms, 699P
—, ionomeric, compatibility and mechanical properties of, 595P
—, polymer–diluent, chain mobility in, 2135P
—, polystyrene–poly(2,6-dimethyl-1,4-phenylene oxide), chain orientation in, 1815P
—, poly(vinyl chloride)–poly(butadiene-co-acrylonitrile), morphology and properties of, 11P
Blends of crystalline polymers, miscibility in, 233P
Blends of poly(butylene terephthalate) and polyarylate, transesterified, 367P
Blends of polycaprolactone and poly(vinyl chloride), compatibility and morphology in, 999P
Block copolymers, Raman spectra of methylene–oxyethylene–methylene triblock oligomers, 1501P
Book reviews, 67L, 68L, 69L, 70L, 71L, 149L, 150L, 231L, 232L, 301L, 302L, 304L, 306L, 307L, 308L, 310L, 501L, 502L, 503L, 504L, 505L, 506L, 583L, 584L, 585L, 586L, 587L, 677L, 678L, 679L, 680L, 859L, 861L, 862L, 863L, 951L, 952L, 954L, 955L, 956L, 958L, 1019L, 1020L, 1021L

Branching, long-chain, determination by GPC-sedimentation method, 1839P
Branching in polyethylene, C^{13} model compounds studies, 2683C
—, ^{13}C model studies, 2755C
Brillouin scattering in thin deposited polymer films, 253L
Butadiene, Ziegler–Natta polymerization, 2559C
n-Butyl methacrylate ionomers, thermal depolarization, 799L
p-t-Butylstyrene/methyl methacrylate copolymers, tacticity, 1773C

ϵ-Caprolactone and DL-Lactide, biodegradable block copolymers, 593L
Carbazole-substituted polymer, synthesis of, 189L
(9-Carbazolyl)carbonyl-L-lysine, excimer emission, 621L
Carbon black, initiation of methyl methacrylate, 425C
Carbon fibers from syndiotactic 1,2-polybutadiene, 1111C
N-Carboxy anhydrides, enantioselective polymerization, 1559C
3-Carene resins, structure and reactions, 649L
Casein-*g*-poly(vinyl acetate), synthesis, 3041C
Cationic polymerization, dissociation of trityl hexachloroantimonate, 831L
Cellulose, graft polymerizations, 715C
—, selective orientation by mercerization, 285L
—, solubility in liquid ammonia/ammonium thiocyanate solutions, 651C
Cellulose acetate, kinetic study of graft copolymerizations, 3291C
—, labeling studies of graft copolymerization, 3281C
Cellulose acetate membranes, preparation and characterization of, 49L
Cellulose derivatives, sorption of water in, 1675P
Cellulose fibers, binder distribution in networks of, 205L
Cellulose triacetate, liquid crystalline phases in trifluoroacetic acid/halogenated solvent systems of, 1079P
Ceric ion–malic acid redox pair initiator, 1665C
Chain conformation in plasticized PVC, 2263P
Chain conformation of PET, transformations in, 2365P
Chain dynamics, one-dimensional models of, 773P, 787P
Chain flexibility of poly(tetrahydro-4*H*-pyranyl-2-methacrylate), 189P
Chain folding in polytetrafluoroethylene, 321P
Chain motion and interpretation of NMR relaxation, 263P
Chain motion in methacrylate–acrylate copolymers, 2445P
Chain orientation in mixtures of different weights of polystyrene, 1981P
Chain orientation in PS/PPO compatible blends, 1815P
Chain packing of *trans*-poly(*p*-phenylene benzobisthiazole), 2543P
Chain relaxation in melts, 2427P
Chains in amorphous polymers, computer simulation, 2379P
Chain solvation and dynamics of diffusion (theory), 2311P
Charge transfer polymerization, effect of Rh(III) and Ru(II) complexes, 3381C
Charge transfer polymerization of 2-vinyl pyridine, 3517C
Chemiluminescence in autocatalytic thermal oxidation of polymers, 571L
Chitosan and acrylamide, crosslinked copolymers, 1281C
Compatibility of ionomeric blends, 595P
Compatibility of polystyrene and polybutadiene, 1993P
Complex bases, alcohols as activating agents, 3341C(N)
—, application to anionic polymerization, 2601C(N)
Composites of poly(vinylidene fluoride) and iron oxide, 869P
Compressibility of fiber-forming polymers above T_g, 1091P
Concentration effects in GPC, 1903P
Conductimetric method for study of polymerization of ionic monomers, 2159P
Conductivity, electron-beam-induced, 685P
Conductivity of films of ion-implanted poly(*p*-phenylene sulfide), 537P
Conductivity of hybrid films of polyacrylonitrile, 939P
Conductivity of polyphthalocyanines under shear deformation and pressure, 929P
Conformation of coextrusion-drawn PET, 389P
Coordination polymers, polyester–Mg ions, 2225C
Copolyacylthioureas, synthesis and characterization, 1331C
Copolymer blends of sulfonated *cis*-1,4-polyisoprenes and styrene/4-vinylpyridine, 595P
Copolymerization, reactivity ratio calculations, 2215C
Copolymerization equation, statistical approaches, 633C(N)
Copolymerization parameters of substituted aniline monomers, 1165C
Copolymers, acrylonitrile–methacrylonitrile, structure of, 2243P
—, acrylonitrile–methyl methacrylate, structure of, 2243P
—, block, scattering from solutions of, 1227P
—, butadiene–styrene block radical decay in, 111P
—, composition determination by TLC, 781C
—, 3,3-dimethyloxetane–tetrahydrofuran, dipole moments and composition of, 1493P
—, ethylene–butene, Raman spectra of, 285P
—, ethylene–methacrylic acid, calcium salt, annealing of, 301P
—, FEP–Teflon, activation energy of electron/hole traps in, 1691P
—, propylene–butylene, NMR, characterization of, 573P
—, segmented polyurethane blocks, phase-boundary thickness of, 2181P
—, styrene–butadiene, cohesive strength and tack of, 1415P
—, styrene–butadiene block, intrinsic viscosity and molecular weight of, 1247P(N)
—, substituted methacrylate–acrylate relaxations, effect of α-methyl group in, 2445P
—, urethane–polyester blocks, domain structure in, 2169P
—, vinyl chloride–vinylidene chloride, solid state NMR of, 1569P(N)
Copolymers of fluorinated ethylene–propylene, electron-beam induced conduction in, 685P
Copper–phosphite complex, polyolefin antioxidant, 55C
Core-shell emulsion, morphology and grafting, 2845C
Cotton, dielectric properties, 2067C
Coumarin substituted polymers, preparation and photolysis, 2345C
Cracking of polyethylene in environmental stress, temperature effects in, 1103P
Crazes, x-ray scattering from, 1913P
Craze structure in films and bulk polystyrene, 483P
Crazing of glassy polymers, x-ray study of, 969P
Crosslinked polypropylene, investigation by spin-lattice relaxation time, 1195C
Crosslinked polyurethanes, microdomain structure in, 1439P
Crosslinking in polyethylene by irradiation, 949P
Crosslinking reactions, fluorosubstituted *p*-cyclophanes, 1151C
—, Friedel–Crafts reaction, 1013C
Crown ether-modified polyethylenimines, 855C
Crystalline orientation and thermal expansivity of PET, 1427P
Crystalline polyethylene, generation of microvoids in, 881P

Crystallinity, in blends of poly(butylene terephthalate), 367P
—, changes in polyethylene, radiation-induced, 523P
—, and orientation in polypropylene, IR method for, 2085P
—, of PET under heat treatment, 1927P
—, of polyethylenes from NMR, 2319P
—, of poly(phenylene terephthalamide) fibers, 1955P
—, of polypropene in hot-drawn tubular blown films, 401P
—, and thermoluminescence of polyethylene, 1347P
Crystallite orientation distribution functions of deformed PTFE, 2511P
Crystallite orientation in PET fibers, 2425P(N)
Crystallization, and elastic modulus of natural rubber, 553P
—, and hole formation in bulk polymer, 1299P
—, and hole formation in films, 1313P
—, and melting of mesophase polymers, 141P
—, in oriented polymers, 583P
—, of poly(ethylene terephthalate), solvent-induced, 1539P
—, of polystyrene, acceleration of, 1403P
—, of preoriented poly(ethylene terephthalate), 717P
—, in stressed networks, 45P, 55P
Crystal orientation in nylon 11 annealed in formic acid, 625P
Crystals, lamellar, dielectric constant of, 505P
—, lamellar, mechanical moduli of, 493P
Crystal structure and morphology of poly(4-hydroxybenzoate), 1599P, 1611P
Crystal structure of poly[di-(3,4-dimethylphenoxy)phosphazene], 2349P
Crystal structure of polyester/ether PEET, 275P
Cyanomethyl methacrylate, polymerization kinetics, 2997C
Cyclic dienes, synthesis and polymerization, 1885C
1,3-Cyclohexadiene and citraconic anhydride, copolymerization and Diels–Alder reaction, 115L
Cyclohexene oxide, polymerization with aluminum/silanol complex catalyst, 467C
cis-Cyclooctene, photocycloaddition to polystyrene, 2763C
Cyclopentadienyl iron, polyvinylchloride-supported redox catalyst, 2057C

cis,*cis*-3,7-Decadiene, thermal isomerization, 867L
Deformation, in coextrusion-drawn PET, 389P
—, and failure of poly(*p*-phenylene terephthalamide) fibers, 1757P
—, mechanism of semicrystalline polymers, 1713P
—, of polyphthalocyanines, electrophysical effects of, 929P
—, of polypropene in drawn films, 401P
—, and tearing energy of elastomers, 1807P
Degradation, oxidative, of polyolefines under stress, 1017P
Densities of poly(tetramethylene oxide)s and solutions in 1,4-dioxane, 353P
Diacetylenes, ESR study of, 2045P
—, solid-state polymerization, 3073C
4,4′-Diacylbis-2-aryl-1,3,4-oxadiazoline-5-ones, active monomer for polyamide synthesis, 637C
1,3-Dialkylimidazolium salts, epoxy resin catalyst, 633L
Diallyl ether, cyclopolymerization of with SO_2, 25C
Diallyl phthalate, cyclization constant in cyclopolymerization, 699L
Diallyl phthalate resins, mechanical properties, 837L
Diaminobipyridine-TDI polyureas, synthesis and catalytic activity, 3115C
Diaryliodonium salt/benzoin redox couple, cationic initiation, 1097C
Diaryliodonium salts, thermal cationic initiators, 97C
α,ω-Diarylpolyisobutylenes, synthesis and reactions, 3573C
Dibenzofuran, copolymerization with dichloromethane, 551L
Dibromopropyl acrylate, terpolymers with acrylonitrile and styrene, 1913C
Dicarboxylato polybutadiene, halato-telechelic polymers, 237L
α,ω-Di(3-cyclopentadienylpropyldimethylsilyl)polyisobutylene, synthesis and reactions, 3551C
Die drawing of poly(vinylidene fluoride), 2525P
Dielectric constant of lamellar semicrystalline polymers, 505P
Dielectric constants of 3,3-dimethyloxetane–tetrahydrofuran copolymers, 1493P
Dielectric constants of poly(carbobenzoxy L-ornithine), 413P
Dielectric loss in polyurethane elastomer at high pressure, 1195P
Dielectric loss of densified atactic polystyrene, 851P
Dielectric properties of insulating liquids, 723L
Dielectric relaxation of poly(*n*-alkylisocyanate), model simulation of, 213P
Diethylaluminum, acrylate and styrene, copolymerization of, 17L
Differential scanning calorimetry (DSC), of blends of crystalline polymers, 233P
—, of calcium salt of methylene–methacrylic acid copolymer, 301P
—, of oriented poly(ethylene terephthalate), 717P
—, of PVC blends, 11P
—, of solvent-crystallized poly(ethylene terephthalate), 1539P
—, of thermotropic homopolyesters based on 4′-hydroxyphenyl-4-hydroxycinnamate, 1851P
Diffusion, in binary polymer/solvent systems, extension of Cohen–Turnbull theory to, 425P
—, in glassy polymers (theory), 2057P
—, of iodine in polyethylene and poly(ethylene terephthalate), 1635P
—, of poly(ethylene oxide) in dilute aqueous solution, 1029P
—, of small molecules in polymers, 467P
Diffusional release from swelling systems, 983P
Diffusion coefficient of flexible coils, concentration and temperature dependence of, 2311P
Diffusion coefficients of gases in polyethylene at high pressure, 441P
Diffusivity of H_2 and CO in plasticized PVC, 1041P
Dihalopyridines, condensation with dithiols, 847L
o-Dimethacryloyloxybenzene, cyclopolymerization, 3169C
1,4-Dimethoxylated diacids, polyester synthesis, 2277C
Diphenylchlorophosphate, condensing agent for polyesters, 3241C
Dipole moment of copolymers, effect of composition on, 1493P
Dipole moment of poly(*p*-chlorostyrene), 835P(N)
Distribution of hole trap activation energies in FEP–Teflon, 1691P
Distribution of orientations in crystallization of amorphous polymer, 583P
Drawing of amorphous PET in coextrusion, 1133P
Drawing of blends of polystyrene and poly(phenylene oxide) by solid-state coextrusion, 907P
Drawing of polyethylene, thermal conductivity increase by, 1243P(N)
Drawing of semicrystalline PET in coextrusion, 1147P
Drawn oriented poly(vinylidene fluoride) rods, 2525P
Draw ratio necessary for full chain extension, 1005L
Dumbbell model of adsorbed polymer segment, 151P
Dynamic infrared linear dichroism of polymer films, 99L
Dynamic light scattering, shape function and histogram analysis, 531L
Dynamic mechanical and orientation dispersion of polyethylene, 1713P
Dynamic mechanical properties of linear and star-branched polyisoprenes, 2287P
Dynamic mechanical properties of PVC blends, 11P
Dynamic moduli and relaxation of melts, 1703P
Dynamic relaxation of methacrylate–acrylate copolymers, 2445P

Elastic constants, 725P
Elastic modulus of polyethylene calculated *ab initio*, 1341P
Elastomers, relationship between cohesive strength and tack of, 1415P
—, strain-induced crystallization determined by DSC, 323L
Electrical conductivity of FEF-loaded SBR, 3353C
Electrical conductivity of iodine-doped polyacetylene, 1527P
Electric field effects in mesomorphic thermotropic homopolyesters, 1851P
Electroactive polymers, poly(vinyl-10-methylphenothiazine), 953C
Electron beam resists, incorporation of heavy metals, 1543C
Electron diffraction of poly(4-hydroxybenzoate), 1611P
Electron-diffraction study of crazes in films and bulk, 483P
Electronic band gaps of PBO and PBS, calculations of, 1111P
Electronic band structures of poly(*p*-phenylene benzobisthiazole), 2543P
Electron microscopy of permanganic acid-etched polyethylenes, 2011P
Electron microscopy of poly(4-hydrobenzoate), 1599P
Electron microscopy of α-polypropylene, 97P
Electron spin resonance (ESR) of solid-state polydiacetylenes, 2045P
Electron transfer at polymer–solution interface, effect of environment, 1529C
—, surface–reactivity relation, 1517C
Emulsion photopolymerization, effect of initiator efficiency on sensitizer distribution, 2157C(N)
Emulsion polymerization of vinyl acetate, 2011C
Entanglement, 165P
Epitaxial crystallization of polymers on benzoic acid, 2495P
Epoxy–acrylate resins, polymerization by pulsed laser irradiation, 2451C
Epoxy–amine networks, mechanical and optical properties of, 1323P
Epoxy resin, anhydride curing reaction, 2873C
—, GPC calibration, 875L
Epoxy resins, imidazole curing catalyst, 1475C
—, phthalocyanine tetramines as curing catalysts, 1505C
Errata, 635C, 1239C, 1557C, 1558C, 2161C, 2162C, 2201P, 2607C, 2843C, 3033C
Etching and artifact formation in polyethylene under permanganic acid attack, 2011P
Ethyl α-cinnamate and vinyl acetate, copolymerization, 1457C
Ethylene glycol bis(methyl fumarate), synthesis and polymerization, 3191C
Ethylene oxide, triphenylmethyl tetrafluoroborate initiator, 885L
Exciplex formation in aromatic copolymers, 2439C
Exciplex-photoinduced electron transfer, 2439C
Extrusion, optical study of melt flow in, 2123P, 2219P
—, solid-state, 1133P, 1147P

Ferrocene, silicon derivatives, 2529C
Fiber formation and characterization of thermotropic polyesters, 2027P
Filled polymers, moduli of, 1567P(N)
Film thickness and penetration of infrared radiation, 2403P
Fire-retardant additives, effects of aging, 767C
Fire retardants, analysis by pyrolysis residue methods, 375C
Flow-induced crystallization by surface growth of polyethylene fibers, 1513P
Flow-induced orientation and crystallization, 1473P
Flow visualization technique for melt extrusion, 2123P
Fluorescence polarization of labeled polystyrene in matrix of PS of different MW, 1981P
Foams, syntactic, moduli of, 1567P(N)
Fracture mechanisms in rubber-toughened nylon blends, 699P
Free energy of amorphous polymer networks, 893P
Free radical identification in polymers by ESR, 2405C
Free radical initiation, recombination studies, 1445C
Free volume and interactions in solutions of poly(dimethyl siloxane), 841P
Free volume in binary polymer/solvent systems, 425P
Free volume model for gas permeation in polymers, 467P
Free volume model for permeation of gas mixtures through polymer membranes, 1275P
Free volume reduction in densified polystyrene, 851P
Freezing point depression in solutions of rodlike macroions, 1573P
Frictional coefficients in polymer solutions, 669L

Gas chromatography, inverse, and thermodynamic properties of polymer solutions, 859P
—, inverse, of water sorption in cellulose derivatives, 1675P
Gel permeation chromatography (GPC), concentration effects and nonideality in, 1903P
—, separation of branched polystyrenes, 1839P
Glass transition, in blends of crystalline polymers, 233P
—, fluctuations revealed by photography near, 1889P
—, of poly(diethylene glycol terephthalate) networks, 2473P
—, in poly(propylene glycol) networks, 2453P
—, pressure and temperature effect on light scattering near, 613P
Glass transition pressure and temperature effects on light scattering near, 605P
Glassy polymers, competition of penetrants in, 753P
—, deformation mechanisms in, 1647P
—, density fluctuation in, 1785P
—, interactions with plasticizers in, 2135P
—, photon correlation spectroscopy of, 1897P
—, swelling-controlled transport of solutes and penetrants in, 983P
—, temperature dependence of volume recovery in, 2419P(N)
—, theoretical models for diffusion in, 2057P
—, x-ray study of crazing in, 969P
Glow discharge polymerization of tetramethylsilane, 1847C
Glycidyl methacrylate, reactions with acid chlorides, 2291C
Glycol bis(allyl phthalates), polymerization, 3493C
Graft copolymerization, by periodate, 437L
Graft copolymers, acrylonitrile on fluorinated ethylene–propylene, induced conduction in, 685P
Graft polymerization of styrene on carbon black, 705L

Haze in polymer films, 831P(N)
HCN evolution from thermal degradation of polyimides, 2111C
Head-to-head polyisobutylene, 2629C
Head-to-head polymers, copolymers of maleic anhydride and alkyl vinyl ethers, 891C
Heat of fusion by use of Clapeyron equation, 295P
Hexachloro-5-norbornene-2,3-dicarboxylic acid, polyester flame retardants, 1617C
Hexamethyldisilazane, glow discharge polymerization, 2335C
Histidine, catalytic hydrolysis of enantiomeric substrates, 1535C
Hydrodynamic theory for flow-induced crystallization, 1473P
Hydrophobic interactions effected by polyelectrolytes, 2473C

2-Hydroxyethyl methacrylate, radiation polymerization, 609L
Hydroxyl-terminated polybutadiene, 3591C(N)
Hydroxyl-terminated polycarbonates of controlled number-average molecular weight, synthesis of, 445L

Immobilized NADH model, regeneration, 1125C
Index of refraction of 3,3-dimethyloxetane–tetrahydrofuran copolymers, 1493P
Infrared dichroism of PS/PPO blends, 1815P
Infrared dichroism of PVC blends, 11P
Infrared spectra, of calcium salt of ethylene–methacrylic acid copolymer, 301P
—, of coextrusion-drawn PET, 389P
—, in crystallizing PET fibers, 717P
—, of esters and polyesters in chlorinated solvents, 2275P
—, of ion-implanted poly(*p*-phenylene sulfide), 537P
—, of irradiated PTFE at low temperature, 1797P
—, in isomerization of PET, 2365P
—, of oriented polypropene, 401P
—, of plasticized PVC, 2263P
—, of poly(carbobenzoxy L-ornithine), 413P
—, of polyethylene terephthalate, effect of temperature on, 2067P
—, of solvent-crystallized poly(ethylene terephthalate), 1539P
—, of thick polymer films by internal reflection spectroscopy, 2403P
Infrared spectra as measure of orientation of polypropylene, 2085P
Infrared spectroscopy and ESCA, 1847C
Interaction parameter, Flory–Huggins, in ternary polymer solutions, 1187P
—, in plasticized glassy polymer, 2135P
—, for polystyrene–polybutadiene ternary systems, 1993P
—, in solutions of polyacrylates, effect of side chains on, 2049P
Interpolymer complex formation, 1045C
Intrinsic viscosity, of poly(*p*-phenylene terephthalamide) in H_2SO_4, 1825P
—, of polystyrene in toluene, pressure dependence of, 1883P(N)
—, of rodlike macroions in acid solutions, 1255P
Intrinsic viscosity–molecular weight relationships for styrene–butadiene copolymers, 1251P(N)
Intrinsic viscosity–molecular weight relationships of styrene–butadiene block copolymers, 1247P(N)
Inverse size exclusion chromatography, effect of solute dimensions, 429L
Ionene–TCNQ salts, electrical conductivity, 2397C
—, thermoswitching properties, 3145C
Ionic aggregates in carboxy-telechelic polybutadiene, rheological study of, 2205P
Ionic monomers, on cationic backbones, polymerization kinetics of, 2159P
Ionomers, nickel Nafion, x-ray diffraction of, 1389P
Iron(III) chelator, poly[vinylamine–vinyl(2,3-dihydroxy-5,6-dimethylbenzene sulfonamide], 381L
Irradiated polyethylene, crystallinity changes in, 523P
Irradiation of polyethylene, 949P, 957P

Jute fiber, mercerization and crimp development, 263L

Kinetics, of *gauche–trans* isomerization in PET, 2365P
—, of polymerization of ionic monomers, conductimetric study of, 2159P
—, of radical decay in block copolymers, 111P
—, of radical decay in polyethylene, 1011P
Kinetics of radical decay in polyethylene, 957P
—, cage model for, 2003P

Lactones, anionic polymerization, 923C
Lamellae, stacked, mechanical response of, 493P
Lamellar and spherulitic morphology, representation of dielectric constant for, 505P
Laser calorimetry, optical absorption of PMMA from, 647P
Laser-initiated copolymerization, 1315C
Latexes, NMR study of morphology in, 2389P
Latex particle, swelling without the utilization of swelling agents, 937L
Latex polymerization, invasion in two-stage latex particle, 147C
Light scattering, dynamic, from glassy polystyrene, 1897P
—, from solutions of copolymers at finite concentration, 1227P
—, from solutions of poly(tetrahydro-4*H*-pyranyl-2-methacrylate), 189P
—, from solutions of rodlike macroions, 1255P, 1573P
—, from three-component, semidilute solutions, 1381P
Light-scattering patterns in photography near T_g, 1889P
Light-scattering study of polarizability of tRNA, 2465P
Lignosulfonate, model studies of base fragmentation, 627C(N)
Liquid crystalline phase separation of cellulose triacetate, 1079P
Liquid crystalline phases in azoxybenzene polymers, 141P
Liquid crystalline polyesters, 2249C
Liquid crystalline polymer solutions, effect of high molecular weight species on, 197P, 213P
Liquid crystal phases in poly(chloro-1,4-phenylene-*trans*-1,4-cyclohexanedicarboxylate), 379P
Liquid crystal polymer, alkyl-substituted polyesters, 3313C
—, poly(1,4-alkylphenylene terephthalates), 2581C
—, spin probe study, 785L
Liquid–liquid transitions, absence of in glassy polystyrene, 241P
Longitudinal acoustic modes (LAM) in semicrystalline polymers, 1357P
Longitudinal acoustic modulus, *ab initio* calculations, 1341P
Lyotropic solutions, effect of temperature, 271L

Macroheterocycles containing polymers, thermal reactions, 2675C
Magnetic composites of poly(vinylidene fluoride), 869P
Maleimidophenoxytriphenoxycyclotriphosphazene resins, applications, 3155C
Mass spectrometry, of copoly(carbonate–urethane)s, 1599C
—, of polycarbonates, 1567C
—, of polyurethanes, 1583C
Mechanical behavior or hard–soft segmented polyurethanes, 65P
Mechanical moduli of lamellar semicrystalline polymers, 493P
Mechanical properties, of heat-treated PET, 1927P
—, of oriented poly(vinylidene fluoride) rods, 2525P
—, of solid-state-polymerized ethyl urethane diacetylene, 2483P
—, of syntactic foams, 1567P(N)
Mechanical relaxation in Solithane 113 elastomer, 1195P
Melt anisotropy of ultrahigh-molecular-weight polyethylene, 821P
Melt flow, visualization technique for, 2123P, 2219P
Melting behavior of blends of crystalline polymers, 233P
Melting behavior of polyester/ether PEET, 275P
Melt viscosity of mesogenic polyesters, 2027P
Mesogenic polyesters, melt spinning and viscosity of, 2027P
Mesomorphism of polymers based on 4′-hydroxyphenyl-4-hydroxycinnamate, 1851P

Mesophases in cellulose triacetate/trifluoroacetic acid/halogenated solvent mixtures, 1079P
Mesophases of thermotropic homopolyester series, 1119P
Metal-containing coordination polymers, 1901C
Metal ion amines as initiators in vinyl polymerization, 329L
Metal phthalocyanine imide, heat-resistant copolymers, 1025C
1-Methacryloylaziridine, polymerization and reactivity of the pendant 1-acylaziridine ring, 195L
Methacryloyloxyalkyl carbonates, radiation curing, 1401C
Methallyl methacrylate, cyclopolymerization, 609C(N)
Methylenecyclobutene, synthesis and polymerization, 1885C
2-Methylene-1,3-dioxepane, photoinitiated ring-opening polymerization, 373L
α-Methylene-*N*-methylpyrrolidone, synthesis and polymerization, 1139C
Methyl methacrylate, aqueous polymerization of, 57L
—, nitrogen dioxide-initiated polymerization, 3601C(N)
—, photopolymerization with SO_2–benzophenone initiator, 3347C(N)
—, suspension polymerization, 87L
—, ylide-photoinitiated polymerizations, 217L
4-Methyl-2-methylene-1,3-dioxolane, reaction and cationic polymerization of, 171L
Methylol cellulose, anisotropic solutions of, 515P
α-Methylstyrene, polymerization initiated by trityl tetrachloroferate, 17C
Microemulsions, investigativity proton NMR, 155C
Miscibility in blends of poly(butylene terephthalate), 367P
Molecular interactions in semidilute three-component solutions of compatible polymers, 1381P
Molecular motions of rodlike polymers in concentrated solutions, 2037P
Molecular orientation in natural and supercontracted spider silks, 1163P
Molecular weight determination by cloud point, 711L
Molecular weight distribution, dependence of dielectric relaxation of polydisperse rods on, 213P
—, dependence of phase behavior of polydisperse rods on, 197P
—, from photon correlation spectroscopic data, 807P
—, from sedimentation behavior, numerical solutions for, 123P
Molybdenum oxide, catalyst for oligomerization of styrene, 2133C
Monolayers of cyanine dye on glass and poly(vinyl alcohol), 1P
Morphology, and failure of poly(*p*-phenylene terephthalamide) under stress, 1757P
—, of hard–soft segmented polyurethanes, 65P
—, of permanganic-etched polyethylenes by SEM, 2011P
—, of α-phase of isotactic polypropylene, 97P
—, of poly(phenylene terephthalamide) fibers, 1955P
—, of polyurethane block copolymers, 2169P
—, of polyurethane elastomers, 1439P
—, of PVC particles in bulk polymerization, 251P
—, of segmented polyurethane block copolymers, 2181P
—, of self-hydrolyzed acrylate polymer colloids, 2389P
—, of thermotropic polyester, 379P
—, of ultradrawn polypropylene, NMR evidence on, 2299P
—, of ultrahigh-molecular-weight polyethylene, 821P
Multifunctional polycondensation and gelation, 2945C, 2947C

Nadimidized bisaspartimides, synthesis and polymerization, 565C
Nafion membranes, electrorheological effects, 589L
Nematic polymers, phase transition in elongated flow, 757L
Networks, characterization of, 1873P
—, crystallization under stress in, 45P, 55P
—, epoxy–amine, 1323P
—, strained, tearing energy for, 1807P
—, stress, strain, and swelling in, 893P
Networks of elastomers, extraction studies in, 1971P
Networks of poly(diethylene glycol terephthalate), birefringence and T_g of, 2473P
Networks of polydimethylsilmethylene, swelling and stress-optical behavior in, 1173P
Networks of poly(propylene glycol), glass transition in, 2453P
Neutron scattering, determinations of polymer dimensions, 521L
Neutron scattering measurements, 309P(N)
o-Nitrobenzyl cholates, photochemical response in a polymer matrix, 1075C
4-Nitronaphthylmethacrylamide, photosensitive polymers, 2025C
Nitro- or fluorophthalimides, polymerization, 3403C
p-Nitrophenylmethacrylamide, photosensitive polymers, 2025C
Nitrophthalimides, grafting reactions with being anionic polymer, 3425C
Nuclear magnetic resonance (NMR), correlation of motional processes with relaxation data from, 263P
—, of deformed PTFE, 2511P
—, of esters and polyesters in chlorinated solvents, 2275P
—, line broadening above T_g in bulk polymers, 2551P
—, in mesomorphic solutions of poly(*p*-phenylene terephthalamide), 1825P
—, of plasticized bisphenol-A polycarbonate, 2135P
—, of polyethylenes, 2319P
—, of polystyrene, 1667P
—, of propylene–butylene copolymers, 573P
—, of PVC affected by CO_2 penetration, 1055P
—, of solid chlorinated polymers, 1569P(N)
—, of ultradrawn polypropylene, 2299P
Nylon 11, oriented, thermal annealing in formic acid of, 625P
Nylon–rubber blends, impact fracture mechanisms in, 699P
Nylons, compressibility and crystallization under high pressure of, 1091P
Nylon-supported electron transfer catalyst, 945L

Olefinic electron acceptor monomers, reduction potentials, 309C(N)
Olefin polymerization, magnesium chloride supported catalyst BET, x-ray, porosimetry studies, 737C
—, magnesium chloride supported catalyst FTIR analysis, 725C
Oligo(methyl methacrylate-co-allyl methacrylate), postcopolymerization, 771L
Optical absorption spectrum of poly(methyl methacrylate), 647P
Optical properties of epoxy–amine networks, 1323P
Organosilane high polymers, electronic spectra and photodegradation, 823L
—, synthesis, 819L
Orientation distribution functions, determination by solid-state NMR, 423L
Orientation related to thermal expansion in PMMA, 657P

Paraffins, eptiaxial crystallization of, on benzoic acid, 2495P
Partial special volumes of rodlike macroions, 1573P
Particle morphology in PVC dispersions from bulk polymerization, 251P
Particle size and haze of polymer films, 831P(N)
Perfluoropyridine, plasma polymerization, 2907C

Permeability of CO_2 in polycarbonate, isopentane depression of, 753P
Permeation of gases in polyethylene, 467P
Permeation of gas in PVC, 1041P, 1055P
Permeation of gas mixtures in polyethylene membranes, 1275P
Peroxydiphosphate–ascorbic acid redox system, polymerization of methyl methacrylate, 1867C(N)
Peroxydiphosphate as photoinitiator, graft copolymerization of methyl methacrylate onto PET, 1871C(N)
Phase equilibria and compatibility in ternary polystyrene–polybutadiene–solvent systems, 1993P
Phase separation in ternary polymer solutions, 1187P
Phase-transfer-catalyzed free-radical polymerization, 3201C
Phase transition of thermotropic polyester, 379P
Phase transitions in liquid crystalline homopolyesters, 1119P
Phenazasiline-containing polyamides and polyesters, 165C
Phenolic resins, thermal decomposition, 249L
N-Phenylbenzimidazoles ethynylated, synthesis and thermal properties, 3009C
Phenyl methacrylates, ESR studies in free radical production, 2241C
2-Phenyl-3-vinyloxiranes, ring-opening polymerization, 433L
Phillips catalyst, hydrogen transfer, 1217C(N)
Phosphorus-containing imide resins, 2017C
Photoconductive polymers, aromatic amine-containing methacrylates, 969C
Photodegradation, role of peroxy and hydroperoxy groups, 3209C
Photografting, vapor phase grafting on polymer films, 367L
Photography of scattered laser light near T_g, 1889P
Photoinduced electron transfer, change separation in, 167L
Photoinitiated emulsion polymerization, stereochemistry, 1085C
Photoinitiated polymerization, effect of the initiator absorbance, 2197C
Photon correlation spectroscopy, polynomial subdistribution method for analysis of, 807P
Photon correlation spectroscopy of glassy polymer as function of temperature and pressure, 605P, 613P
Photon correlation spectroscopy of poly(ethylene oxide) solutions, 1029P
Photopolymerization, initiation by copper (II)–amino acid and chelates, 1371C
—, initiation kinetics for copper (II)–bis(amino acid) chelate initiator, 1385C
—, SO_2–benzophenone initiator, 3347C(N)
Photoresponsive crown ethers, 3525C
Photothermal reversibly crosslinkable polymer, 999L
Phthalocyanine covalently bonded on poly(2-vinylpyridine-co-styrene), synthesis and catalaselike activity, 157L
Phthalocyanine imide copolymers, synthesis and properties, 3063C
Phthalocyanine sheet polymers, solid-phase polymerization, 589C
Piezoelectricity in poly(vinylidene fluoride), 1063P
Piezoelectricity of poly(L-glutamate) with sorbed dye, 1661P
Piezoelectric strain of poly(vinylidene fluoride) films, 765P
Plasma-initiated polymerization, *n*-alkyl acrylates, 515L
—, mechanism, 509L
—, of sodium sulfohexyl methacrylate, 335L
Plasma-polymer films, chemical sensors, 353L
Plasma-polymerized toluene, solid-state ^{13}C-NMR studies, 1819C
Plasticization of PVC, IR study of, 2263P
Polarizability and anisotropy of tRNA, 2465P
Polyacetylene, characterization by ozonolysis, 301C(N)
—, cis–trans isomerization catalyzed by O_2, 767L
—, conformational aspects, 2163C
—, doping with trimethyloxonium hexachloroantimonate, 1929C
—, dynamics and mechanism of iodine sorption in, 1527P
—, molecular weight of, 93L
—, oriented films formed on crystalline benzene, 989L
—, pyrolysis studies, 3453C
—, thermal oxidation, 3479C
Polyacetylene–polyethylene composites, preparation and characterizations, 2727C
Polyacrylamide, effect on anionic polymerization of acrolein, 239C
—, radiation-induced crosslinking, 615L
Polyacrylamide gels, Raman spectroscopy and thermal analysis, 969L
Polyacrylates, head-to-head polymer, 3503C
—, vapor sorption in solutions of, 2049P
Poly(acrylic acid) and poly(4-vinylpyridine) complexes, 2987C
Poly(acrylic acid) graft copolymers, stress–strain properties, 527L
Polyacrylonitrile, effect of copolymerization and heat treatment on structure of, 2243P
—, flame-retardant mechanism for red phosphorus, 679C
—, treatment for production of carbon fibers, 1223C
Polyacrylonitrile films containing ethylene carbonate and $LiClO_4$ conductivity of, 939P
Poly(1,4-alkylphenylene terephthalate)s, liquid crystal polymers, 2581C
Polyamic acid, birefringence of films of, 1745P
Polyamidehydrazide membranes, pore size, 417L
Polyamideimides, processable heat-resistant polymers, 999C
Polyamide resins, immunoenzymatic assays support, 717L
Polyamides, active monomers for mild conditions, 637C
—, *N*-chlorination reactions, 335C
—, effect of structure on properties of, 545L
—, epitaxial crystallization of, on benzoic acid, 2495P
—, preparation from bicyclic oxalactam, 397C
—, triphenyl phosphite condensing agents, 3337C(N)
—, triphenyl phosphite/metal salt condensation catalysts, 913C(N)
Poly(amine)s, reactions of diacrylates and diamines, 413L
Poly(α-amino acid)s, crosslinking reactions, 1289C
Poly(amino-*s*-triazine)s, synthesis and characterization, 671C
Polyaromatic ether-sulfone-ketones, 1151C
—, from *o,p'*-disubstituted diphenyl ethers, 2189C
Polyarylate–poly(butylene terephthalate) blends, 367P
Polyaryl esters, arylsulfonyl chloride condensing agent, 3233C
Polybenzobisoxazole (PBO), electronic band structures of, 1111P
Polybenzobisthiazole (PBS), electronic band structures of, 1111P
Polybromostryl macromers, anionic polymerization, 2535C
Poly(*p*-bromostyrene), anionic polymerization, 2649C
Polybutadiene, carboxylic acid-terminated, rheology of alkaline earth salts of, 2205P
—, configurational sequence, 365C
—, interaction with polystyrene in good solvents, 1993P
—, isomerization during olefin metathesis, 1183C
—, line broadening of NMR spectra of, 2551P
—, microstructure of dichlorocarbene adduct, 89C
—, preparation of hydroxyl-terminated, 385C
—, radical decay in, 111P
Poly(1,2-butadiene), high crystallinity syndiotactic polymer, 1853C
1,2-Polybutadiene, Co–CS_2–aluminum alkyl catalyst for syndiotactic polymer, 1989C

—, Co–CS_2 catalyst for syndiotactic polymer, 1951C
—, NMR study of syndiotactic polymer, 1973C
Poly(butadiene-co-acrylonitrile), compatibility of blends of poly(vinyl chloride) with, 11P
Polybutylacrylate-polystyrene core-shell emulsion, 2845C
Poly(butylene terephthalate)–polyarylate blends, 367P
Poly(ϵ-caprolactone), solvent interactions with, 2275P
Poly(ϵ-caprolactone) blends with poly(vinyl chloride), 999P
Polycaprolactone/poly(vinylidene chloride-co-acrylonitrile) miscible blends, FTIR of, 45L
Poly(carbobenzoxy L-ornithine), structure and side-chain interactions in, 413P
Polycarbonate, antiplasticizer interactions, 211L
—, depression by isopentane of CO_2 permeation in, 753P
Polycarbonate–poly(methyl methacrylate) block copolymers, synthesis and characterization, 1251C
Poly(chloromethylthiirane), isomerization kinetics, 1417C
Poly(*p*-chlorostyrene), dipole moments of, 835P(N)
Polycondensation, kinetic approach to size distribution, 1627C
—, with triphenylphosphine, 2609C
Poly(crown ether), synthesis and membrane properties, 2777C
Polydiacetylenes, semiconducting single-crystal, 983L
Poly(diethylene glycol terephthalate), birefringence and T_g of networks of, 2473P
Poly(1,4-dihydronicotinamide) resins, reduction of ethyl benzoylformate, 603C(N)
Poly(2,6-dimethyl-1,4-phenylene oxide), analysis of polymer mixtures, 2921C
Polydimethylsilmethylene, stress-optical behavior of, 1173P
Polydimethylsiloxane networks with reptating chains, 1971P
Polydimethylsiloxane–polypivalolactone block copolymers, 789C
Polydimethylsiloxanes, thermal depolymerization, 1361C
Poly(dimethyl siloxane) solutions, local composition effect in, 841P
Poly(diphenyl methane pyromellitimide), HCN evolution from thermal degradation, 2111C
Polyelectrolytes, annealing of calcium salt of ethylene–methacrylic acid copolymer, 301P
—, effect on hydrophobic interactions, 2473C
—, electromechanical properties of sodium poly(L-glutamate) with sorbed dye, 1661P
—, reactions and anticoagulant activity, 1L
Polyelectrolyte solutions, electrostatic contribution to heat capacity of, 1563P(N)
Polyenaminoesters, siloxane containing, 1305C
Poly(2,3-epithiopropyl methacrylate), effect of additives on photocrosslinking, 1233C(N)
—, photocrosslinking, 479C, 2597C(N)
Polyester and ester interactions with chlorinated solvents, 2275P
Polyester resins, crosslinked by substituted styrenes, dielectric loss, 139L
—, pyrolysis of, 1C
Polyesters, derived from aromatic 1,4-dimethoxylated diacids, 2277C
—, diphenyl chlorophosphate condensing agent, 3241C
—, effect of ionizing radiation, 3083C
—, epitaxial crystallization of, on benzoic acid, 2495P
—, homologous series from 4,4′-dihydroxybiphenyl and dibasic acids, 1119P
—, metal-containing coordination polymer, 1901C
—, synthesis with triphenylphosphine, 2609C
—, thermotropic, fiber formation from, 2027P
Poly(ether sulfone), deformation behavior, 31L
—, from silylated diphenols, 2283C
Poly(ether urethane)s, synthesis and properties, 1941C
Polyethylene, antioxidant behavior in thermal aging, 557C
—, chain folding, 123L
—, correlation of crystalline T_1 with NMR of, 2319P
—, density changes on drawing, 791L
—, diffusion and sorption of gases in, 441P
—, dynamic x-ray diffraction of, 329P
—, dynamic x-ray scattering from, 881P
—, effect of methanethiol on radiation chemistry, 1763C
—, electron microscopy of permanganic etched surfaces of, 2011P
—, environmental stress cracking of, 1103P
—, epitaxial crystallization of, on benzoic acid, 2495P
—, high-modulus, structural model for, 165P
—, ignition by small flame, 3225C
—, irradiated, kinetics of radical decay in, 2003P
—, LAM studies of crystallite size, 807L
—, modulus of, from *ab initio* calculations, 1341P
—, permeation of gas mixtures in, 1275P
—, radiation chemistry of, 949P, 957P, 1011P
—, radiation-induced crystallinity changes, 523P
—, Rutherford backscattering study of iodine diffusion in, 1635P
—, sensitized photodegradation of, 731L
—, solid-state coextrusion with PET, 1133P
—, solution crystallized, Raman spectra of, 285P
—, stress-accelerated action of ozone on, 1017P
—, surface-growth process of fiber formation in, 1513P
—, surface ozonation and photooxidation, 2047C
—, thermally degraded chemical structures determined by NMR, 703C
—, thermal oxidation, 627L
—, thermoluminescence of, 1347P
—, ultradrawn, thermal conductivity of, 1243P(N)
—, ultrahigh-molecular-weight, melt anisotropy of, 821P
Poly(ethylene-1,2-diphenoxyethane-*p*,*p*′-dicarboxylate) (PEET), polymorphology of fibers of, 275P
Polyethylene fibers, chain dimensions in, 309P(N)
—, flow-induced crystallization of, 1513P
Polyethylene fibrillar formation in Poiseuille flow, 919L
Polyethyleneglycol, initiated vinyl polymerization, 2897C
—, sorption of carbon dioxide, 199L
Polyethylene graft copolymers, stress–strain properties, 527L
Polyethylene lamellar structures, 29P
Poly(ethylene oxide), concentration dependences of various friction coefficients of, 1029P
—, crystallization and weak spots in films of, 1313P
Polyethylene single crystals, chain mobility, 913L
—, compositional heterogeneity, 907L
Poly(ethylene terephthalate), coextrusion-drawn, infrared spectra of, 389P
—, crystallite orientation in, 2425P(N)
—, effects of orientation on crystallization of, 717P
—, flow characterization in extrusion of, 2219P
—, grafting of methyl methacrylate, 281L
—, heat of fusion of, 295P
—, inhibition of polymerization by carboxylic acids, 623C(N)
—, kinetics of *gauche–trans* isomerization in, 2365P
—, (PET), microstructure after heat treatment of, 1927P
—, Rutherford backscattering study of iodine diffusion in, 1635P
—, semicrystalline, solid-state coextrusion of, 1147P
—, solid-state coextrusion with polyethylene, 1133P
—, solvent-induced crystallization of, 1539P
—, temperature effect on IR spectra of, 2067P
—, thermal expansivity of, 1427P
Polyethylene ultradrawing, 1005L
Polyethylenimine, crown ether-modified, 855C
—, synthetic carriers for amino acids, 639L

Polyethylenimine interactions with methyl orange, 2311C
Poly(*cis*-5-ethyl-D-proline), conformation studies, 1751C
—, mutarotation, 1741C
—, synthesis, characterization, and solution properties, 1643C
Poly(*trans*-5-ethyl proline), synthesis and solution properties, 1699C
Polyformal of bisphenol A, synthesis, 449L
Polyfumaramides, synthesis and characterization, 2301C
Poly(hexafluoropropylene–tetrafluoroethylene), activation energies for hole traps in, 1691P
Poly(*n*-hexylisocyanate), phase equilibria in concentrated solutions of, 197P
—, relaxation behavior of liquid-crystalline solutions of, 213P
Poly(4-hydroxybenzoate), crystal structure and polymorphism of, 1599P
—, morphology of single crystals of, 1611P
Polyimide, birefringence of films of, 1745P
—, doping with copper complexes, 865C
Polyimidehydrazide, synthesis and reactions, 77L
Polyimide resins, phosphorus containing, 2017C
Polyimides, containing oxyethylene units, 319C
—, phenyl-modified, 883C
—, preparation from organosilicon diisocyanates, 3055C
Polyion complexes, binding of methyl orange, 447C
—, structure and sorption properties, 2987C
Polyisobutenyl methacrylate macromer, synthesis and characterization, 1033C
Polyisobutylene, head-to-head polymer, 2629C
—, line broadening of NMR spectra of, 2551P
Polyisocyanates, thermal behavior of mesomorphic solutions, 271L
Polyisoprenes, linear, rheology in shear and elongational flows of, 2287P
Poly(D,L-lactic acid), characterization by GPC, 197C
Poly-L-lysine, azo-dye-induced optical activity, 131L
Polymer blends, composition distributions determined by secondary ion mass spectroscopy, 487L
—, modeling of incompatability, 749L
Poly(mercapto-pyridine)s, synthesis, 847L
Polymer colloids, reaction in aerosols, 961C
Polymer colloid stability, microphase model, 1011L
Polymeric interactions, effect of active group position, 2271C
Polymer molecular weight distributions, skewness, 3373C
Polymer solutions, frictional coefficents, 669L
Polymethacrylates, vapor sorption in solutions of, 2049P
Polymethoxymethylstyrene, photocrosslinking, 1423C
Poly(*N*-methylacrylamide), block copolymers, 819C
—, free radical block copolymers, 943C
Poly(methylene oxide), crystallization and weak spots in films of, 1313P
Poly(methyl methacrylate), aqueous polymerization, 2665C
—, composites with inorganic filters, 811C
—, ignition delay, 2323C
—, ionic species in γ-irradiated film, 3257C
—, optical absorption via laser calorimetry, 647P
—, orientation, 341L
—, oriented, thermal expansion of, 657P
—, pressure and temperature effects on light scattering near T_g in, 613P
—, selective thermal degradation, 403L
—, temperature dependence of birefringence, 481L
—, temperature effect on stress- and strain-birefringence of, 1647P
Polymethylmethacrylate-*g*-hydrogels, immobilized enzyme support, 2589C
Poly(α-methylstyrene) anion, kinetics of aging, 209C
—, mechanism of aging, 227C
Poly(4-methyl-4-trichloromethyl-2,5-cyclohexadienone), solid-state photochemical synthesis, 565L
Polyolefins, radiation-induced grafting of styrene, 257L
Polyorthoesters, water-soluble, 177L
Polyoxamides, synthesis via the phosphorylation reaction, 2837C(N)
Poly(*p*-oxybenzoate), liquid–crystalline copolyesters, 2249C
Poly(oxy-2,2′-dimethylazoxybenzene-4,4′-diyloxydecanedioyl) (PDAD), mesophasic behavior of, 141P
Polyoxyethylene, longitudinal acoustic modes in oligomeric homologs of, 919P
—, microemulsion–molecular weight method, 711L
Poly(parabanic acid), copolymers of, 277L
Polyphenylene, properties of electrochemically deposited film, 3035C
Poly(*p*-phenylene), model compound ESR and conductivity studies, 457C
Poly(1,4-phenylene benzobisoxazole), dilute solution properties of, 1573P
—, dilute solutions properties of, 1255P
Poly(1,4-phenylene benzobisthiazole), dilute solution properties of, 1255P
—, properties of dilute solution, 1573P
Poly(*p*-phenylene benzobisthiazole), chain packing and band structure of, 2543P
Polyphenylene resin, curing studies, 67C
Poly(*p*-phenylene selenide), synthesis and conductivity studies, 441L
Poly(*p*-phenylene sulfide), doping with AsF_5–AsF_3, 39L
—, ion-implanted, electrical properties of, 537P
Poly(1,4-phenylene terephthalamide), dilute solution properties of, 1255P, 1573P
Poly(*p*-phenylene terephthalamide), *N*-graft polymerizations, 31C
—, morphology of fibers of, 1955P
—, NMR study of relaxation in solutions of, 1825P
—, structure, deformation, and failure of, 1757P
Polyphosphazene, structure of substituted aryloxy crystalline PDMP, 2349P
Polyphthalimidines, reaction of bisphthalides and diamines, 1241C
Polyphthalocyanines, electrophysical properties under deformation in, 929P
Polypropylene, crystallization and weak spots in, 1299P
—, heterogeneous nucleation studies, 347L
—, infrared spectra of thick films of, 2403P
—, IR methods for orientation measurement in, 2085P
—, microstructure of α-phase of, 97P
—, reaction with maleic anhydride, 23L
—, stress-accelerated action of ozone on, 1017P
—, ultradrawn, elastic constants of, 725P
—, ultradrawn, pulsed NMR of, 2299P
Polypropylene-ammonium polyphosphate-polyurea system, intumescent flame retardant, 3361C
Poly(propylene glycol) T_g in networks of, 2453P
Poly-Schiff's bases, polyindoloquinoxalines, 615C(N)
Polysiloxanes, photocrosslinking, 657L
—, preparation from silicic acid, 41C
Polystyrene, amino labeled at specific sites, 2237C
—, application of slip-link model to stress measurements in, 2109P
—, atactic, densified, dielectric loss of, 851P
—, branched, separation by GPC and sedimentation velocity, 1839P
—, conformational transitions near theta condition, 685L
—, crazing in, 483P
—, crystallization kinetics with silica nucleant, 1403P
—, degradation during combustion, 1831C
—, degradation in the presence of maleic anhydride, 781L
—, fluorescence study of chain orientation in stretching of, 1981P
—, infrared spectra of thick films of, 2403P
—, interaction with polybutadiene in good solvents, 1993P
—, local order in amorphous, 243L

—, microemulsions, 513C
—, microstructure of sulfonated ionomers, 661L
—, NMR analysis from model compounds for, 1667P
—, phenol-terminated, 435C
—, pressure and temperature effects on light scattering near T_g in, 605P
—, pressure-densified, density fluctuation in, 1785P
—, pressure dependence of intrinsic viscosity of, 1883P(N)
—, pressure dependence of intrinsic viscosity of Huggins constant in toluene solutions of, 1883P(N)
—, shear dependence and thermodynamics in moderately concentrated solutions of, 1205P, 1217P
—, x-ray scattering from crazes in, 1913P
Polystyrene blends, drawing by coextrusion of, 907P
Poly(styrene-co-acrylonitrile), effect of moisture on bulk copolymerization, 739L
Poly(styrene-co-sodium styrene-*p*-carboxylate), synthesis, 3563C
Polystyrene melts, compression isotherms of, 241P
Poly(styrene-*b*-2-methyl-2-oxazoline), synthesis of, 405L
Polystyrene–perovskites complex, electrical behavior, 317L
Polystyrene–poly(ethyl acrylate), ionomeric blends, 223L
Polystyrene/poly(vinyl methyl ether) blend system, 159P(N)
Polytetrafluoroethylene, chain folding in, 321P
—, spectroscopy after irradiation of, 1797P
Polytetrafluoroethylene (PTFE), NMR study of crystallite orientation in, 2511P
Poly(tetrahydro-4*H*-pyranyl-2-methacrylate), dilute solution properties of, 189P
Poly(tetramethylene terephthalate), compressibility and crystallization under high pressure of, 1091P
Poly(tetramethyl-*p*-silphenylene-siloxane), spectroscopic studies, 3389C
Polythienylenes, synthesis and properties, 2617C
Polythioesters, reaction of bis(4-mercaptophenyl)-ethers, 2961C
Poly(tributyltin methacrylate), piezoelectric and pyroelectric evaluation, 751C
Polyureas, effect of ammonium polyphosphate on thermal degradation, 3321C
Polyurethane, diacetylene, Raman spectra and mechanical properties of, 2483P
Polyurethane block copolymers, phase-boundary thickness in, 2181P
Polyurethane elastomer, dielectric loss under high pressure, 1195P
—, x-ray scattering and structure of, 1439P
Polyurethanes, crown-ether-modified, 3101C
—, effect of surfactant on network formation, 2085C
—, IPN with methacrylate, 2547C
—, kinetics of phase separation, 415C
—, oxidative degradation mechanism and kinetics, 487C
—, polycaprolactone-based, structure–property relationships of, 65P
Poly(vinyl acetate–co–vinyl alcohol), thermoxidative degradation, 329C
Poly(vinyl alcohol), alkylation by alkyl halide, 305C(N)
Poly(vinyl alcohol) film and cyanine dye, adhesion of, 1P
Poly(vinylamine), containing optically active thymine, spectroscopic studies, 541C
—, grafted nucleic acid base derivatives, synthesis, 525C
Poly(vinylbenzo-18-crown-6), binding with auramine O, 579C
Poly[6-(4-vinylbenzylpropyl)amino-1,3,5-triazine-2,4-dithiol), synthesis and reactions, 889L
Poly(vinylbenzyltrimethyl)ammonium chloride, catalyst for vinyl polymerization, 2101C
Poly(vinyl bromide), thermal stability, 3249C
Poly(*N*-vinylcarbazole), solvent–nonsolvent preferential adsorption, 539L
Poly(vinyl chloride), chain motions affected by sorption of CO_2 in, 1055P
—, chlorinated structure, 3093C
—, compatibility of blends of poly(butadiene-co-acrylonitrile) with, 11P
—, controlled dehydrochlorination, 2177C
—, effect of plasticization on gas permeation in, 1041P
—, IR study of plasticization of, 2263P
—, particle morphology in bulk polymerization of, 251P
—, photodegradation, 1491C
—, solid state NMR of, 1569P(N)
Poly(vinyl chloride) blends with poly(ε-caprolactone), 999P
Poly(vinylidene fluoride), dehydrofluorination, 3443C
—, piezoelectricity under high orientation in, 1063P
—, piezoelectric strain of, 765P
—, production and properties of, 2525P
Poly(vinylidene fluoride)–γFe_2O_3 magnetic composites, 869P
Poly[4(5) vinylimidazole–co–acrylamide], conformational effects in graft polymerization of acrolein, 191C
Poly(2-vinyl pyridine), charge transfer polymerization, 3517C
—, translational diffusion coefficient of, 2311P
Potassium methacrylate, effect of crown ether on radical copolymerization, 3333C(N)
Power law of viscosity, tube model basis for, 667P
β-Propiolactones, polymerization, 1671C
Proton backscattering technique for study of diffusion in polymers, 1635P
PS/PVME, deuteration of, 159P(N)
Pyridoxal model system, effect of poly(4-vinyl pyridine), 163L

Quantum mechanical calculation of elastic modulus of polyethylene, 1341P

Radiation chemistry of polybutadiene and butadiene–styrene block copolymers, 111P
Radiation-induced oxidation of polymers, 1173C
Radical decay in polyethylene, 957P, 1011P
—, cage effects in, 2003P
Radical polymerization, effect of metal halides on composition, 2739C
—, effect of metal halides on polymerization rate, 2749C
Raman-active LAM in semifluorinated *n*-alkanes, 901L
Raman-active longitudinal acoustic modes, 29P
Raman LAM spectra in partially crystalline polymers (theory), 1357P
Raman scattering in oligo(oxyethylene), 919P
Raman spectra, at dye/polymer and dye/glass interfaces, 1P
—, of methylene–oxyethylene–methylene triblock oligomers, 1501P
—, of polyethylene, 285P
—, of solid-state-polymerized ethyl urethane diacetylene, 2483P
Reactivity ratios, for acrylic monomers, 3303C
—, comparative calculations, 2215C
—, determined from NMR triad data, 917C(N)
Redox catalysts, polymer-supported, 897L
Redox polymerization by Mn^{3+} ion nonaqueous medium, 963L
Relaxation and restricted rotation of rodlike molecules in concentrated solutions, 2037P
Relaxation in glassy polymers, photon correlation study of, 1897P
Relaxation in polyethylene crystal lattice, 329P
Relaxation of polystyrene in different polymer environments, 1981P
Relaxation of strains in melts, theory of, 2427P
Rheology of linear and star-branched polyisoprenes, 2287P

Rheology of polymer fluids, examination of Cox–Merz relations for, 1703P
Rheo-optical study of deformation mechanism, 1713P
Ribonucleic acid, transfer, optically induced light-scattering changes in, 2465P
Rigid-ladder polymers, anthraquinone-containing, 83C
Rigid-rod molecules, diffusion and orientability, 289L
Ring expansion polymerization, 2,6,7-trioxabicyclo[2.2.2]octanes, 1435C
Rodlike molecules, dielectric behavior of, 213P
Rodlike polymers, chain packing and band structures of, 2543P
—, effect of polydispersity on diffusivity and viscosity, 83L
—, electrostatic effects in solutions of, 1255P
Rubber, natural, low-temperature crystallization and elastic modulus of, 553P

SBR–asbestos, effect of filler shape, 2833C
Scattering by inhomogeneities in films, 831P(N)
Second virial coefficient, 189P, 1029P, 1227P, 1381P
Sedimentation and molecular weight distribution, numerical solutions for, 123P
Sedimentation coefficients of poly(ethylene oxide), 1029P
Sedimentation velocity separation of branched polystyrenes, 1839P
Self-diffusion coefficient in polymer melts by a small-angle neutron scattering method, 495L
Silk, regenerated morphology, 1273C
—, spider, molecular orientation of, 1163P
Silk fiber, structure-textile properties, 2863C
Siloxanes, comparison of glow-discharge polymerizations, 183C
Silylcyclopentadiene-telechelic polyisobutylene, syntheses and characterization, 2973C
Small-angle x-ray scattering from crazes, 853L
Small-angle x-ray scattering of human bone, 2937C
Solid-state thermal polymerization of sodium acrylate, 1657C
Solutions of poly(dimethyl siloxane), excess thermodynamic properties of, 841P
Solvent effects on zero shear viscosity of polystyrene, 1217P
Solvent interactions with esters and polyester, 2275P
Sorption, of gases in polyethylene at high pressures, 441P
—, of iodine in polyacetylene, 1527P
—, of vapor by polyacrylate solutions, effect of side chains on, 2049P
—, of water on cellulose derivatives, 1675P
Sorption of dye, electromechanical properties affected by, 1661P
Spherulite growth, generation of volume defects in, 1299P, 1313P
—, in polystyrene with added nucleant, 1403P
Spherulite orientation distribution in dynamic deformation of polyethylene, 1713P
Spherulites, fibrillar structure, 467L
Starch-*g*-acrylates, effect form time, 2573C
Starch-*g*-polyacrylonitrile, graft versus block formation, 2095C
Starch xanthide encapsulation of pesticides, 121C
Statistical mechanics, computer simulation of liquid M alkanes as models for amorphous polymer chains, 2379P
—, of crystallization under stress, 45P, 55P
—, dielectric relaxation from dashpot–spring model of polymer dynamics, 787P
—, diffusion equations from dashpot–spring models of polymer dynamics, 773P
—, of entangled chains, 2097P, 2109P
—, of rodlike molecules in concentrated solution, 2037P
—, tube model for polymeric liquids as basis for the 3.4-power law, 667P
—, tube relaxation in melts, 2427P
Stress, strain in networks, 893P
Stress birefringence of PMMA, temperature effect on, 1647P
Stress cracking, environmental, of polyethylene, 1103P
Stress-optical behavior of polydimethylsilmethylene, 1173P
Stress relaxation of entangled chains, 2097P, 2109P
Stress–strain, piezoelectric, of PVF films, 765P
Stress–strain relations in rubber, influence of low-temperature crystallization on, 553P
Structure of low-temperature phase of PTFE, 1797P
Styrene, copolymerization with alkyl isopropenyl ketone, 359L
—, graft copolymerization of, 705L
—, latex particle formation in emulsion polymerization, 269C
—, polymerization with acrylates and vinyl ketones, effects of processed and solvents, 341C
—, terpolymerization with acrylonitrile and 2,4,6 tribromophenyl acrylate, 2713C
Styrene–butadiene block copolymers, 1251P(N)
Styrene–butadiene–styrene, viscosity reduction, 459L
Styrene emulsion polymerization, effect of swollen seed latex particle, 985C
—, gamma radiation-initiated, 2491C, 2503C
Styrene–glycidyl methacrylate copolymers, monodisperse latex, 2949C
Styrene–methyl methacrylate copolymers, microstructure, 2427C
Surface-growth method for study of flow-induced crystallization, 1513P
Surface modification, reactions of oxygen and hydrogen plasmas, 837C
Surface ozonation and photooxidation of polyethylene, 2047C
Swelling and extraction studies of model networks with reptating chains, 1971P
Swelling of networks, 893P

TCNQ, dispersion in polymer matrix, electrical properties, 575L
Telechelic polyisobutylene, silylcyclopentadiene terminated, 2973C
Telechelic polymers by group transfer polymerization, 927L
Termination in radical copolymerization, 3269C
Terpolymerization, error-in-variable model, 2003C
Terpolymers, effect of composition on light-transmitting properties, 141C
Tetramethylgermanium, glow-discharge polymerization, 2887C
Tetramethylsilane and ammonia gas, glow discharge polymerization, 3181C
Thermal behavior of hard–soft segmented polyurethanes, 65P
Thermal conductivity of ultradrawn polyethylene, 1243P(N)
Thermal effects on IR spectra of PET, 2067P
Thermal expansivity as measure of orientation in PMMA, 657P
Thermodynamic nonidealities affecting GPC, 1903P
Thermodynamic quantities, heat of fusion from Clapeyron equation, 295P
Thermodynamics, of adsorption of water by an ion in a compressible matrix, 2337P
—, of mixtures of poly(tetramethylene oxide)s and 1,4-dioxane, 353P
—, of polymer solutions, 859P
—, of polystyrene melts, PVT relations at high pressures, 241P
—, of ternary polymer solutions, 1187P
Thermoluminescence of polyethylene, 1347P
Thymine containing poly-lysine derivatives, photodimerization, 2813C
Thyroxine methacrylate monomers, preparation and polymerization, 1997C
Transesterification of blends of poly(butylene terephthalate) and polyarylate, 367P
Transport in swellable polymeric systems, 983P

2,4,6-Tribromophenyl acrylate, terpolymerization, 2713C
Trimethylolphenol, polymerization, 1801C
Trimethylsilyldimethylamine, glow discharge polymerization, 2335C
2,6,7-Trioxabicyclo[2.2.2]octanes polymerization, 1435C
Triphenyl phosphite condensing agent, effect of tertiary amine hydrochlorides, 3337C(N)
Trityl hexachloroantimonate, heat and entropy of dissociation, 831L
Trityl salts, cationic polymerization initiator, 17C

Ultrahigh modulus by drawing under dielectric heating, 933L

Vapor pressure osmometry, thermodynamic properties of polymer solutions from, 859P
Vapor pressures of 1,4-dioxane solutions of poly(tetramethylene oxide)s, 353P
Vinyl acetate–butyl acrylate, emulsion polymerization and colloidal properties, 2363C
—, emulsion polymerization and morphology, 2383C
N-Vinylcarbazole, electro initiation studies, 829C
—, polymerization by carbon black, 1861C(N)
N-Vinylcarbazole polymerization, reaction enthalpy, 881L
4-Vinylcatechols, polymerization and properties, 1877C
Vinylidene chloride–vinyl chloride copolymers, dehydrochlorination, 1729C
Vinyl monomers, graft copolymerization of, 437L
Vinyl silanes, copolymerization, 1347C
Vinyltrifluoroacetophenone, optically active copolymers, 1693C
Viologen polymers, electron transfer catalyst, 175C
—, preparation of, 293C
Viscoelasticity, nonlinear, of melts, 1703P
—, nonlinear, slip-link model applied to stress–strain in, 2109P
Viscoelasticity of alkaline–earth dicarboxylato–polybutadienes, 2205P
Viscoelasticity of epoxy–amine networks, 1323P
Viscometers, 1559P(N)
Viscosity, of moderately concentrated polystyrene solutions, 1205P, 1217P
—, nonlinear, slip-link model applied to stress–strain in, 2097P
—, of polymeric liquids, tube model basis for power law for, 667P
Volume relaxation in glasses, 2419P(N)

Water permeation, boundary layer resistance, 111L
Wood, *in situ* polymerization in, 105L

X-ray diffraction, of crazed glassy polymers, 969P
—, of crazed polystyrene, 1913P
—, dynamic, of crystalline polyethylene, 881P
—, dynamic, of high-density polyethylene, 329P
—, of heat-treated PET, 1927P
—, of irradiated polyethylene, 523P
—, of nickel Nafion ionomers, 1389P
—, of polyacrylonitrile and copolymers, 2243P
—, of polycaprolactone–PVC blends, 999P
—, of poly(carbobenzoxy L-ornithine), 413P
—, of poly[di-(3,4-dimethylphenoxy)phosphazene], 2349P
—, of polyester/ether fibers, 275P
—, of poly(phenylene terephthalamide) fibers, 1955P
—, of α-polypropylene, 97P
—, of polyurethane block copolymers, 2169P
—, of pressure-densified polystyrene glass, 1785P
—, of segmented polyurethane block copolymers, 2181P
—, of spider silk, 1163P

Ylide containing polymers, 3597C(N)

Ziegler–Natta catalysts, effect of radical structure, 2697C
Ziegler–Natta olefin polymerization, reactivity ratios, 1065C